Series 2

Price List July 2023



Series 2 Storage Overview	Series 2 Pedestals	2
	Series 2 Credenzas	3
	Series 2 Storage Towers	5
Series 2 Storage Finish Selections	Series 2 Storage Finish Selections	6
	Legacy Finishes	8
	Series 2 Storage Finishes	9
Series 2 Dividends Front Storage	Pedestals Steel Front - Recessed Pull	10
	Pedestals Steel Front - Series 2 Pull "Limited Availability"	13
	Storage Towers Steel Front - Recessed Pull	16
	Storage Towers Steel Front - Series 2 Pull "Limited Availability"	33
Series 2 Template Front Storage	Pedestals Laminate and Veneer Front - Template Pull	50
	Storage Towers Laminate and Veneer Front - Template Pull	53
	Pedestals Open and Steel Front - Template Pull	62
	Credenzas Open, Steel and Laminate Front - Template Pull	65
	Storage Towers Steel Front - Template Pull	72
Accessories	Pedestals Accessories	89
	Storage Tower Accessories	91
Wall Mounting of Knoll Products		95
Alpha-Numeric Index		97
Selling Policy		99
KnollKey Lock Program		102
General Ordering Information		103

Series 2 Pedestals Floorstanding, Doublewide, Mobile - Specifications

Series 2 Floorstanding Pedestals

Series 2 floorstanding pedestals are used to support worksurfaces in workstation applications. No cantilevers or other supports are required at the end of the worksurface supported by a pedestal.

Two drawer configurations are available: box/box/file and file/ file. Pedestals are available with or without locks.

Available Sizes (Nominal)

Depths: 18", 24" and 30"

Width: 15" Height: 26⁷/8"

Series 2 Doublewide Pedestals

The doublewide pedestal incorporates two 12" high drawers in a 30" or 36" width (1834" depth) and is intended for use beneath 19" deep Dividends Horizon worksurfaes or deeper. The doublewide's design allows for side-to-side letter or legal filing and front-to-back letter filing.

Doublewide pedestals cannot be used with 18" deep worksurfaces.

Available Sizes: (Nominal)

Depth: 18³/₄" Width: 30" and 36" Height: 26⁷/₈"

File drawer (doublewide pedestal)

Internal height: 9³/₄"

• Internal width: 263/4" and 323/4"

Internal depth: 15³/₄"

Construction

Pedestal specifications:

- Outer wrapper: 20-gauge steel
- Drawer front: 20-gauge steel (double wide front: 18-gauge)
- 7/8 extension ball bearing (full extension available as an option)
- Full extension ball bearing
- Leveling glides: 3/8" diameter steel stem with 1 1/2" of height adjustment (double wide ped: 5/16" diameter steel stem with a 1 9/16" of height adjustment

Locks

Series 2 pedestals can be ordered with or without locks. Note, Individual locking drawers are not available.

Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. All locks are factory-installed and have a black finish.

Pedestal Accessories

Series 2 floorstanding pedestals with finished back and 18" deep mobile pedestals shipped on or after March 21, 2022 will include 1 file bar per file drawer. File drawers accomodate front-to-back Letter filing or side-to-side Letter or Legal filing.

Series 2 24" deep mobile pedestals do not include file bar. File drawers support front-to-back Letter filing. File Support Channel may be specified separately for side-to-side Letter or Legal filing.

All other pedestal accessories must be specified separately.

Mobile Pedestals

Series 2 mobile pedestals provide moveable storage within a workstation and tuck beneath a worksurface when not in use. Available drawer configurations are box/file, box/box/file and file/file. Mobile pedestals roll on four corner-mounted swivel casters and one bottom drawer-mounted caster for stability when the lower drawer is in the open position. The front corner casters are locking.



Mobile pedestals may be specified with an optional handle allowing easy mobility.

All mobile steel pedestals include 13-gauge finished tops.

Pedestals may be specified without the top for attachment of a pedestal cushion. Pedestal cushion may be ordered through the Currents or Calibre price lists.

Series 2 Pedestals Front Styles

Series 2 Pedestals are available with the following front styles:

- Recessed Pull (steel front), DS4 patterns
- Series 2 Pull (steel front), DS2 patterns
- Template Pull (steel, laminate or veneer front), BS2 patterns

Note: BS2 Template pull pedestals include 5" pull on laminate fronts and 3" pull on steel or veneer fronts.

Series 2 Credenzas Credenzas - Specifications

Series 2 Credenzas

Series 2 credenzas are nominally 22" high and are available in a variety of open and drawer configurations. Credenzas cases are preassembled; tops are installed on site. Credenzas with more than one unit (double units and box/file with open) contain two preassembled cases and one common top that are assembled on site.

Five configurations are available:

- Single Open
- Double Open
- Single Box/File
- Double Box/File
- · Box/File with Open

Each Box/File unit contains one 6" high box drawer and one 12" high file drawer. File drawer allows for side-to-side letter or legal filing and front-to-back letter filing.

- Internal height: 9-3/4'
- Internal width: 26-3/4" and 32-3/4"
- Internal depth: 15-3/4"

Available Sizes (Nominal)

Depths: 18" Width: 18", 24", 30", 36", 48", 54", 60", 66", 72" Height: ²²¹/₂"

Construction

Credenza specifications:

- Outer wrapper: 20-gauge steel
- Drawer front: 20-gauge steel (double wide front: 18-gauge)
- Back: 20-gauge
- 7/8 extension ball bearing (full extension available as an option)
- Full extension ball bearing
- Leveling glides: ⁵/16" diameter steel stem with a ¹³/16" of height adjustment
- Extended Leveling glides: 5/16" diameter steel stem; provides 25/8" clearance when fully extended

Locks

Series 2 credenzas with drawers include locks as a standard.

Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. All locks are factory-installed and have a black finish.

Planning

When planning credenza overlapping a table foot, Extended Leveler kit may be specified separately. Confirm clearance and overall credenza height when planning with height adjustable tables.

When planning credenza with BW1CSB Template credenza spacer to support a Dividends Horizon worksurface, specify one credenza spacer per credenza. In this application, front leveling glides must be moved from the standard position to the secondary location within base.

When planning credenza in freestanding application, counterweight may be required. See Credenzas - Counterweight Specification section for requirements.

Series 2 Credenzas Credenzas - Counterweight Specifications

Counterweight Applications

Single Open and Double Open units do not require counterweight. In freestanding applications, Single Box/File, Double Box/File and select Box/File with Open units require counterweight.

If units are connected to a panel, supporting a work surface with a credenza spacer or ganged back-to-back with another unit, no counterweight is required.

Counterweights are specified separately and field-installed.

Reference the following list of pattern numbers and corresponding counterweight kits required for freestanding units:

Credenza		Counterweight Ki	t(s) Required
----------	--	------------------	---------------

BS2C2230BL(L/S) (1) BS2ACW3035 BS2C2236BL(L/S) (1) BS2ACW3635 BS2C2248B30018L(L/S) . . . (1) BS2ACW3020 BS2C2254B30024L(L/S) . . . (1) BS2ACW3015 BS2C2254B36018L(L/S) (1) BS2ACW3620

 $BS2C2260B30B30L(L/S).\dots.\ (1)\ BS2ACW3035+(1)\ BS2ACW3040$

BS2C2260B30O30L(L/S).... no counterweight required


BS2C2260B36O24L(L/S)....(1) BS2ACW3620

 $BS2C2266B30O36L(L/S). \dots$ no counterweight required

 $BS2C2266B36B30L(L/S).\dots \ (1)\ BS2ACW3040 + (1)\ BS2ACW3640$

 $\begin{array}{lll} BS2C2266B36O30L(L/S).\dots & no \ counterweight \ required \\ BS2C2272B36B36L(L/S).\dots & (2) \ BS2ACW3640 \\ BS2C2272B36O36L(L/S).\dots & no \ counterweight \ required \\ \end{array}$

Series 2 Storage Towers - Specifications



Series 2 Storage Tower

Series 2 freestanding storage towers are stand-alone storage units that provide vertical storage.

Available Sizes (Nominal)

Depth: 24" Width: 15", 24

Width: 15", 24", 30" Height: 42", 50", 57" and 64"

Constructions

Series 2 storage towers match the aesthetic of the Series 2 pedestal and double wide pedestal.

Storage Tower specifications:

- Outer wrapper: 20-gauge steel
- Door front: 20-gauge steel
- Drawer front: 20-gauge steel
- Storage tower cap: 20-gauge steel
- Tower base: 18-gauge steel
- Box drawer suspension: Full ball bearing slides
- Leveling glides: 3/8" diameter steel stem with 1" of height adjustment
- Vertical supports: 18-gauge steel

Locks

Storage towers can be ordered with or without lock. When specified without locks plugs, a lock plug is included.

Locks are keyed randomly unless otherwise specified. Other options include keyed alike or keyed with lock cores K001-K250. All locks are factory installed and have a black finish

- 15"w Side Access towers include (1) lock.
- 15" w Front Access towers and the 24" w and 30" w Side Access towers include (2) locks.
- Front Access towers 24" and 30" wide with wardrobe, cupboard and drawers include (3) locks.

Storage Tower Accessories

Tower file drawers accommodate front-to-back Letter filing, standard. See Tower Accessories section for additional details. **Note:** When a tower is specified with a wardrobe, the handedness of the case is deteremined by the location of the wardrobe.

For front access units without a wardrobe, the handedness of the case is determined by the hinge side of the door.

For side access bookcase towers without wardrobes, the handedness is determined by the orientation of the bookcase shelf opening.

Note: Worksurfaces may be connected to side access bookcase towers only. This may be accomplished by using the worksurface splice kit pattern DT3WSP. Remember to specify a finish color.

Shelves

All Series 2 towers (1) user adjustable shelf, with the exception of 64" tall Side Access Bookcase which ships with (2).

Series 2 Towers Front Styles

Series 2 Towers are available with the following front styles:

- Recessed Pull Drawers with Touch Latch Door (steel front), DT4 patterns
- Series 2 Pull Drawers with Touch Latch Door (steel front), DT3 patterns
- Template Pull (steel, laminate or veneer front), BT3 patterns

Note: BT3 Template pull towers include 5" pull on laminate fronts. Steel and veneer front towers include 3" pull on drawers and 2" pull on doors.

Knoll Color Program		P2 Paint Finishes			
	nt Finishes ore finishes for all new	611 612	Beige Mist Metallic Medium Metallic Grey (was J)		
P1 Paint 111 112 113	Finishes Jet Black (was 27 Matte Black) Brown Dark Grey (was Y3)	P2 Textur 611T 612T	ed Paint Finishes Textured Beige Mist Metallic Textured Medium Metal Grey		
114 115	Folkstone Grey Medium Grey	P3 Paint 613	Finishes Silver (was 3)		
116 117 118	SandStone Soft Grey (was E) Bright White	Template 111 112	Pull Finishes Jet Black Brown		
P1 Textur	ed Paint Finishes	113	Dark Grey		
111T 112T 113T 114T 115T 116T 117T 118T	Textured Jet Black Textured Brown Textured Dark Grey Textured Folkstone Grey Textured Medium Grey Textured SandStone Textured Soft Grey Textured Bright White	114 115 116 117 118 611 612 613 AA	Folkstone Grey Medium Grey Sandstone Soft Grey Bright White Beige Mist Metallic Medium Metallic Grey Silver Anodized Aluminum Anodized Nickel		

Color

All inside and outside case surfaces are painted in the same specified paint color.

Interior components and accessories are painted black. * Note, Series 2 pedestal accessories including hanging file bars must be ordered separately.

Note: For laminate and veneer front storage, specifiers must select a paint finish for the case as well as choosing a laminate or veneer selection for the front.

Custom Color Policy

For all colors outside the standard palettes for Series 2 storage as defined within this price list, Knoll will custom match your specification. Please submit the request using Knoll's Custom Finish Planner available on Dealer Portal.

Custom colors will be processed at a P2 list price for finishes that are not metallic, clear or white. Metallic, clear and white finishes will be processed at a P3 list price.

Extended lead times may apply to custom paint match selections.

Laminate Finishes

Matching edge band unless noted otherwise

Worksurfaces manufactured in Melamine are available in High Pressure Laminate at a 10% upcharge. Other products are also available in High Pressure Laminate and would need to be quoted separately.

L1 - Sol	id Colors	L2 - Pa	atterned	L2 -Wo	od Grain
114*	Folkstone Grey	121	Micro Grey	124*	Medium Cherry
117*	Soft Grey		114 edge band	125*	Natural Maple
118*	Bright White	122	Brushed Sand	126*	Natural Cherry
119*	Pumice		119 edge $band$	127*	Walnut
		123	Brushed Grey	139*	Light Ash
	id Colors		$128\ edge\ band$	140*	Warm Ash
111*	Jet Black	129	Micro Sand	141*	Whitened Ash
115*	Medium Grey		119 edge band	142*	Grey Ash
128*	Fog		_	143*	Classic Oak
				144*	Graphite Pear
				145	Zebra

^{*}denotes melamine finish

Wood Finishes

New codes begin with a three digit numeric sequence, followed by a letter suffix. Each letter suffix (A-F) represents a different combination of pore fill options and gloss levels.

Code	V1 TECHWOOD	Code	V2 PREMIUM TECHWOOD
638	Blond Maple	647	White Pine
628	Dark Mahogany	640	Ebony
639	Light Cherry	642	Grigio
641 506 509 512 513 514	Black Oak Maple Cherry Medium Walnut Medium Teak Espresso	020 017 002 006	V2 NATURAL VENEER Natural Oak Light Walnut Bronze Cherry Maple
637 644	Natural Light Walnut	021 022	Peacock Green Walnut Old English Walnut
645	Dove Grey	037	Birch

	Gloss Level	Fill Level
A	Low Gloss	Closed Pore
В	MediumGloss	Closed Pore
C	High Gloss	Closed Pore
D	Low Gloss	Open Pore
Ε	Medium Gloss	Open Pore
F	High Gloss	Open Pore

For more detailed information on Veneer finishes, please refer to the Wood Finish Matrix on the Knoll.com.

Legacy Paint Finishes

Specify Legacy Finishes to match existing product only. Legacy finishes are not available for new customers

P1 Paint Finishes Y1 Pewter

P2 Paint Finishes

 $\begin{array}{ll} W & \quad \text{Light Tan Metallic} \\ H & \quad \text{Beige Metallic} \end{array}$

Knoll Legacy Finish Selections Series 2 Veneer Front Storage Finish Colors

P1 Paint Finishes

LD Charcoal Grey LC Oyster Grey LE Willow Grey

P2 Paint Finishes

2 Metallic Flint
U Light Metallic Grey
V Dark Metallic Grey
W Light Tan Metallic
H Beige Metallic

Knoll Legacy Finish Selections Series 2 Morrison Front Storage Finish Colors

P1 Paint Finishes
N2 Flint
NW Light Tan
NH Beige

P2 Paint Finishes

Metallic Flint
 U Light Metallic Grey
 W Light Metallic Tan
 H Metallic Beige
 V Dark Metallic Grey

P3 Paint Finishes
B White

Series 2 Storage Finishes *Fabrics*

Fabric Options

Grade 10
Annex (W1360)
Beacon (W14975)
Broadcloth II (W1619)
Circuit (W17545)
Element (W1077)
Growth Spurt (W692)
Messa (W2061)
Skylark (W17187)
Symbolic Details (W693)
Tailor Made II (1610)

Grade 20 Circle Line (W1146) Criss Cross (W305) Delite (K2026) Edo (W2111) Mainframe (W17835) Namatic II (W16201) Photon (W1293) Reflect (W884)

Versatility (W432)

Grade 30 Micro (W465) Relay (W1020)

Grade 40 Amplify (W1215) Bandwidth (W1219) Hourglass (K1523) Palladium (W1030) COM (Customer's Own Material) COM can be applied to Dividends Horizon product on a select basis. Please consult your Knoll Customer Service Representative for details on the COM approval process and testing requirements.

Pricing for COM fabrics is at Grade 10.

Note: Always contact your Customer Service Representative prior to sending any COM (including pre-approved KnollTextiles) to the manufacturing facility

$\begin{array}{c} {\bf Pedestals\ Steel\ Front\ -\ Recessed\ Pull} \\ {\it Floorstanding\ Pedestals} \end{array}$

description	W	d	h	lock	pattern no.	P1	P2	P3
Floorstanding Pedestal with two box and one file	14 1/8"	171/4"	267/8"	Y	DS4PFL18A	\$1,083.	\$1,244.	\$1,299.
drawer with lock	147/8"	231/4"	267/8"	Y	DS4PFL24AB	1,092.	1,258.	1,305.
	147/8"	291/4"	267/8"	Y	DS4PFL30A	1.249.	1.437.	1.504.



Floorstanding Pedestal with two file drawers with lock

147/8"	171/4"	267/8"	Y	DS4PFL18B	1,040.	1,198.	1,249.
147/8"	231/4"	267/8"	Y	DS4PFL24BB	1,045.	1,199.	1,247.
147/8"	291/4"	267/8"	Y	DS4PFL30B	1,194.	1,371.	1,431.



Order Code

DS4PFL24AB-117
Series 2 Steel Front,
Recessed Pull
Pedestal Floorstanding
Locking
Depth
Box/Box/File
Soft Grey paint finish

Specification Information

Deduct \$15 from the list price for non-locking units. Substitute the "L" with a "N" within the pattern number to designate a non-locking unit, <code>example</code> (DS2PFN18A).

Add an "F" to the end of the pattern number to receive full extension slides on all box drawers. Upcharge is \$25 list per pedestal.

Floorstanding pedestals include finished back.

Application Notes

Pedestals with finished back shipped on or after March 21 or later include 1 file bar per file drawer. File drawers support front-to-back Letter filing or side-to-side Letter or Legal filing. All other accessories are specified separately.

Dimensions under, **w**, **d** and **h** are actual to the nearest $\frac{1}{16}$ ".

Pedestals Steel Front - Recessed Pull $Mobile\ Pedestals$

description	W	d	h	lock	pattern no.	P1	P2	P3
Mobile Pedestal with one box and one file drawer	147/8"	163/4"	205/8"	Y	DS4PML18F	\$1,396.	\$1,609.	\$1,677.
	147/8"	223/4"	205/8"	Y	DS4PML24F	1,172.	1,346.	1,401.



Mobile Pedestal with two box and one file drawer	147/8"	163/4"	263/8"	Y	DS4PML18A	1,572.	1,802.	1,881.
	147/8"	223/4"	263/8"	Y	DS4PML24A	1,304.	1,507.	1,572.



Mobile Pedestal with two file drawers	147/8"	163/4"	263/8"	Y	DS4PML18B	1,519.	1,752.	1,828.
	14.7/o"	223/4"	263/9"	Y	DS4PMI 24B	1 304	1.507	1 572



Order Co	de	Specification Information	Application Notes	Critical Dimensions
Example: DS4 PM L 24 A 117	DS4PML24A-117 Series 2 Steel Front, Recessed Pull Pedestal Mobile Locking Depth Box/Box/File Soft Grey paint finish	Add \$55 list for Mobile Handle. Add a "P" between the "L" lock code and the case size to designate the handle option, example (DS2PMLP24A) Deduct \$35 list for units without a top. Add an "O" in place of the "M" in the pattern number to designate the no-top option, example (DS2POL18A) Add an "F" to the end of the pattern number to receive full extension slides on all box drawers. Upcharge is \$25 list per pedestal.	18" deep mobile pedestals shipped after March 21, 2022 include 1 file bar allowing for front-to-back or side-to-side filing. 24" deep mobile pedestals support front-to-back Letter filing, standard. If side-to-side filing is required, File Support Channel may be specified separately. All other accessories are specified separately.	Dimensions under, w, d and h are actual to the nearest ¹ /16"

Pedestals Steel Front - Recessed Pull Double Wide Pedestals

description	W	d	h	lock	pattern no.	P1	P2	P3
Doublewide Pedestal with two file drawers	30"	183/4"	267/8"	Y	DS4DW30L	\$1,610.	\$1,854.	\$1,933.
	36"	183/4"	267/8"	Y	DS4DW36L	1,701.	1,960.	2,044.



Order Cod	de
Example:	DS4DW30L-117
DS4	Series 2 Steel Front,
	Recessed Pull
DW	Doublewide Pedestal
30	30" wide
L	Locking
117	Soft Grey paint finish

Specification Information

Deduct \$20 from the list price for non-locking units. Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, *example* (DS2DW36L).

Doublewide pedestals include hanging file bars for letter and legal front-to-back and side-to-side filing.

Application Notes

Doublewide pedestals are not intended for freestanding use and must be secured beneath a panel supported worksurface. (See Calibre lateral files price list for two drawer files that can be used for freestanding applications)

Critical Dimensions

Dimensions under, **w**, **d** and **h** are actual to the nearest $^{1}/_{16}$ ".

Doublewide Pedestal Internal Drawer Dimensions

- Lateral drawer height: 93/4"
- Lateral drawer width: $26\sqrt[3]{4}$ and $32\sqrt[3]{24}$
- \bullet Lateral drawer depth: $15^{3}/4''$

Pedestals Steel Front - Series 2 Pull "Limited Availability" Floorstanding Pedestals

description	W	d	h	lock	pattern no.	P1	P2	P3
Floorstanding Pedestal with two box and one file	147/8"	171/4"	267/8"	Y	DS2PFL18A	\$1,083.	\$1,244.	\$1,299.
drawer with lock	147/8"	231/4"	267/8"	Y	DS2PFL24AB	1,092.	1,258.	1,305.
	147/8"	291/4"	267/8"	Y	DS2PFL30A	1,249.	1,437.	1,504.



Floorstanding Pedestal with two file drawers with lock

$14^{7/8}''$	171/4"	267/8"	Y	DS2PFL18B	1,040.	1,198.	1,249.
$14^{7/8}''$	231/4"	267/8"	Y	DS2PFL24BB	1,045.	1,199.	1,247.
147/8"	291/4"	267/8"	Y	DS2PFL30B	1,194.	1,371.	1,431.



Order Code

Example:	DS2PFL24AB-117
DS2	Series 2 Steel Front,
	Series 2 Pull
PF	Pedestal Floorstanding
L	Locking
24	Depth
AB	Box/Box/File
117	Soft Grey paint finish

Specification Information

Deduct \$15 from the list price for non-locking units. Substitute the "L" with a "N" within the pattern number to designate a non-locking unit, <code>example</code> (DS2PFN18A).

Add an "F" to the end of the pattern number to receive full extension slides on all box drawers. Upcharge is \$25 list per pedestal.

Floorstanding pedestals include finished back.

Application Notes

Pedestals with finished back shipped on or after March 21 or later include 1 file bar per file drawer. File drawers support front-to-back Letter filing or side-to-side Letter or Legal filing. All other accessories are specified separately.

Dimensions under, **w**, **d** and **h** are actual to the nearest $\frac{1}{16}$ ".

Pedestals Steel Front - Series 2 Pull "Limited Availability" Mobile Pedestals

description	W	d	h	lock	pattern no.	P1	P2	P3
Mobile Pedestal with one box and one file drawer	147/8"	163/4"	205/8"	Y	DS2PML18F	\$1,396.	\$1,609.	\$1,677.
	147/8"	223/4"	205/8"	Y	DS2PML24F	1,172.	1,346.	1,401.



Mobile Pedestal with two box and one file	e drawer
---	----------

147/8"	163/4"	263/8"	Y	DS2PML18A	1,572.	1,802.	1,881.
147/8"	223/4"	263/8"	Y	DS2PML24A	1,304.	1,507.	1,572.



Mobile Pedestal with two file drawers

147/8"	163/4"	263/8"	Y	DS2PML18B	1,519.	1,752.	1,828.
147/8"	223/4"	263/8"	Y	DS2PMI 24B	1 304	1.507	1.572



Order Co	de	Specification Information	Application Notes	Critical Dimensions
Example: DS2 PM L 24 A 117	DS2PML24A-117 Series 2 Steel Front, Series 2 Pull Pedestal Mobile Locking Depth Box/Box/File Soft Grey paint finish	Add \$55 list for Mobile Handle. Add a "P" between the "L" lock code and the case size to designate the handle option, example (DS2PMLP24A) Deduct \$35 list for units without a top. Add an "O" in place of the "M" in the pattern number to designate the no-top option, example (DS2POL18A) Add an "F" to the end of the pattern number to receive full extension slides on all box drawers. Upcharge is \$25 list per pedestal.	18" deep mobile pedestals shipped after March 21, 2022 include 1 file bar allowing for front-to-back or side-to-side filing. 24" deep mobile pedestals support front-to-back Letter filing, standard. If side-to-side filing is required, File Support Channel may be specified separately. All other accessories are specified separately.	Dimensions under, w, d and h are actual to the nearest ¹ /16"

Pedestals Steel Front - Series 2 Pull "Limited Availability" Double Wide Pedestals

description	W	d	h	lock	pattern no.	P1	P2	Р3
Doublewide Pedestal with two file drawers	30"	183/4"	267/8"	Y	DS2DW30L	\$1,610.	\$1,854.	\$1,933.
<i>∕</i> .3•	36"	183/4"	267/8"	Y	DS2DW36L	1,701.	1,960.	2,044.



Order Code								
Example:	DS2DW30L-117							
DS2	Series 2 Steel Front, Series 2 Pull							
DW	Doublewide Pedestal							
30	30" wide							
L	Locking							
117	Soft Grey paint finish							

Specification Information

Deduct \$20 from the list price for non-locking units. Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (DS2DW36L).

Doublewide pedestals include hanging file bars for letter and legal front-to-back and side-to-side filing.

Application Notes

Doublewide pedestals are not intended for freestanding use and must be secured beneath a panel supported worksurface. (See Calibre lateral files price list for two drawer files that can be used for freestanding applications)

Critical Dimensions

Dimensions under, **w**, **d** and **h** are actual to the nearest \(^1/16''\).

Doublewide Pedestal Internal Drawer Dimensions

- Lateral drawer height: 93/4"
- Lateral drawer width: $26\sqrt[3]{4}$ " and $32\sqrt[3]{24}$ "
- Lateral drawer depth: 153/4"

Storage Towers Steel Front - Recessed Pull 15" Wide Storage Towers 42" High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
42" High Side Access Bookcase tower with two	left hand	147/8"	23 1/2"	41 5/16"	Y	DT4SBLH4215BBFL	\$2,641.	\$3,037.	\$3,168.
box and one file drawer (right hand shown)	right hand	147/8"	231/2"	41 5/16"	Y	DT4SBRH4215BBFL	2,641.	3,037.	3,168.



42" High Side Access Bookcase tower with two file drawers (right hand shown)

left	hand	14 7/8'"	23 1/2"	415/16"	Y	DT4SBLH4215FFL	2,516.	2,901.	3,025.
rial	at hand	1.4.7/0"	221/2"	4.1.5/1/2"	v	DT/CRDH/215EEI	2 516	2.001	3.025



Order Code

Example:	DT4SBLH4215BBFL- 117
DT4	Series 2 Steel Front, Recessed Pull
SB	Side Access Bookcase
LH	Left Hand Access
42	42" High
15	15" Wide
В	Box Drawer
В	Box Drawer
F	File Drawer
L	Locking
117	Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 ½16"
 Box drawer depth: 18 ¾8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"
- Note: All towers are configured

from the top down with standard combinations of box and file drawers.

Storage Towers Steel Front - Recessed Pull 15" Wide Storage Towers 50" High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
50" High Single Door tower with two box and one	left hand	147/8"	23 1/2"	485/16"	Y	DT4SLH5015BBFL	\$3,093.	\$3,558.	\$3,713.
file drawer (right hand shown)	right hand	$14^{7/8}''$	231/2"	485/16"	Y	DT4SRH5015BBFL	3,093.	3,558.	3,713.



50" High Single Door tower with two file drawers	left hand	$14^{7}/8''$	$23^{1}/2''$	485/16"	Y	DT4SLH5015FFL	2,791.	3,211.	3,346.
(right hand shown)	right hand	14.7/o"	231/2"	485/16"	Y	DT4SRH5015FFI	2 791	3 211	3 346



231/2" 485/16" 50" High Side Access Bookcase tower with two left hand 147/8" DT4SBLH5015BBFL 2,786. 3,195. 3,339. box and one file drawer (right hand shown) right hand 147/8" 231/2" 485/16" Y DT4SBRH5015BBFL 2,786. 3,195. 3,339.



Order Cod	de
Example:	DT4SBLH5015BBFL- 117
DT4	Series 2 Steel Front, Recessed Pull
SB	Side Access Bookcase
LH	Left Hand Access
50	50" High
15	15" Wide
В	Box Drawer
В	Box Drawer
F	File Drawer
L	Locking
117	Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Recessed Pull 15" Wide Storage Towers 50" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
50" High Side Access Bookcase tower with two	left hand	147/8"	231/2"	485/16"	Y	DT4SBLH5015FFL	\$2,641.	\$3,037.	\$3,168.
file drawers (right hand shown)	right hand	147/8"	231/2"	485/16"	Y	DT4SBRH5015FFL	2,641.	3,037.	3,168.



Order Code								
Example:	DT4SBLH5015BBFL- 117							
DT4	Series 2 Steel Front, Recessed Pull							
SB	Side Access Bookcase							
LH	Left Hand Access							
50	50" High							
15	15" Wide							
В	Box Drawer							
В	Box Drawer							
F	File Drawer							
L	Locking							
117	Soft Grey paint finish							

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 ½6"
 Box drawer depth: 18 ¾8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Recessed Pull 15" Wide Storage Towers 57" High

description	type	W	d	h	lock	pattern no.	PI	P2	P3
57" High Single Door tower with two file drawers	left hand	147/8"	231/2"	56³/16"	Y	DT4SLH5715FFL	\$2,860.	\$3,295.	\$3,435.
(right hand shown)	right hand	147/8"	231/2"	563/16"	Y	DT4SRH5715FFL	2,860.	3,295.	3,435.



57" High Single Door tower with two box and one left hand 147/8" 231/2" 563/16" DT4SLH5715BBFL 3,168. 3,640. 3,801. file drawer (right hand shown) 3,168. 3,801. right hand 147/8" 231/2" 563/16" DT4SRH5715BBFL 3,640.



57" High Side Access Bookcase tower with two file drawers (right hand shown)

left hand	147/8"	$23^{1}/2''$	56³/16″	Y	DT4SBLH5715FFL	2,860.	3,295.	3,435.
right hand	147/8"	231/2"	563/16"	Y	DT4SBRH5715FFL	2,860.	3,295.	3,435.



Order Code Example: DT4SBLH5715BBFL-117 DT4 Series 2 Steel Front, Recessed Pull SB Side Access Bookcase LH Left Hand Access 57 57" High 15 15" Wide В Box Drawer В Box Drawer F File Drawer Locking Soft Grey paint finish 117

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 9¹/₄"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Recessed Pull 15" Wide Storage Towers 57" High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
57" High Side Access Bookcase tower with two	left hand	147/8"	231/2"	56³/16"	Y	DT4SBLH5715BBFL	\$3,168.	\$3,640.	\$3,801.
box and one file drawer (right hand shown)	right hand	147/8"	231/2"	563/16"	Y	DT4SBRH5715BBFL	3,168.	3,640.	3,801.



Order Cod	Order Code							
Example:	DT4SBLH5715BBFL- 117							
DT4	Series 2 Steel Front, Recessed Pull							
SB	Side Access Bookcase							
LH	Left Hand Access							
57	57" High							
15	15" Wide							
В	Box Drawer							
В	Box Drawer							
F	File Drawer							
L	Locking							
117	Soft Grey paint finish							

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 ½6"
 Box drawer depth: 18 ¾8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Recessed Pull 15" Wide Storage Towers 64" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
64" High Side Access Bookcase tower with two	left hand	147/8"	23 1/2"	63 5/16"	Y	DT4SBLH6415BBFL	\$2,876.	\$3,318.	\$3,456.
box and one file drawer (right hand shown)	right hand	147/8"	231/2"	635/16"	Y	DT4SBRH6415BBFL	2,876.	3,318.	3,456.



Note: Display towers are open to access on two sides, i.e., the front and one side.

64" High Side Access Bookcase tower with two	left hand	147/8"	23 1/2"	63 5/16"	Y	DT4SBLH6415FFL	2,741.	3,149.	3,281.
file drawers (right hand shown)	right hand	15"	23 1/2"	635/16"	Y	DT4SBRH6415FFL	2,741.	3,149.	3,281.



64" High Single Door tower with two box and one left hand 147/8" 23 1/2" 635/16" DT4SLH6415BBFL 3,240. 3,726. 3,886. file drawer (right hand shown) 147/8" 231/2" 635/16" DT4SRH6415BBFL 3,240. 3,726. 3,886. right hand



Order Code Example: DT4SBLH6415BBFL-117 DT4 Series 2 Steel Front, Recessed Pull SB Side Access Bookcase LH Left Hand Access 64 64" High 15 15" Wide В Box Drawer В Box Drawer F File Drawer Locking 117 Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Recessed Pull 15" Wide Storage Towers 64" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
64" High Single Door tower with two file drawers	left hand	14 7/8"	231/2"	63 5/16"	Y	DT4SLH6415FFL	\$2,935.	\$3,379.	\$3,525.
(right hand shown)	right hand	147/8"	231/2"	63 5/16"	Y	DT4SRH6415FFL	2,935.	3,379.	3,525.



Order Cod	de
Example:	DT4SBLH6415BBFL- 117
DT4	Series 2 Steel Front,
	Recessed Pull
SB	Side Access Bookcase
LH	Left Hand Access
64	64" High
15	15" Wide
В	Box Drawer
В	Box Drawer
F	File Drawer
L	Locking
117	Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 ½6"
 Box drawer depth: 18 ¾8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"
- Note: All towers are configured

from the top down with standard combinations of box and file drawers.

Storage Towers Steel Front - Recessed Pull 24" Wide Storage Towers 42" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
42" High Side Access Bookcase with two box and	left hand	237/8"	231/2"	41 5/16"	Y	DT4WSBLH4224BBFL	\$3,822.	\$4,394.	\$4,591.
one file drawer with wardrobe (left hand shown)	right hand	237/8"	231/2"	41 5/16"	Y	DT4WSBRH4224BBFL	3.822.	4.394.	4.591.



42" High Side Access Bookcase with two file left hand 237/8" 231/2" 41 5/16" Y DT4WSBLH4224FFL 3,678. 4,229 4,414. drawers with wardrobe (left hand shown) 4,229. 41 5/16" 4,414. right hand 237/8" 231/2" DT4WSBRH4224FFL 3,678.



Order Code Example: DT4SBLH5724BBFL-117 DT4 Series 2 Steel Front, Recessed Pull SB Side Access Bookcase LH Left Hand Access 57 57" High 24 24" Wide В Box Drawer В Box Drawer F File Drawer Locking Soft Grey paint finish 117

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 9¹/₄"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Recessed Pull 24'' Wide Storage Towers 50'' High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
50" High tower with two box and one file drawer	left hand	23 7/8"	23 1/2"	485/16"	Y	DT4WSLH5024BBFL	\$3,513.	\$4,042.	\$4,215.
and door and wardrobe (left hand shown)	right hand	237/8"	231/2"	485/16"	Y	DT4WSRH5024BBFL	3,513.	4,042.	4,215.



DT4WSLH5024FFL 50" High tower with two file drawers and door left hand 237/8" 23 1/2" 485/16 3.160. 3,629. 3,786. and wardrobe (left hand shown) 237/8" $23^{1}/2''$ 485/16" Y DT4WSRH5024FFL 3,160. 3,786. right hand 3,629.



50" High Side Access Bookcase with two file drawers with wardrobe (left hand shown)

left hand	237/8''	$23^{1}/_{2}''$	$48^{5}/16''$	Y	DT4WSBLH5024FFL	3,697.	4,248.	4,432.
right hand	237/8"	231/2"	485/16"	Y	DT4WSBRH5024FFL	3.697.	4.248.	4.432.



Order Cod	de
Example:	DT4SBLH5024BBFL- 117
DT4	Series 2 Steel Front, Recessed Pull
SB	Side Access Bookcase
LH	Left Hand Access
50	50" High
24	24" Wide
В	Box Drawer
В	Box Drawer
F	File Drawer
L	Locking
117	Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each unit:

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3)

Critical Dimensions

Dimensions under, \boldsymbol{w} , \boldsymbol{d} and \boldsymbol{h} are actual to the nearest $^{1}\!\!/_{16}\!''$

 $42^{\prime\prime},\,50^{\prime\prime},\,57^{\prime\prime}$ and $64^{\prime\prime}$ Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16"
- Box drawer depth: 18³/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Note: All towers are configured from the top down with standard combinations of box and file

drawers.

Storage Towers Steel Front - Recessed Pull 24" Wide Storage Towers 50" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
50" High Side Access Bookcase with two box and	left hand	237/8"	231/2"	48 5/16"	Y	DT4WSBLH5024BBFL	\$3,839.	\$4,419.	\$4,613.
one file drawer with wardrobe (left hand shown)	right hand	237/8"	231/2"	485/16"	Y	DT4WSBRH5024BBFL	3,839.	4,419.	4.613.



Order Code							
Example:	DT4SBLH5024BBFL- 117						
DT4	Series 2 Steel Front,						
	Recessed Pull						
SB	Side Access Bookcase						
LH	Left Hand Access						
50	50" High						
24	24" Wide						
В	Box Drawer						
В	Box Drawer						
F	File Drawer						
L	Locking						
117	Soft Grey paint finish						

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16"
 Box drawer depth: 18 3/8"
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Recessed Pull 24" Wide Storage Towers 57" High

description	type	W	d	h	lock	pattern no.	PI	P2	Р3
57" High tower with two file drawers and door	left hand	23 7/8"	23 1/2"	563/16"	Y	DT4WSLH5724FFL	\$3,258.	\$3,745.	\$3,906.
and wardrobe (left hand shown)	right hand	237/8"	$23^{1}/_{2}''$	563/16"	Y	DT4WSRH5724FFL	3,258.	3,745.	3,906.



57" High tower with two box and one file drawer left hand 237/8" 231/2" 563/16 DT4WSLH5724BBFL 4,185. 4,367. and door and wardrobe (left hand shown) right hand 237/8" 23 1/2" 563/16 DT4WSRH5724BBFL 3,639. 4,185. 4,367.



57" High Side Access Bookcase with two file left hand 237/8" 231/2" 563/16" DT4WSBLH5724FFL 3,851 4,427. 4,617. drawers with wardrobe (left hand shown) 237/8" 231/2 DT4WSBRH5724FFL right hand 563/16 3,851 4,427. 4,617.



Order Code Example: DT4SBLH5724BBFL-117 DT4 Series 2 Steel Front, Recessed Pull SB Side Access Bookcase LH Left Hand Access 57 57" High 24 24" Wide В Box Drawer В Box Drawer F File Drawer Locking Soft Grey paint finish 117

Specific	Intormat	ion
----------	----------	-----

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Recessed Pull 24" Wide Storage Towers 57" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
57" High Side Access Bookcase with two box and	left hand	237/8"	231/2"	56³/16"	Y	DT4WSBLH5724BBFL	\$3,992.	\$4,592.	\$4,794.
one file drawer with wardrobe (left hand shown)	right hand	237/8"	231/2"	56³/16"	Y	DT4WSBRH5724BBFL	3,992.	4,592.	4,794.



Order Code								
Example:	DT4SBLH5724BBFL- 117							
DT4	Series 2 Steel Front, Recessed Pull							
SB	Side Access Bookcase							
LH	Left Hand Access							
57	57" High							
24	24" Wide							
В	Box Drawer							
В	Box Drawer							
F	File Drawer							
L	Locking							
117	Soft Grey paint finish							

Specific Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16"
 Box drawer depth: 18 3/8"
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Recessed Pull 24'' Wide Storage Towers 64'' High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
64" High tower with two box and one file drawer	left hand	23 7/8"	23 1/2"	63 5/16"	Y	DT4WSLH6424BBFL	\$3,663.	\$4,215.	\$4,394.
and door and wardrobe (left hand shown)	right hand	237/8"	231/2"	635/16"	Y	DT4WSRH6424BBFL	3,663.	4,215.	4,394.



64" High tower with two file drawers and door and wardrobe (left hand shown)

left hand	237/8''	$23^{1}/2''$	63 5/16"	Y	DT4WSLH6424FFL	3,267.	3,760.	3,926.
right hand	237/8"	231/2"	635/16"	Y	DT4WSRH6424FFL	3,267.	3,760.	3,926.



Order Code

Example: DT4SBLH6424BBFL-117 DT4 Series 2 Steel Front, Recessed Pull SB Side Access Bookcase LH Left Hand Access 64 64" High 24 24" Wide В Box Drawer В Box Drawer File Drawer Locking 117 Soft Grey paint finish

Specifiacation Information

For non-locking towers, deduct as follows from the list price for each unit:

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, \boldsymbol{w} , \boldsymbol{d} and \boldsymbol{h} are actual to the nearest $^1\!/_16''$

 $42^{\prime\prime}, 50^{\prime\prime}, 57^{\prime\prime}$ and $64^{\prime\prime}$ Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16"
- Box drawer depth: 18³/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"
- Isto: All toward one configure

Storage Towers Steel Front - Recessed Pull 24" Wide Storage Towers 64" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
64" High Side Access Bookcase with two box and	left hand	237/8"	231/2"	63 5/16"	Y	DT4WSBLH6424BBFL	\$4,078.	\$4,689.	\$4,894.
one file drawer with wardrobe (left hand shown)	right hand	237/8"	231/2"	63 5/16"	Y	DT4WSBRH6424BBFL	4.078.	4,689.	4.894.



DT4WSBLH6424FFL 64" High Side Access Bookcase with two file left hand 237/8" 231/2" 63 5/16" 3,940. 4.534. 4.732. drawers with wardrobe (left hand shown) 237/8" $23^{1}/2''$ 63 5/16" Y DT4WSBRH6424FFL 3,940. 4,534. 4,732. right hand



Example: DT4SBLH6424BBFL-117 DT4 Series 2 Steel Front, Recessed Pull SB Side Access Bookcase LH Left Hand Access 64 64" High 24 24" Wide В Box Drawer В Box Drawer F File Drawer Locking 117 Soft Grey paint finish

Order Code

Specifiacation Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Recessed Pull 30" Wide Storage Towers 50" High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
50" High tower with two file drawers and door	left hand	297/8"	23 1/2"	485/16"	Y	DT4WSLH5030FFL	\$3,415.	\$3,929.	\$4,105.
and wardrobe (left hand shown)	right hand	297/8"	231/2"	485/16"	Y	DT4WSRH5030FFL	3,415.	3,929.	4,105.



50" High tower with two box and one file drawer	left hand	297/8"	23 1/2"	485/16"	Y	DT4WSLH5030BBFL	3,697.	4,248.	4,432.
and door and wardrobe (left hand shown)	right hand	297/8"	231/2"	485/16"	Y	DT4WSRH5030BBFL	3,697.	4.248.	4.432.



Order Code

Example: DT4WSLH5030BBFL-DT4 Series 2 Steel Front, Recessed Pull ws Wardrobe and Single LH Left Hand Access 50" High 50 30 30" Wide В Box Drawer В Box Drawer F File Drawer L Locking 117 Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each unit: Deduct \$30 for (1) lock unit, \$60 for (2) lock unit, and \$75 for a (3) lock unit. Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (DT4WSLH5030BBFN)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. Hanging rails are included with 24" and 30" wide lateral drawers only. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard and wardrobe area of the 15", 24" and $30^{\prime\prime}$ wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16'

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 183/8"

Note: All towers are configured

from the top down with standard combinations of box and file

Storage Towers Steel Front - Recessed Pull 30" Wide Storage Towers 57" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
57" High tower with two file drawers and door	left hand	297/8"	231/2"	56³/16"	Y	DT4WSLH5730FFL	\$3,597.	\$4,136.	\$4,314.
and wardrobe (left hand shown)	right hand	297/8"	231/2"	563/16"	Y	DT4WSRH5730FFL	3,597.	4,136.	4,314.



57" High tower with two box and one file drawer	left hand	297/8"	231/2"	563/16"	Y	DT4WSLH5730BBFL	3,873.	4,448.	4,647.
and door and wardrobe (left hand shown)	right hand	297/8"	231/2"	563/16"	Y	DT4WSRH5730BBFL	3,873.	4,448.	4.647.



Order Code

Example: DT4WSLH5730BBFL-117 Series 2 Steel Front, DT4 Recessed Pull ws Wardrobe and Single Door LH Left Hand Access 57" High 57 30 30" Wide В Box Drawer В Box Drawer F File Drawer L Locking 117 Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each unit: Deduct \$30 for (1) lock unit, \$60 for (2) lock unit, and \$75 for a (3) lock unit. Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (DT4WSLH5030BBFN)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. Hanging rails are included with 24" and 30" wide lateral drawers only. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard and wardrobe area of the 15", 24" and $30^{\prime\prime}$ wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16'

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: $18^3/8''$
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 183/8"

Storage Towers Steel Front - Recessed Pull 30'' Wide Storage Towers 64'' High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
64" High tower with two box and one file drawer	left hand	297/8"	23 1/2"	63 5/16"	Y	DT4WSLH6430BBFL	\$3,940.	\$4,534.	\$4,732.
and door and wardrobe (left hand shown)	right hand	297/8"	231/2"	635/16"	Y	DT4WSRH6430BBFL	3,940.	4,534.	4,732.



64" High tower with two file drawers and door and wardrobe (left hand shown)

left hand	$29^{7}/8''$	$23^{1}/2''$	635/16"	Y	DT4WSLH6430FFL	3,678.	4,228.	4,412.
right hand	297/8"	231/2"	635/16"	Y	DT4WSRH6430FFL	3,678.	4,228.	4,412.



Order Code

Example: DT4WSLH6430BBFL-117 DT4 Series 2 Steel Front, Recessed Pull ws Wardrobe and Single LH Left Hand Access 64" High 64 30 30" Wide В Box Drawer В Box Drawer F File Drawer L Locking 117 Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each unit: Deduct \$30 for (1) lock unit, \$60 for (2) lock unit, and \$75 for a (3) lock unit. Substitute the "L" suffix with an "N"within the pattern number to designate a non-locking unit, example (DT4WSLH5030BBFN)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24" w and 30" w Front Access towers with wardrobe include (3) locks.

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. Hanging rails are included with 24" and 30" wide lateral drawers only. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard and wardrobe area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

Critical Dimensions

Dimensions under, \mathbf{w} , \mathbf{d} and \mathbf{h} are actual to the nearest $^{1}/_{16}''$

 $42^{\prime\prime}, 50^{\prime\prime}, 57^{\prime\prime}$ and $64^{\prime\prime}$ Tower Internal Dimensions

- Box drawer height: 4⁵/16"
- Box drawer width: 12 1/16"
- Box drawer depth: 18³/8"
- File drawer height: 9¹/₄"
- File drawer width: 12 1/16"
- File drawer depth: 183/8"

Storage Towers Steel Front - Series 2 Pull "Limited Availability" 15" Wide Storage Towers 42" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
42" High Side Access Bookcase tower with two	left hand	147/8"	23 1/2"	415/16"	Y	DT3SBLH4215BBFL	\$2,641.	\$3,037.	\$3,168.
box and one file drawer (right hand shown)	right hand	14.7/s"	231/2"	41 5/16"	Y	DT3SBRH4215BBFI	2 641	3.037	3 168



42" High Side Access Bookcase tower with two	left hand	14 7/8"	231/2"	41 5/16"	Y	DT3SBLH4215FFL	2,516.	2,901.	3,025.
file drawers (right hand shown)	right hand	147/8"	231/2"	41 5/16"	Y	DT3SBRH4215FFL	2,516.	2,901.	3,025.



117 DT3 Series 2 Steel Front, Series 2 Pull SB Side Access Bookcase

Example: DT3SBLH4215BBFL-

Order Code

117

LH Left Hand Access 42" High 42 15 15" Wide В Box Drawer В Box Drawer F File Drawer Locking

Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16" Box drawer depth: 18 3/8"
- File drawer height: 9¹/₄"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Series 2 Pull "Limited Availability" 15" Wide Storage Towers 50" High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
50" High Single Door tower with two box and one	left hand	147/8"	23 1/2"	485/16"	Y	DT3SLH5015BBFL	\$3,093.	\$3,558.	\$3,713.
file drawer (right hand shown)	right hand	147/8"	231/2"	485/16"	Y	DT3SRH5015BBFL	3,093.	3,558.	3,713.



50" High Single Door tower with two file drawers (right hand shown)

left hand	$14^{7}/8''$	$23^{1}/2''$	$48^{5}/16''$	Y	DT3SLH5015FFL	2,791.	3,211.	3,346.
right hand	147/8"	231/2"	485/16"	Y	DT3SRH5015FFL	2,791.	3,211.	3,346.



50" High Side Access Bookcase tower with two box and one file drawer (right hand shown)

left hand	$14^{7}/8''$	23 1/2"	485/16"	Y	DT3SBLH5015BBFL	2,786.	3,195.	3,339.
right hand	147/8"	23 1/2"	485/16"	Y	DT3SBRH5015BBFL	2.786.	3.195.	3,339.



Order Code

Example: DT3SBLH5015BBFL-117 DT3 Series 2 Steel Front, Series 2 Pull SB Side Access Bookcase LH Left Hand Access 50 50" High 15 15" Wide В Box Drawer В Box Drawer File Drawer Locking Soft Grey paint finish 117

Specification Information

For non-locking towers, deduct as follows from the list price for each unit:

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, $\boldsymbol{w},\,\boldsymbol{d}$ and \boldsymbol{h} are actual to the nearest $^{1}\!\!/_{16}\!''$

 $42^{\prime\prime}, 50^{\prime\prime}, 57^{\prime\prime}$ and $64^{\prime\prime}$ Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16"
- Box drawer depth: 18³/8"
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 183/8"

Storage Towers Steel Front - Series 2 Pull "Limited Availability" 15" Wide Storage Towers 50" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
50" High Side Access Bookcase tower with two	left hand	147/8"	231/2"	485/16"	Y	DT3SBLH5015FFL	\$2,641.	\$3,037.	\$3,168.
file drawers (right hand shown)	right hand	147/8"	231/2"	485/16"	Y	DT3SBRH5015FFL	2.641.	3.037.	3,168.



Order Code					
Example:	DT3SBLH5015BBFL- 117				
DT3	Series 2 Steel Front, Series 2 Pull				
SB	Side Access Bookcase				
LH	Left Hand Access				
50	50" High				
15	15" Wide				
В	Box Drawer				
В	Box Drawer				
F	File Drawer				
L	Locking				
117	Soft Grey paint finish				

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16" Box drawer depth: 18 3/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Series 2 Pull "Limited Availability" 15" Wide Storage Towers 57" High

description	type	W	d	h	lock	pattern no.	PI	P2	Р3
57" High Single Door tower with two file drawers	left hand	147/8"	231/2"	56³/16"	Y	DT3SLH5715FFL	\$2,860.	\$3,295.	\$3,435.
(right hand shown)	right hand	147/8"	231/2"	563/16"	Y	DT3SRH5715FFL	2,860.	3,295.	3,435.



57" High Single Door tower with two box and one left hand 147/8" 231/2" 563/16" DT3SLH5715BBFL 3,168. 3,640. 3,801. file drawer (right hand shown) right hand 147/8" 231/2" 563/16" DT3SRH5715BBFL 3,168. 3,640. 3,801.



57" High Side Access Bookcase tower with two file drawers (right hand shown)

left hand	$14^{7}/8''$	$23^{1}/2''$	563/16"	Y	DT3SBLH5715FFL	2,860.	3,295.	3,435.
right hand	147/8"	231/2"	56³/16"	Y	DT3SBRH5715FFL	2.860.	3,295.	3,435.



Order Code

117

Example: DT3SBLH5715BBFL-117 DT3 Series 2 Steel Front, Series 2 Pull SB Side Access Bookcase LH Left Hand Access 57 57" High 15 15" Wide В Box Drawer В Box Drawer F File Drawer

Locking

Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, $\boldsymbol{w},\,\boldsymbol{d}$ and \boldsymbol{h} are actual to the nearest $^{1}\!\!/_{16}\!''$

 $42^{\prime\prime}, 50^{\prime\prime}, 57^{\prime\prime}$ and $64^{\prime\prime}$ Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16"
- Box drawer depth: 18³/8"
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 18³/8"

Note: All towers are configured from the top down with standard

from the top down with standard combinations of box and file drawers.

Storage Towers Steel Front - Series 2 Pull "Limited Availability" 15" Wide Storage Towers 57" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
57" High Side Access Bookcase tower with two	left hand	147/8"	231/2"	56³/16"	Y	DT3SBLH5715BBFL	\$3,168.	\$3,640.	\$3,801.
box and one file drawer (right hand shown)	right hand	147/8"	231/2"	563/16"	Y	DT3SBRH5715BBFL	3,168.	3,640.	3,801.



Order Cod	Order Code							
Example:	DT3SBLH5715BBFL- 117							
DT3	Series 2 Steel Front, Series 2 Pull							
SB	Side Access Bookcase							
LH	Left Hand Access							
57	57" High							
15	15" Wide							
В	Box Drawer							
В	Box Drawer							
F	File Drawer							
L	Locking							
117	Soft Grey paint finish							

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16"
 Box drawer depth: 18 3/8"
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 18³/8"
- Note: All towers are configured

from the top down with standard combinations of box and file drawers.

Storage Towers Steel Front - Series 2 Pull "Limited Availability" 15" Wide Storage Towers 64" High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
64" High Side Access Bookcase tower with two	left hand	147/8"	23 1/2"	635/16"	Y	DT3SBLH6415BBFL	\$2,876.	\$3,318.	\$3,456.
box and one file drawer (right hand shown)	right hand	147/8"	231/2"	635/16"	Y	DT3SBRH6415BBFL	2,876.	3,318.	3,456.



64" High Side Access Bookcase tower with two file drawers (right hand shown)

left hand	$14^{7}/8''$	$23^{1}/2''$	63 5/16"	Y	DT3SBLH6415FFL	2,741.	3,149.	3,281.
right hand	15"	23 1/2"	635/16"	Y	DT3SBRH6415FFL	2,741.	3,149.	3,281.



64" High Single Door tower with two box and one file drawer (right hand shown)

left hand	$14^{7}/8''$	$23^{1}/_{2}''$	635/16"	Y	DT3SLH6415BBFL	3,240.	3,726.	3,886.
right hand	147/8"	231/2"	635/16"	Y	DT3SRH6415BBFL	3.240.	3,726.	3,886.



Order Code

Example:	DT3SBLH6415BBFL- 117
DT3	Series 2 Steel Front, Series 2 Pull
SB	Side Access Bookcase
LH	Left Hand Access
64	64" High
15	15" Wide
В	Box Drawer
В	Box Drawer
F	File Drawer
L	Locking
117	Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 ½16"
 Box drawer depth: 18 ¾8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Series 2 Pull "Limited Availability" 15" Wide Storage Towers 64" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
64" High Single Door tower with two file drawers	left hand	147/8"	231/2"	63 5/16"	Y	DT3SLH6415FFL	\$2,935.	\$3,379.	\$3,525.
(right hand shown)	right hand	147/8"	231/2"	63 5/16"	Y	DT3SRH6415FFL	2,935.	3,379.	3,525.



Order Cod	Order Code							
Example:	DT3SBLH6415BBFL- 117							
DT3	Series 2 Steel Front, Series 2 Pull							
SB	Side Access Bookcase							
LH	Left Hand Access							
64	64" High							
15	15" Wide							
В	Box Drawer							
В	Box Drawer							
F	File Drawer							
L	Locking							
117	Soft Grey paint finish							

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16" Box drawer depth: 18 3/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Series 2 Pull "Limited Availability" 24" Wide Storage Towers 42" High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
42" High Side Access Bookcase with two box and	left hand	23 7/8"	231/2"	41 5/16"	Y	DT3WSBLH4224BBFL	\$3,822.	\$4,394.	\$4,591.
one file drawer with wardrobe (left hand shown)	right hand	237/8"	231/2"	41 5/16"	Y	DT3WSBRH4224BBFL	3,822.	4,394.	4,591.



42" High Side Access Bookcase with two file drawers with wardrobe (left hand shown)

left hand	$23^{7}/8''$	231/2"	41 5/16"	Y	DT3WSBLH4224FFL	3,678.	4,229.	4,414.
right hand	237/8"	231/2"	41 5/16"	Y	DT3WSBRH4224FFL	3.678.	4.229	4.414.



Order Code

Example: DT3SBLH4224BBFL-117 DT3 Series 2 Steel Front, Series 2 Pull SB Side Access Bookcase LH Left Hand Access 42 42" High 24 24" Wide В Box Drawer В Box Drawer File Drawer Locking Soft Grey paint finish 117

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Series 2 Pull "Limited Availability" 24" Wide Storage Towers 50" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
50" High tower with two box and one file drawer	left hand	237/8"	231/2"	485/16"	Y	DT3WSLH5024BBFL	\$3,513.	\$4,042.	\$4,215.
and door and wardrobe (left hand shown)	right hand	237/8"	231/2"	485/16"	Y	DT3WSRH5024BBFL	3.513.	4.042	4.215.



DT3WSLH5024FFL 50" High tower with two file drawers and door left hand 237/8" 231/2" 485/16" 3,160. 3,629. 3,786. and wardrobe (left hand shown) 237/8" 231/2" 485/16" Y DT3WSRH5024FFL 3,629. 3,786. right hand 3,160.



50" High Side Access Bookcase with two box and left hand 237/8" 231/2" 485/16" Y DT3WSBLH5024BBFL 3,839 4,419. 4,613. one file drawer with wardrobe (left hand shown) 237/8 23 1/2" 485/16 DT3WSBRH5024BBFL right hand 3,839 4,419. 4,613.



Order Code

Example: DT3SBLH5024BBFL-117 DT3 Series 2 Steel Front, Series 2 Pull SB Side Access Bookcase Left Hand Access LH 50 50" High 24 24" Wide В Box Drawer В Box Drawer F File Drawer Locking Soft Grey paint finish 117

For non-locking towers, deduct as follows from the list price for each unit:

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard and wardrobe area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, \boldsymbol{w} , \boldsymbol{d} and \boldsymbol{h} are actual to the nearest $^1\!/_{16}{''}$

 $50^{\prime\prime},\,57^{\prime\prime}$ and $64^{\prime\prime}$ Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16"
- Box drawer depth: 18³/8"
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 18³/8"
- Note: All towers are configured

from the top down with standard combinations of box and file drawers.

Storage Towers Steel Front - Series 2 Pull "Limited Availability" 24" Wide Storage Towers 50" High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
50" High Side Access Bookcase with two file	left hand	23 7/8"	23 1/2"	485/16"	Y	DT3WSBLH5024FFL	\$3,697.	\$4,248.	\$4,432.
drawers with wardrobe (left hand shown)	right hand	23 7/8"	231/2"	485/16"	Y	DT3WSBRH5024FFL	3,697.	4,248.	4,432.



Order Code Example: DT3SBLH5024BBFL-

117 DT3 Series 2 Steel Front, Series 2 Pull SB Side Access Bookcase LH Left Hand Access 50 50" High 24 24" Wide В Box Drawer В Box Drawer F File Drawer Locking 117 Soft Grey paint finish

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard and wardrobe area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16" Box drawer depth: 18 3/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Note: All towers are configured from the top down with standard

combinations of box and file drawers.

Storage Towers Steel Front - Series 2 Pull "Limited Availability" 24" Wide Storage Towers 57" High

description	type	W	d	h	lock	pattern no.	P1	P2	P3	
57" High tower with two file drawers and door	left hand	237/8"	231/2"	563/16"	Y	DT3WSLH5724FFL	\$3,258.	\$3,745.	\$3,906.	
and wardrobe (left hand shown)	right hand	237/8"	23 1/2"	563/16"	Y	DT3WSRH5724FFL	3,258.	3,745.	3,906.	



57" High tower with two box and one file drawer	left hand	237/8"	$23^{1}/_{2}''$	563/16"	Y	DT3WSLH5724BBFL	3,639.	4,185.	4,367.
and door and wardrobe (left hand shown)	right hand	237/8"	231/2"	563/16"	Y	DT3WSRH5724BBFL	3,639.	4.185.	4.367.



57" High Side Access Bookcase with two file left hand 237/8" 231/2" 563/16" DT3WSBLH5724FFL 3,851 4,427. 4,617. drawers with wardrobe (left hand shown) 23 7/8" 231/2" DT3WSBRH5724FFL 4,427. right hand 563/16 3,851. 4,617.



Order Code								
Example:	DT3SBLH5724BBFL- 117							
DT3	Series 2 Steel Front, Series 2 Pull							
SB	Side Access Bookcase							
LH	Left Hand Access							
57	57" High							
24	24" Wide							
В	Box Drawer							
В	Box Drawer							
F	File Drawer							
L	Locking							
117	Soft Grey paint finish							

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard and wardrobe area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Series 2 Pull "Limited Availability" 24" Wide Storage Towers 57" High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
57" High Side Access Bookcase with two box and	left hand	23 7/8"	231/2"	56³/16"	Y	DT3WSBLH5724BBFL	\$3,992.	\$4,592.	\$4,794.
one file drawer with wardrobe (left hand shown)	right hand	237/8"	231/2"	563/16"	Y	DT3WSBRH5724BBFL	3,992.	4,592.	4,794.



Order Code								
Example:	DT3SBLH5724BBFL- 117							
DT3	Series 2 Steel Front, Series 2 Pull							
SB	Side Access Bookcase							
LH	Left Hand Access							
57	57" High							
24	24" Wide							
В	Box Drawer							
В	Box Drawer							
F	File Drawer							
L	Locking							
117	Soft Grey paint finish							

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard and wardrobe area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 ½6"
 Box drawer depth: 18 ½6"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Series 2 Pull "Limited Availability" 24" Wide Storage Towers 64" High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
64" High tower with two box and one file drawer	left hand	23 7/8"	23 1/2"	635/16"	Y	DT3WSLH6424BBFL	\$3,663.	\$4,215.	\$4,394.
and door and wardrobe (left hand shown)	right hand	237/8"	231/2"	635/16"	Y	DT3WSRH6424BBFL	3,663.	4.215.	4.394.



3,926. 237/8" 231/2" DT3WSLH6424FFL 64" High tower with two file drawers and door left hand 635/16 Y 3,267. 3,760. and wardrobe (left hand shown) 3,267. 237/8" 231/2" 635/16" DT3WSRH6424FFL 3,760. 3,926. right hand Y



Example: DT3SBLH6424BBFL-117 DT3 Series 2 Steel Front, Series 2 Pull SB Side Access Bookcase LH Left Hand Access 64 64" High 24 24" Wide В Box Drawer В Box Drawer F File Drawer Locking

Soft Grey paint finish

Order Code

117

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Series 2 Pull "Limited Availability" 24" Wide Storage Towers 64" High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
64" High Side Access Bookcase with two box and	left hand	23 7/8"	231/2"	63 5/16"	Y	DT3WSBLH6424BBFL	\$4,078.	\$4,689.	\$4,894.
one file drawer with wardrobe (left hand shown)	right hand	237/8"	231/2"	63 5/16"	Y	DT3WSBRH6424BBFL	4,078.	4,689.	4,894.



64" High Side Access Bookcase with two file drawers with wardrobe (left hand shown)

left hand	237/8''	$23^{1}/2''$	63 5/16"	Y	DT3WSBLH6424FFL	3,940.	4,534.	4,732.
right hand	237/8"	231/2"	63 5/16"	Y	DT3WSBRH6424FFL	3,940.	4,534.	4,732.



Order Code

Example: DT3SBLH6424BBFL-117 DT3 Series 2 Steel Front, Series 2 Pull SB Side Access Bookcase LH Left Hand Access 64 64" High 24 24" Wide В Box Drawer В Box Drawer F File Drawer Locking 117 Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16" Box drawer depth: 18 3/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Series 2 Pull "Limited Availability" 30" Wide Storage Towers 50" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
50" High tower with two file drawers and door	left hand	297/8"	231/2"	485/16"	Y	DT3WSLH5030FFL	\$3,415.	\$3,929.	\$4,105.
and wardrobe (left hand shown)	right hand	297/8"	23 1/2"	485/16"	Y	DT3WSRH5030FFL	3,415.	3,929.	4,105.



50" High tower with two box and one file drawer	left hand	297/8"	$23^{1}/2''$	485/16"	Y	DT3WSLH5030BBFL	3,697.	4,248.	4,432.
and door and wardrobe (left hand shown)	right hand	297/8"	231/2"	485/16"	Y	DT3WSRH5030BBFI	3 697	4 248	4 432



Order Code Example: DT3WSLH5030BBFL-117 DT3 Series 2 Steel Front, Series 2 Pull WS Wardrobe and Single LH Left Hand Access 50 50" High 30 30" Wide В Box Drawer В Box Drawer F File Drawer Locking 117 Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16" Box drawer depth: 18 3/8"
- File drawer height: 9¹/₄"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Series 2 Pull "Limited Availability" 30" Wide Storage Towers 57" High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
57" High tower with two box and one file drawer	left hand	297/8"	23 1/2"	563/16"	Y	DT3WSLH5730BBFL	\$3,873.	\$4,448.	\$4,647.
and door and wardrobe (left hand shown)	right hand	297/8"	23 1/2"	563/16"	Y	DT3WSRH5730BBFL	3,873.	4,448.	4,647.



57" High tower with two file drawers and door	left hand	$29^{7}/8''$	$23^{1}/2''$	563/16"	Y	DT3WSLH5730FFL	3,597.	4,136.	4,314.
and wardrobe (left hand shown)	right hand	297/8"	$23^{1}/_{2}''$	563/16"	Y	DT3WSRH5730FFL	3,597.	4,136.	4,314.



Order Code Example: DT3WSLH5730BBFL-117 Series 2 Steel Front, DT3 Series 2 Pull WS Wardrobe and Single LH Left Hand Access 57" High 57 30 30" Wide В Box Drawer В Box Drawer F File Drawer Locking 117 Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16" Box drawer depth: 18 3/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Storage Towers Steel Front - Series 2 Pull "Limited Availability" 30" Wide Storage Towers 64" High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
64" High tower with two box and one file drawer	left hand	297/8"	231/2"	63 5/16"	Y	DT3WSLH6430BBFL	\$3,940.	\$4,534.	\$4,732.
and door and wardrobe (left hand shown)	right hand	297/8"	231/2"	635/16"	Y	DT3WSRH6430BBFL	3.940.	4.534	4.732.



297/8" 231/2" DT3WSLH6430FFL 4,228 64" High tower with two file drawers and door left hand 635/16 Y 3,678. 4,412. and wardrobe (left hand shown) 297/8" 231/2" 635/16" DT3WSRH6430FFL 3,678. 4,228. 4,412. right hand Y



Order Code Example: DT3WSLH6430BBFL-117 DT3 Series 2 Steel Front, Series 2 Pull WS Wardrobe and Single LH Left Hand Access 64" High 64 30 30" Wide В Box Drawer В Box Drawer F File Drawer Locking 117 Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (DT4SLH5015BBFN)

Wardrobe and cupboard doors of Recessed pull or Series 2 pull tower styles are standard without a handle and include a touch latch.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

- 15"w towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 9¹/₄"
- File drawer width: 12 1/16"
- File drawer depth: 18³/8"

Pedestals Laminate and Veneer Front - Template Pull *Floorstanding Pedestals*

description w		d	h	lock	pattern no.	Ll	L2	V1	V2	Р1	P2	Р3
Floorstanding Pedestal with two box and one file14	4 ⁷ /8"	171/4"	267/8"	Y	BS2PFL18A(L/V)	\$1,401.	\$1,490.	\$1,738.	\$1,880.			
drawer with lock	4 ⁷ /8"	231/4"	267/8"	Y	BS2PFL24AB(L/V)	1,556.	1,598.	1,840.	1,971.			
14	4 ⁷ /8"	291/4"	267/8"	Y	BS2PFL30A(L/V)	1,600.	1,678.	1,958.	2,111.			



Floorstanding Pedestal with two file drawers with

h	$14^{7/8}''$	171/4"	$26^{7/8}''$	Y	BS2PFL18B(L/V)	1,276.	1,353.	1,663.	1,792.
	147/8"	231/4"	267/8"	Y	BS2PFL24BB(L/V)	1,388.	1,458.	1,765.	1,893.
	147/8"	291/4"	267/8"	Y	BS2PFL30B(L/V)	1,413.	1,499.	1,912.	2,059.



Order Code

Example:	BS2PFL24AB-VC 113
BS2	Series 2 Veneer Front
PF	Pedestal Floorstanding
L	Locking
24	Depth
AB	Box/Box/File
VC	Front Finish, Med
	Cherry
113	Dark Grey

Specification Information

Deduct \$15 from the list price for non-locking units. Substitute the "L" with a "N" within the pattern number to designate a non-locking unit, *example* (BS2PFN18A).

Add an "F" to the end of the pattern number to receive full extension slides on all box drawers. Upcharge is \$25 list per pedestal.

Floorstanding Pedestals include finished back.

Application Notes

Pedestals with finished back shipped on or after March 21 or later include 1 file bar per file drawer. File drawers support front-to-back Letter filing or side-to-side Letter or Legal filing. All other accessories are specified separately.

Dimensions under, **w**, **d** and **h** are actual to the nearest $\frac{1}{16}$ ".

Note: Do not use with Reff Desk Height components

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers. Laminate fronts receive 5" pulls on all doors and drawers.

Pedestals Laminate and Veneer Front - Template Pull *Mobile Pedestals*

description	W	d	h	pattern no.	L1	L2	V1	V2
Mobile Pedestal with two box and one file drawer	147/8"	163/4"	263/8"	BS2PML18A(L/V)	\$1,833.	\$1,903.	\$2,180.	\$2,349.
	147/8"	223/4"	263/8"	BS2PML24A(L/V)	1,635.	2,051.	2,403.	2,589.



Mobile Pedestal with two file drawers	147/8"	163/4"	263/8"	BS2PML18B(L/V)	1,663.	1,735.	2,180.	2,349.
	147/8"	223/4"	263/8"	BS2PML24B(L/V)	1,637.	1,722.	2,403.	2,589.



Mobile Pedestal with one box and one file drawer	$14^{7}/8''$	163/4"	205/8"	BS2PML18F(L/V)	1,559.	1,616.	1,969.	2,123.
	147/8"	223/4"	205/8"	BS2PML24F(L/V)	1,508.	1,569.	2,172.	2,343.



Order Code Specification Information Application Notes Critical Dimensions Example: BS2PML24A-VC 113 Add \$55 list for Mobile Handle. 18" deep mobile pedestals shipped Dimensions under, w, d and h are Add a "P" between the "L" lock code and the case size to designate after March 21, 2022 include 1 file actual to the nearest 1/16" BS₂ Series 2 Veneer Front bar allowing for front-to-back or PM Pedestal Mobile Mobile Pedestal Internal Drawer the handle option, example (BS2PMLP24A) side-to-side filing. Dimensions L Locking 24" deep mobile pedestals support • Box drawer height: 45/16" 24 Depth Deduct \$35 list for units without a front-to-back Letter filing, standard. Box drawer width: 121/16" Box/Box/File top. Add an "O" in place of the "M" If side-to-side filing is required, Box drawer depth: 183/8" in the pattern number to designate File Support Channel may be VC Front Finish, Med • File drawer height: 91/4" specified separately. the no-top option, *example* Cherry • File drawer width: 12 1/16" (BS2P**O**L18A) File drawer depth: 18³/8" 113 Dark Grey All other accessories are specified Add an "F" to the end of the pattern separately. number to receive full extension Note: Do not use with Reff Desk slides on all box drawers. Upcharge **High Components** is \$25 list per pedestal. Template Pull length:

drawers.

Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on

Laminate fronts receive 5" pulls on all doors and drawers.

Pedestals Laminate and Veneer Front - Template Pull Double Wide Pedestals

description	W	d	h	lock	pattern no.	Ll	L2	V1	V2
Doublewide Pedestal with two file drawers	30"	183/4"	267/8"	Y	BS2DW30L(L/V)	\$1,954.	\$2,044.	\$2,319.	\$2,388.
∕₃	36"	183/4"	267/8"	Y	BS2DW36L(L/V)	2.087.	2.193.	2.564.	2.637.



- 1	
Example:	BS2DW30L-VC 113

Order Code

Example.	BOLD HOUL TO THE
BS2	Series 2 Veneer Front
DW	Doublewide Pedestal
30	30" wide
L	Locking
VC	Front Finish, Med
	Cherry
113	Dark Grey

Specification Information

Deduct \$20 from the list price for non-locking units. Substitute the "L" suffix with a "N" within the pattern number to designate a non-locking unit, example (BS2DW30N).

Note: Do not use with Reff Desk **Height Components**

Doublewide pedestals include hanging file bars for letter and legal front-to-back and side-to-side filing.

Application Notes

Doublewide pedestals are not intended for freestanding use and must be secured beneath a ${\it supported worksurface.}\ (See\ Calibre$ lateral files price list for two drawer files that can be used for freestanding applications)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers. Laminate fronts receive 5" pulls

on all doors and drawers.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16'

Doublewide Pedestal Drawer Internal Dimensions

- Lateral drawer height: 93/4"
- Lateral drawer width: 26³/₄" and 32³/₄"
- \bullet Lateral drawer depth: $15^{3}/4''$

Storage Towers Laminate and Veneer Front - Template Pull 15" Wide Storage Towers 50" High

description	type	W	d	h	lock	pattern no.	Ll	L2	V1	V2
50" High Single Door tower with two box and one	left hand	14 7/8"	231/2"	485/16"	Y	BT3SLH5015BBFL(L/V)	\$3,680.	\$3,818.	\$5,790.	\$6,239.
file drawer (right hand shown)	right hand	147/8"	231/2"	485/16"	Y	BT3SRH5015BBFL(L/V)	3,680.	3,818.	5,790.	6,239.



50" High Single Door tower with two file drawers	left hand	147/8"	231/2"	485/16"	Y	BT3SLH5015FFL(L/V)	3,387.	3,534.	5,219.	5,629.
(right hand shown)	right hand	147/8"	231/2"	485/16"	Y	BT3SRH5015FFL(L/V)	3,387.	3,534.	5,219.	5,629.



Order Code

Example: BT3SLH5715FFL-VC 113 BT3 Series 2 Veneer Front S Single Door Left Hand Access LH 57 57" High 15 15" Wide F File Drawer F File Drawer Locking VC Front Finish Medium Cherry 113 Case Finish Dark Grey

Specification Information

For non-locking towers, deduct as follows from the list price for each unit:

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (BT4SLH5715FFN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

Note: Laminate/Veneer front towers are comprised of a steel case with wood laminate/veneer fronts and top.

- 15"w Side Access towers include (1) lock.
- 24"w and 30"w Side Access and Display towers include (2) locks.
- Front Access (only) towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42'', 50'', 57'' and 64'' Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 183/8"

Storage Towers Laminate and Veneer Front - Template Pull 15" Wide Storage Towers 57" High

description	type	W	d	h	lock	pattern no.	L1	L2	V1	V2
57" High Single Door tower with two box and one	left hand	14 7/8"	231/2"	56³/16"	Y	BT3SLH5715BBFL(L/V)	\$3,771.	\$3,930.	\$5,929.	\$6,390.
file drawer (right hand shown)	right hand	147/8"	231/2"	563/16"	Y	BT3SRH5715BBFL(L/V)	3,771.	3,930.	5,929.	6,390.



57" High Single Door tower with two file drawers	left hand	$14^7/8''$	$23^{1}/2''$	563/16"	Y	BT3SLH5715FFL(L/V)	3,481.	3,651.	5,359.	5,779.
(right hand shown)	right hand	14 $^{7}/8^{\prime\prime}$	$23^{1}/2''$	563/16"	Y	BT3SRH5715FFL(L/V)	3,481.	3,651.	5,359.	5,779.



Order Code

113

Example: BT3SLH5715FFL-VC BT3 Series 2 Veneer Front $\overline{\mathsf{s}}$ Single Door LH Left Hand Access 57" High 57 15 15" Wide F File Drawer F File Drawer Locking VC Front Finish Medium

Cherry

Case Finish Dark Grey

Specification Information

For non-locking towers, deduct as follows from the list price for each unit:

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT4SLH5715FFN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers.

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

Note: Laminate/Veneer front towers are comprised of a steel case with wood laminate/veneer fronts and top.

- 15"w Side Access and Display towers include (1) lock.
- Single door towers, double door towers, 24"w and 30"w Side Access and Display towers include (2) locks. (Except full-height doors which include (1) lock)
- Front Access (only) towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, $\boldsymbol{w}, \boldsymbol{d}$ and \boldsymbol{h} are actual to the nearest $^1\!/_16''$

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16"
- Box drawer depth: 183/8"
- File drawer height: 9¹/₄"
- File drawer width: 12 1/16"
- File drawer depth: 183/8"

Storage Towers Laminate and Veneer Front - Template Pull 15" Wide Storage Towers 64" High

description	type	W	d	h	lock	pattern no.	L1	L2	V1	V2
64" High Single Door tower with two box and one	left hand	14 7/8"	231/2"	635/16"	Y	BT3SLH6415BBFL(L/V)	\$3,819.	\$3,992.	\$6,061.	\$6,537.
file drawer (right hand shown)	right hand	147/8"	231/2"	635/16"	Y	BT3SRH6415BBFL(L/V)	3,819.	3,992.	6,061.	6,537.



64" High Single Door tower with two file drawers left hand 231/2" 635/16" Y BT3SLH6415FFL(L/V) 3,529 3,708. 5,497. 5,929. 147/8" (right hand shown) 5,497. $14^{7/8}''$ BT3SRH6415FFL(L/V) right hand 23 1/2" 63 5/16" 3,529. 3,708. 5,929.



Order Code

BT3SLH5715FFL-VC Example: 113 BT3 Series 2 Veneer Front S Single Door Left Hand Access LH 57 57" High 15 15" Wide F File Drawer F File Drawer Locking VC Front Finish Medium Cherry 113 Case Finish Dark Grey

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (BT4SLH5715FFN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers.

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

Note: Laminate/Veneer front towers are comprised of a steel case with wood laminate/veneer fronts and top.

- 15"w Side Access and Display towers include (1) lock.
- 24"w and 30"w Side Access and Display towers include (2) locks.
- Front Access (only) towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 183/8"

Storage Towers Laminate and Veneer Front - Template Pull 24" Wide Storage Towers 50" High

description	type	W	d	h	lock	pattern no.	Ll	L2	V1	V2
50" High tower with two box and one file drawer	left hand	237/8"	231/2"	485/16"	Y	BT3WSLH5024BBFL(L/V)	\$4,234.	\$4,473.	\$7,063.	\$7,613.
and door and wardrobe (left hand shown)	right hand	237/8"	231/2"	485/16"	Y	BT3WSRH5024BBFL(L/V)	4,234.	4,473.	7,063.	7,613.



50" High tower with two file drawers and door and wardrobe (left hand shown)

left hand	$23^{7/8}''$	$23^{1}/2''$	48 5/16"	Y	BT3WSLH5024FFL(L/V)	3,989.	4,239.	5,839.	6,288.
right hand	237/8"	231/2"	485/16"	Y	BT3WSRH5024FFL(L/V)	3,989.	4,239.	5,839.	6,288



Order Code

Example: BT3SLH5724FFL-VC 113 BT3 Series 2 Veneer Front S Single Door Left Hand Access LH 57 57" High 24 24" Wide F File Drawer F File Drawer Locking VC Front Finish Medium Cherry 113 Case Finish Dark Grey

Specification Information

For non-locking towers, deduct as follows from the list price for each unit:

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (BT4SLH5715FFN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

Note: Laminate/Veneer front towers are comprised of a steel case with wood laminate/veneer fronts and top.

- 15"w Side Access and Display towers include (1) lock.
- 24"w and 30"w Side Access and Display towers include (2) locks.
- Front Access (only) towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42'', 50'', 57'' and 64'' Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 183/8"

Storage Towers Laminate and Veneer Front - Template Pull 24" Wide Storage Towers 57" High

description	type	W	d	h	lock	pattern no.	L1	L2	V1	V2
57" High tower with two file drawers and door	left hand	237/8"	231/2"	563/16"	Y	BT3WSLH5724FFL(L/V)	\$4,166.	\$4,450.	\$6,026.	\$6,489.
and wardrobe (left hand shown)	right hand	237/8"	231/2"	563/16"	Y	BT3WSRH5724FFL(L/V)	4,166.	4,450.	6,026.	6,489.



57" High tower with two box and one file drawer	left hand	237/8"	$23^{1}/2''$	563/16"	Y	BT3WSLH5724BBFL(L/V)	4,410.	4,684.	7,099.	7,650.
and door and wardrobe (left hand shown)	right hand	237/8"	231/2"	563/16"	Y	BT3WSRH5724BBFL(L/V)	4,410.	4,684.	7,099.	7,650.



Order Code

Example: BT3SLH5724FFL-VC 113 BT3 Series 2 Veneer Front S Single Door Left Hand Access LH 57 57" High 24 24" Wide F File Drawer F File Drawer Locking VC Front Finish Medium Cherry 113 Case Finish Dark Grey

Specification Information

For non-locking towers, deduct as follows from the list price for each unit:

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (BT4SLH5715FFN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

Note: Laminate/Veneer front towers are comprised of a steel case with wood laminate/veneer fronts and top.

- 15"w Side Access and Display towers include (1) lock.
- 24"w and 30"w Side Access and Display towers include (2) locks.
- Front Access (only) towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42'', 50'', 57'' and 64'' Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4" File drawer width: 121/16"
- File drawer depth: 183/8"

Storage Towers Laminate and Veneer Front - Template Pull 24" Wide Storage Towers 64" High

description	type	W	d	h	lock	pattern no.	Ll	L2	V1	V2
64" High tower with two box and one file drawer	left hand	237/8"	231/2"	63 5/16"	Y	BT3WSLH6424BBFL(L/V)	\$4,435.	\$4,720.	\$7,115.	\$7,664.
and door and wardrobe (left hand shown)	right hand	237/8"	231/2"	63 5/16"	Y	BT3WSRH6424BBFL(L/V)	4,435.	4,720.	7,115.	7,664.



64" High tower with two file drawers and door and wardrobe (left hand shown)

left hand	237/8''	$23^{1}/2''$	$63^{5}/16''$	Y	BT3WSLH6424FFL(L/V)	4,192.	4,486.	6,104.	6,576.
right hand	237/8"	231/2"	635/16"	Y	BT3WSRH6424FFL(L/V)	4,192.	4,486.	6,104.	6,576.



Order Code

Example: BT3SLH5724FFL-VC 113 BT3 Series 2 Veneer Front S Single Door Left Hand Access LH 57 57" High 24 24" Wide F File Drawer F File Drawer Locking VC Front Finish Medium Cherry 113 Case Finish Dark Grey

Specification Information

For non-locking towers, deduct as follows from the list price for each unit:

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (BT4SLH5715FFN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

Note: Laminate/Veneer front towers are comprised of a steel case with wood laminate/veneer fronts and top.

- 15"w Side Access and Display towers include (1) lock.
- 24"w and 30"w Side Access and Display towers include (2) locks.
- Front Access (only) towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42'', 50'', 57'' and 64'' Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 183/8"

Storage Towers Laminate and Veneer Front - Template Pull 30" Wide Storage Towers 50" High

description	type	W	d	h	lock	pattern no.	L1	L2	V1	V2
50" High tower with two box and one file drawer	left hand	297/8"	231/2"	485/16"	Y	BT3WSLH5030BBFL(L/V)	\$4,413.	\$4,709.	\$6,908.	\$7,454.
and door and wardrobe (left hand shown)	right hand	297/8"	231/2"	485/16"	Y	BT3WSRH5030BBFL(L/V)	4,413.	4,709.	6,908.	7,454.



50" High tower with two file drawers and door and wardrobe (left hand shown)

left hand	$29^{7}/8''$	$23^{1}/2''$	$48^{5}/16''$	Y	BT3WSLH5030FFL(L/V)	4,166.	4,476.	6,396.	6,893.
right hand	297/8"	231/2"	485/16"	Y	BT3WSRH5030FFL(L/V)	4,166.	4,476.	6.396.	6,893.



Order Code

BT3WSLH5730BBFL-Example: VC 113 BT3 Series 2 Veneer Front ws Wardrobe and Single Door LH Left Hand Access 57 57" High 30 30" Wide В Box Drawer В Box Drawer F File Drawer 1 Locking VC Front Finish Medium 113 Case Finish Dark Grey

Specification Information

For non-locking towers, deduct as follows from the list price for each unit:

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT4SLH5715FFN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

Note: Laminate/Veneer front towers are comprised of a steel case with wood laminate/veneer fronts and top.

- 15"w Side Access and Display towers include (1) lock.
- 24"w and 30"w Side Access and Display towers include (2) locks.
- Front Access (only) towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42'', 50'', 57'' and 64'' Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: $18^3/8''$
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 183/8"

Storage Towers Laminate and Veneer Front - Template Pull 30" Wide Storage Towers 57" High

description	type	W	d	h	lock	pattern no.	Ll	L2	V1	V2
57" High tower with two box and one file drawer	left hand	297/8"	231/2"	563/16"	Y	BT3WSLH5730BBFL(L/V)	\$4,649.	\$4,986.	\$7,238.	\$7,800.
and door and wardrobe (left hand shown)	right hand	297/8"	231/2"	563/16"	Y	BT3WSRH5730BBFL(L/V)	4.649.	4,986.	7.238.	7.800.



57" High tower with two file drawers and door and wardrobe (left hand shown)

left hand	297/8"	$23^{1}/2''$	56³/16"	Y	BT3WSLH5730FFL(L/V)	4,407.	4,749.	6,723.	7,256.
right hand	$29^{7/8}''$	$23^{1/2}''$	56³/16"	Y	BT3WSRH5730FFL(L/V)	4.407.	4.749.	6,723.	7.256.



Order Code

BT3WSLH5730BBFL-Example: **VC 113** BT3 Series 2 Veneer Front ws Wardrobe and Single Door LH Left Hand Access 57 57" High 30 30" Wide В Box Drawer В Box Drawer File Drawer 1 Locking VC Front Finish Medium 113 Case Finish Dark Grey

Specification Information

For non-locking towers, deduct as follows from the list price for each unit:

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an " \mathbf{N} " within the pattern number to designate a non-locking unit, example (BT4SLH5715FFN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

Note: Laminate/Veneer front towers are comprised of a steel case with wood laminate/veneer fronts and top.

- 15"w Side Access and Display towers include (1) lock.
- 24"w and 30"w Side Access and Display towers include (2) locks.
- Front Access (only) towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42'', 50'', 57'' and 64'' Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 183/8"

Storage Towers Laminate and Veneer Front - Template Pull 30" Wide Storage Towers 64" High

description	type	W	d	h	lock	pattern no.	Ll	L2	V1	V2
64" High tower with two box and one file drawer	left hand	297/8"	231/2"	63 5/16"	Y	BT3WSLH6430BBFL(L/V)	\$4,663.	\$5,019.	\$7,368.	\$7,947.
and door and wardrobe (left hand shown)	right hand	297/8"	231/2"	63 5/16"	Y	BT3WSRH6430BBFL(L/V)	4,663.	5,019.	7,368.	7,947.



64" High tower with two file drawers and door and wardrobe (left hand shown)

left hand	$29^{7}/8''$	$23^{1}/2''$	63 5/16"	Y	BT3WSLH6430FFL(L/V)	4,419.	4,782.	6,870.	7,409.
right hand	$29^{7/8}''$	$23^{1}/2''$	63 5/16"	Y	BT3WSRH6430FFL(L/V)	4.419.	4.782.	6.870.	7.409.



Order Code

BT3WSLH5730BBFL-Example: VC 113 BT3 Series 2 Veneer Front ws Wardrobe and Single Door LH Left Hand Access 57 57" High 30 30" Wide В Box Drawer В Box Drawer F File Drawer 1 Locking VC Front Finish Medium 113 Case Finish Dark Grey

Specification Information

For non-locking towers, deduct as follows from the list price for each unit:

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT4SLH5715FFN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information)

Note: Laminate/Veneer front towers are comprised of a steel case with wood laminate/veneer fronts and top.

- 15"w Side Access and Display towers include (1) lock.
- 24"w and 30"w Side Access and Display towers include (2) locks.
- Front Access (only) towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42'', 50'', 57'' and 64'' Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: $18^3/8''$
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 183/8"

Pedestals Open and Steel Front - Template Pull *Floorstanding Pedestals*

description	W	d	h	lock	pattern no.	P1	P2	P3
Floorstanding Pedestal with two	147/8"	171/4"	267/8"	Y	BS2PFL18A(S)	\$1,289.	\$1,484.	\$1,548.
box and one file drawer with lock	147/8"	23 1/4"	267/8"	Y	BS2PFL24AB(S)	1,268.	1,460.	1,516.
	147/8"	291/4"	267/8"	Y	BS2PFL30A(S)	1,488.	1,712.	1,796.



Floorstanding Pedestal	with	two
file drawers with lock		

me ura	awers w

147/8"	171/4"	267/8"	Y	BS2PFL18B(S)	1,241.	1,430.	1,488.
147/8"	23 1/4"	267/8"	Y	BS2PFL24BB(S)	1,212.	1,392.	1,445.
14.7/g"	201/4"	267/8"	Y	RS2PFL30R(S)	1 424	1.637	1.706

Order Code

Example:	BS2PFL24ABS-117
BS2	Series 2 Steel Front
PF	Pedestal Floorstanding
L	Locking
24	Depth
AB	Box/Box/File
S	Steel Front
117	Soft Grey paint finish

Specification Information

Deduct \$15 from the list price for non-locking units. Substitute the "L" with a "N" within the pattern number to designate a non-locking unit, <code>example</code> (BS2PFN18A).

Add an "F" to the end of the pattern number to receive full extension slides on all box drawers. Upcharge is \$25 list per pedestal.

Floorstanding Pedestals include finished back.

Application Notes

Pedestals with finished back shipped on or after March 21 or later include 1 file bar per file drawer. File drawers support front-to-back Letter filing or side-to-side Letter or Legal filing. All other accessories are specified separately.

Dimensions under, **w**, **d** and **h** are actual to the nearest \(^1/16''\).

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers. Laminate fronts receive 5" pulls on all doors and drawers.

1,722.

1,362.

1,980.

1,568.

2,066.

1,633.

Pedestals Open and Steel Front - Template Pull Mobile Pedestals

description	W	d	h	pattern no.	P1	P2	P3
Mobile Pedestal with two box and one file drawer	147/8"	163/4"	263/8"	BS2PML18AS	\$1,939.	\$2,226.	\$2,321.
	147/8"	223/4"	263/8"	BS2PML24AS	1,517.	1,750.	1,827.



Mobile Pedestal with two file drawers	147/8"	163/4"	263/8"	BS2PML18BS	1,878.	2,160.	2,254.
	147/8"	223/4"	263/8"	BS2PML24BS	1,517.	1,750.	1,827.



Mobile Pedestal with one box and one file drawer	147/8"	163/4"	20 5/8"	BS2PML18FS
	147/8"	223/4"	20 5/8"	BS2PML24FS



Order Co	de	Specification Information	Application Notes	Critical Dimensions
Example: DS2 PM L 24 A S 117		Add \$55 list for Mobile Handle. Add a "P" between the "L" lock code and the case size to designate the handle option, example (BS2PMLP24A) Deduct \$35 list for units without a top. Add an "O" in place of the "M" in the pattern number to designate the no-top option, example (BS2POL18A) Add an "F" to the end of the pattern number to receive full extension	18" deep mobile pedestals shipped after March 21, 2022 include 1 file bar allowing for front-to-back or side-to-side filing. 24" deep mobile pedestals support front-to-back Letter filing, standard. If side-to-side filing is required, File Support Channel may be specified separately. All other accessories are specified separately. Template Pull length:	Dimensions under, w , d and h are actual to the nearest 1/16"
		slides on all box drawers. Upcharge is \$25 list per pedestal.	Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers. Laminate fronts receive 5" pulls on all doors and drawers.	

Pedestals Open and Steel Front - Template Pull Double Wide Pedestals

description	W	d	h	pattern no.	P1	P2	P3
Doublewide Pedestal with two file drawers	30"	183/4"	267/8"	BS2DW30LS	\$1,924.	\$2,212.	\$2,305.
	36"	183/4"	267/8"	BS2DW36LS	2,032.	2,335.	2,437.



Doublewide Pedestal open



	18"	183/4"	267/8"	BS2DW18O	1,214.	1,394.	1,455.
_	24''	183/4"	267/8"	BS2DW24O	1,266.	1,456.	1,520.
	30"	183/4"	267/8"	BS2DW30O	1,286.	1,478.	1,542.
	36"	183/4"	267/8"	BS2DW36O	1,367.	1,572.	1,641.

Order Code

Example: DS2DW30L-117 DS2 Series 2 Steel Front DW Doublewide Pedestal 30 30" wide L Locking S Steel Front 117 Soft Grey paint finish

Specification Information

Deduct \$20 from the list price for non-locking units. Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BS2DW36L).

Open doublewide pedestals feature two available adjustable shelf positions with one adjustable shelf included standard. Additional shelves may be specified separately, see Pedestal Accessories.

Application Notes

Doublewide pedestals are not intended for freestanding use and must be secured beneath a panel supported worksurface. (See Calibre lateral files price list for two drawer files that can be used for freestanding applications)

Add a "Y" to the end of the pattern number to specify a front color that is different than the case color. P3 pricing automatically applies for all colors when utilizing this option.

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers. Laminate fronts receive 5" pulls

on all doors and drawers.

Critical Dimensions

Dimensions under, **w**, **d** and **h** are actual to the nearest $^{1}/_{16}$ ".

Doublewide Pedestal Internal Drawer Dimensions

- Lateral drawer height: 93/4"
- Lateral drawer width: 26³/₄" and 32³/₂₄"
- Lateral drawer depth: $15^{3}/4''$

Credenzas Open, Steel and Laminate Front - Template Pull Credenza - Single Open Unit

description	W	d	h	configuration	pattern no.	L1	L2
Credenza - Single Open Unit	18"	183/4"	221/2"	18" open	BS2C2218O	\$1,387.	\$1,402.
	24"	183/4"	221/2"	24" open	BS2C2224O	1,405.	1,499.
	30"	183/4"	221/2"	30" open	BS2C2230O	1,393.	1,515.
	36"	183/4"	221/2"	36" open	BS2C2236O	1,468.	1,634.

Order Code				
Example:	BS2C2230BL(S/L)			
BS2	Template Front			
C22	Credenza 22" high			
30	30 wide			
В	Box/File configuration			
L	Locking			
(S/L)	Steel or Laminate front			

Credenzas are non-handed upon specification. Configurations containing 2 units may be arranged as left or right handed upon installation. Ganging hardware (provided) attaches units from the underside, allowing units to be

Specification Information

converted in the future.

For Open and Steel front: L1/L2 pricing is based on top finish. For Laminate front: L1/L2 pricing is based on top and front finish.

Credenza units may be used in freestanding position. Complete units without drawers do not require counterweight. Units with drawers may require counterweight in

Application Notes

freestanding position. Refer to Series 2 Overview - Series 2 Credenza section for specifics.

Extended leveler kit may be

specified separately for units overlaying table foot.

Template Pull length: Credenzas with Steel and Laminate fronts receive 5" pulls on drawers.

Critical Dimensions	Critical	Dimen	sions
---------------------	----------	-------	-------

Dimensions under, w,d and h are actual to the nearest $\frac{1}{16}$.

- Lateral drawer height: 93/4"
- Lateral drawer width: 26³/₄" and 32³/₄"
- Lateral drawer depth: 153/4"

Credenzas Open, Steel and Laminate Front - Template Pull Credenza - Double Open Unit

description	W	d	h	configuration	pattern no.	Ll	L2
Credenza - Double Open Unit	36"	183/4"	221/2"	18" + 18" open	BS2C2236O18O18	\$2,151.	\$2,298.
	42"	183/4"	$22^{1}/2''$	18" + 24" open	BS2C2242O24O18	2,248.	2,397.
	48"	183/4"	$22^{1}/2''$	24'' + 24'' open	BS2C2248O24O24	2,382.	2,544.
	48"	183/4"	$22^{1}/2''$	30" + 18" open	BS2C2248O30O18	2,354.	2,515.
	54"	183/4"	$22^{1}/2''$	30'' + 24'' open	BS2C2254O30O24	2,428.	2,613.
	54"	183/4"	$22^{1}/2''$	36" + 18" open	BS2C2254O36O18	2,457.	2,640.
	60"	183/4"	$22^{1}/2''$	30'' + 30'' open	BS2C2260O30O30	2,471.	2,681.
	60"	183/4"	$22^{1}/2''$	36'' + 24'' open	BS2C2260O36O24	2,416.	2,628.
	66"	183/4"	$22^{1}/2''$	36" + 30" open	BS2C2266O36O30	2,572.	2,798.
	79"	183/4"	221/2"	36" + 36" open	BS2C2272O36O36	2 619	2 872

Order Code				
Example:	BS2C2230BL(S/L)			
BS2	Template Front			
C22	Credenza 22" high			
30	30 wide			
В	Box/File configuration			
L	Locking			
(S/L)	Steel or Laminate front			

Credenzas are non-handed upon specification. Configurations containing 2 units may be arranged as left or right handed upon installation. Ganging hardware (provided) attaches units from the underside, allowing units to be

Specification Information

converted in the future.

For Steel front: L1/L2 pricing is based on top finish. For Laminate front: L1/L2 pricing is based on top and front finish.

Application Notes

Credenza units may be used in freestanding position. Complete units without drawers do not require counterweight. Units with drawers require counterweight in freestanding position.

Template Pull length: Credenzas with Steel and Laminate fronts receive 5" pulls on drawers.

Critical Dimensions

Dimensions under, $\boldsymbol{w,\!d}$ and \boldsymbol{h} are actual to the nearest 1/16".

- Lateral drawer height: 9³/₄"
 Lateral drawer width: 26³/₄" and 323/4"
- \bullet Lateral drawer depth: $15^{3}/4''$

Credenzas Open, Steel and Laminate Front - Template Pull Credenza - Single Box/File Unit

description	W	d	h	configuration	pattern no.	L1	L2
Credenza - Single Box/File	30"	183/4"	221/2"	30" box/file	BS2C2230BLS	\$2,047.	\$2,384.
Unit, Steel Front	36"	183/4"	221/2"	36" box/file	BS2C2236BLS	2,126.	2,508.



Credenza - Single Box/File	30"	183/4"	221/2"	30" box/file	BS2C2230BLL	2,290.	2,573.
Unit, Laminate Front	36"	183/4"	$22^{1}/2''$	36" box/file	BS2C2236BLL	2,433.	2,752.



Order Code				
Example:	BS2C2230BL(S/L)			
BS2	Template Front			
C22	Credenza 22" high			
30	30 wide			
В	Box/File configuration			
L	Locking			
(S/L)	Steel or Laminate front			

Credenzas are non-handed upon specification. Configurations containing 2 units may be arranged as left or right handed upon installation. Ganging hardware (provided) attaches units from the underside, allowing units to be converted in the future.

Specification Information

For Steel front: L1/L2 pricing is based on top finish. For Laminate front: L1/L2 pricing is based on top and front finish.

Application Notes

Credenza units may be used in freestanding position. Complete units without drawers do not require counterweight. Units with drawers require counterweight in freestanding position.

Template Pull length: Credenzas with Steel and Laminate fronts receive 5" pulls on drawers.

Critical Dimensions

Dimensions under, \mathbf{w} , \mathbf{d} and \mathbf{h} are actual to the nearest 1/16".

- Lateral drawer height: 9³/₄"
 Lateral drawer width: 26³/₄" and 323/4"
- $\bullet~$ Lateral drawer depth: $15\,^{3}\!/\!_{4}{''}$

Credenzas Open, Steel and Laminate Front - Template Pull Credenza - Double Box/File Unit

description	W	d	h	configuration	pattern no.	L1	L2
Credenza - Double Box/File	60"	183/4"	$22^{1}/2''$	30'' + 30'' box/file	BS2C2260B30B30LS	\$3,919.	\$4,202.
Unit, Steel Front	66"	183/4"	$22^{1}/2''$	36'' + 30'' box/file	BS2C2266B36B30LS	4,126.	4,381.
	72"	183/4"	221/2"	36" + 36" box/file	BS2C2272B36B36LS	4,130.	4,457.



Crede	nza -	Dou	ble	Box/File
Unit 1	Lami	nate	Fro	nt

/	

60"	183/4"	221/2"	30" + 30" box/file	BS2C2260B30B30LL	4,423.	4,714.
66"	183/4"	221/2"	36" + 30" box/file	BS2C2266B36B30LL	4,711.	4,963.
72"	183/4"	221/2"	36" + 36" box/file	BS2C2272B36B36LL	4,801.	4,938.

Order Code BS2C2230BL(S/L) Example: BS2 Template Front Credenza 22" high C22 30 30 wide В Box/File configuration Locking

Steel or Laminate front

(S/L)

Credenzas are non-handed upon specification. Configurations containing 2 units may be arranged as left or right handed upon installation. Ganging hardware (provided) attaches units from the underside, allowing units to be converted in the future.

Specification Information

For Steel front: L1/L2 pricing is based on top finish. For Laminate front: L1/L2 pricing is based on top and front finish.

Application Notes

Credenza units may be used in freestanding position. Complete units without drawers do not require counterweight. Units with drawers require counterweight in freestanding position.

Template Pull length: Credenzas with Steel and Laminate fronts receive 5" pulls on drawers.

Critical Dimensions

Dimensions under, \mathbf{w} , \mathbf{d} and \mathbf{h} are actual to the nearest 1/16".

- Lateral drawer height: 9³/₄"
 Lateral drawer width: 26³/₄" and 323/4"
- \bullet Lateral drawer depth: $15^{3}/4''$

Credenzas Open, Steel and Laminate Front - Template Pull Credenza - Box/File with Open Unit

description	w	d	h	configuration	pattern no.	Ll	L2
Credenza - Box/File with Open	48"	183/4"	221/2"	30" box/file + 18" open	BS2C2248B30O18LS	\$3,005.	\$3,167.
Unit, Steel Front	54"	183/4"	221/2"	30" box/file + 24" open	BS2C2254B30O24LS	3,079.	3,268.
	54"	183/4"	221/2"	36" box/file + 18" open	BS2C2254B36O18LS	3,107.	3,299.
	60"	183/4"	221/2"	30" box/file + 30" open	BS2C2260B30O30LS	3,071.	3,283.
	60"	183/4"	221/2"	36" box/file + 24" open	BS2C2260B36O24LS	3,130.	3,341.
	66"	183/4"	$22^{1}/_{2}''$	30" box/file + 36" open	BS2C2266B30O36LS	3,228.	3,456.
	66"	183/4"	$22^{1}/_{2}''$	36" box/file + 30" open	BS2C2266B36O30LS	3,231.	3,458.
	72"	183/4"	$22^{1}/_{2}''$	36'' box/file + $36''$ open	BS2C2272B36O36LS	3,276.	3,530.
Credenza - Box/File with Open	48"	183/4"	$22^{1}/_{2}''$	30" box/file + 18" open	BS2C2248B30O18LL	3,197.	3,503.
Unit, Laminate Front	54"	183/4"	$22^{1}/_{2}''$	30'' box/file + $24''$ open	BS2C2254B30O24LL	3,328.	3,606.
	54"	183/4"	221/2"	36" box/file + 18" open	BS2C2254B36O18LL	3,438.	3,681.
	60"	183/4"	221/2"	30" box/file + 30" open	BS2C2260B30O30LL	3,319.	3,617.
	60"	183/4"	221/2"	36" box/file + 24" open	BS2C2260B36O24LL	3,458.	3,727.
	66"	183/4"	221/2"	30" box/file + 36" open	BS2C2266B30O36LL	3,474.	3,793.
	66"	183/4"	221/2"	36" box/file + 30" open	BS2C2266B36O30LL	3,558.	3,843.
	72"	183/4"	221/2"	36" box/file + 36" open	BS2C2272B36O36LL	3,608.	3,914.

Order Code			
Example: BS2C2230BL(S/L)			
BS2	Template Front		
C22	Credenza 22" high		
30	30 wide		
В	Box/File configuration		
L	Locking		
(S/L)	Steel or Laminate front		

Credenzas are non-handed upon specification. Configurations containing 2 units may be arranged as left or right handed upon installation. Ganging hardware (provided) attaches units from the underside, allowing units to be

Specification Information

converted in the future.

For Steel front: L1/L2 pricing is based on top finish. For Laminate front: L1/L2 pricing is based on top and front finish.

Application Notes

Credenza units may be used in freestanding position. Complete units without drawers do not require counterweight. Units with drawers require counterweight in freestanding position.

Template Pull length: Credenzas with Steel and Laminate fronts receive 5" pulls on drawers.

Critical Dimensions

Dimensions under, \mathbf{w} , \mathbf{d} and \mathbf{h} are actual to the nearest $\frac{1}{16}$.

- Lateral drawer height: 93/4"
- Lateral drawer width: 26³/₄" and 32³/₄"
- Lateral drawer depth: 15³/₄"

Credenzas Open, Steel and Laminate Front - Template Pull Credenza Counterweight Kits

description	W	weight	pattern no.	list
Credenza Counterweight Kit	30"	15 lbs.	BS2ACW3015	\$271.
for 30" wide drawer unit	30"	20 lbs.	BS2ACW3020	357.
	30"	25 lbs.	BS2ACW3025	399.
	30"	30 lbs.	BS2ACW3030	443.
	30"	35 lbs.	BS2ACW3035	518.
	30"	40 lbs.	BS2ACW3040	549.
Credenza Counterweight Kit	36"	15 lbs.	BS2ACW3615	273.
for 36" wide drawer unit	36"	20 lbs.	BS2ACW3620	361.
	36"	25 lbs.	BS2ACW3625	404.
	36"	30 lbs.	BS2ACW3630	449.
	36"	35 lbs.	BS2ACW3635	521.
	36"	40 lbs.	BS2ACW3640	553.

Order Code

Example: BS2ACW3015 BS2 Template Front Credenza counterweight kit 30 for 30" wide drawer 15 weight

Specification Information

Credenzas with drawers may require counterweight when used in freestanding position. Refer to Series 2 Overview - Series 2 Credenzas Specifications to identify the appropriate kit..

Counterweight kits are specified separately and field-installed.

Application Notes

Counterweight kits include mounting hardware and brackets to install the counterweight plates.

Counterweight plates are mounted to the back panel behind file drawer(s) inside credenza.

Credenzas Open, Steel and Laminate Front - Template Pull Accessories

description	type	pattern no.	list
Ganging Hardware Kits	Ganging Hardware, Kit of 10	BS2AGB10	\$248.
	Ganging Hardware, Kit of 1	BS2AGB01	74.
Estandad I amalina Clidas	Feteralad Landing Clides 20 sinces	BS2ALX20	154.
Extended Leveling Glides	Extended Leveling Glides, 20 pieces Extended Leveling Glides, 100 pieces	BS2ALX100	540.
	Extended Leveling Glides, 4 pieces	BS2ALX04	72.

Order Code

Example: BS2SGB01 BS2 Template Front SGB Ganging Hardware Kit 01 Kit of 1

Specification Information

Ganging brackets may be used with Credenzas or Doublewide Pedestals. Ganging hardware attaches units from the underside allowing handedness to be determined on-site or converted in the future. Ganging hardware is included with Credenzas, standard. Bulk kits may be specified separately if additional brackets are required.

Application Notes

Extended leveler kit may be specified separately for units overlaying table foot. Units with drawers require counterweight in freestanding position.

Refer to Series 2 Overview - Series 2 Credenza section for specifics.

Storage Towers Steel Front - Template Pull 15'' Wide Storage Towers 42'' High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
42" High Side Access Bookcase tower with two	left hand	147/8"	231/2"	415/16"	Y	BT3SBLH4215BBFLS	\$2,957.	\$3,401.	\$3,546.
box and one file drawer (right hand shown)	right hand	147/8"	231/2"	41 5/16"	Y	BT3SBRH4215BBFLS	2,957.	3,401.	3,546.



42" High Side Access Bookcase tower with two	left hand	14 7/8'"	231/2"	41 5/16"	Y	BT3SBLH4215FFLS	2,819.	3,247.	3,387.
file drawers (right hand shown)	right hand	$14^{7}/8''$	231/2"	41 5/16"	Y	BT3SBRH4215FFLS	2,819.	3,247.	3,387.



Order Code Example: BT3SBLH4215BBFLS-**BT3** Series 2 Steel Front SB Side Access Bookcase Left Hand Access LH 42 42" High 15" Wide 15 Box Drawer В В Box Drawer F File Drawer L Locking 117 Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each unit:

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT3SBLH4215BBFLN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers.

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information).

- 15"w Side Access towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, **w**, **d** and **h** are actual to the nearest $\frac{1}{16}$ "

42'', 50'', 57'' and 64'' Tower Internal Dimensions

- Box drawer height: 4⁵/16"
- Box drawer width: 12 1/16"
- Box drawer depth: 18³/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 183/8"

Note: All towers are configured from the top down with standard combinations of box and file drawers.

Storage Towers Steel Front - Template Pull 15" Wide Storage Towers 50" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
50" High Single Door tower with two box and one	left hand	147/8"	231/2"	485/16"	Y	BT3SLH5015BBFLS	\$3,465.	\$3,986.	\$4,157.
file drawer (right hand shown)	right hand	147/8"	231/2"	485/16"	Y	BT3SRH5015BBFLS	3,465.	3,986.	4,157.



50" High Single Door tower with two file drawers
(right hand shown)

left hand	147/8"	231/2"	485/16"	Y	BT3SLH5015FFLS	3,127.	3,595.	3,751.
right hand	147/8"	231/2"	485/16"	Y	BT3SRH5015FFLS	3,127.	3,595.	3,751.



Order Code Example: BT3SBLH5015BBFLS-**BT3** Series 2 Steel Front SB Side Access Bookcase Left Hand Access LH 50 50" High 15" Wide 15 Box Drawer В В Box Drawer F File Drawer L Locking 117 Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT3SBLH4215BBFLN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers.

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information).

- 15"w Side Access towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 183/8"

Note: All towers are configured from the top down with standard combinations of box and file

Storage Towers Steel Front - Template Pull 15'' Wide Storage Towers 50'' High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
50" High Side Access Bookcase tower with two	left hand	147/8"	231/2"	485/16"	Y	BT3SBLH5015BBFLS	\$3,119.	\$3,584.	\$3,742.
box and one file drawer (right hand shown)	right hand	147/8"	231/2"	485/16"	Y	BT3SBRH5015BBFLS	3,119.	3.584.	3,742.



50" High Side Access Bookcase tower with two file drawers (right hand shown)

left hand	$14^{7}/8''$	231/2"	485/16"	Y	BT3SBLH5015FFLS	2,957.	3,401.	3,546.
right hand	147/8"	231/2"	485/16"	Y	BT3SBRH5015FFLS	2,957.	3,401.	3,546.



Example: BT3SBLH5015BBFLS-117 BT3 Series 2 Steel Front

Order Code

	117
ВТ3	Series 2 Steel Front
SB	Side Access Bookcase
LH	Left Hand Access
50	50" High
15	15" Wide
В	Box Drawer
В	Box Drawer
F	File Drawer
L	Locking
117	Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each unit:

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT3SBLH4215BBFLN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers.

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information).

- 15"w Side Access towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, **w**, **d** and **h** are actual to the nearest $\frac{1}{16}$ "

42'', 50'', 57'' and 64'' Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16"
- Box drawer depth: 183/8"
- File drawer height: 9¹/₄"
- File drawer width: 12 1/16"
- File drawer depth: 183/8"

Note: All towers are configured from the top down with standard combinations of box and file drawers.

Storage Towers Steel Front - Template Pull 15" Wide Storage Towers 57" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
57" High Single Door tower with two file drawers	left hand	147/8"	231/2"	56³/16"	Y	BT3SLH5715FFLS	\$3,206.	\$3,691.	\$3,843.
(right hand shown)	right hand	147/8"	231/2"	563/16"	Y	BT3SRH5715FFLS	3,206.	3,691.	3,843.



57" High Single Door tower with two box and one	left hand	147/8"	231/2"	563/16"	Y	BT3SLH5715BBFLS	3,546.	4,077.	4,257.
file drawer (right hand shown)	right hand	147/8"	231/2"	563/16"	Y	BT3SRH5715BBFLS	3,546.	4,077.	4,257.



Order Code Example: BT3SBLH5715BBFLS-**BT3** Series 2 Steel Front SB Side Access Bookcase Left Hand Access LH 57 57" High 15" Wide 15 Box Drawer В В Box Drawer F File Drawer L Locking 117 Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT3SBLH4215BBFLN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers. Laminate fronts receive 5" pulls

on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information).

- 15"w Side Access towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 121/16" • File drawer depth: 183/8"

Note: All towers are configured from the top down with standard combinations of box and file

Storage Towers Steel Front - Template Pull 15'' Wide Storage Towers 57'' High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
57" High Side Access Bookcase tower with two	left hand	147/8"	231/2"	56³/16"	Y	BT3SBLH5715BBFLS	\$3,546.	\$4,077.	\$4,257.
box and one file drawer (right hand shown)	right hand	147/8"	231/2"	563/16"	Y	BT3SBRH5715BBFLS	3,546.	4,077.	4,257.



57" High Side Access Bookcase tower with two file drawers (right hand shown)

left hand	$14^{7}/8''$	$23^{1}/2''$	563/16"	Y	BT3SBLH5715FFLS	3,206.	3,691.	3,843.
right hand	147/8"	231/2"	563/16"	Y	BT3SBRH5715FFLS	3,206.	3,691.	3.843.



Oraci oo	40
Example:	BT3SBLH5715BBFLS- 117
ВТ3	Series 2 Steel Front
SB	Side Access Bookcase
LH	Left Hand Access
57	57" High
15	15" Wide
В	Box Drawer
В	Box Drawer
F	File Drawer
L	Locking
117	Soft Grey paint finish

Order Code

Specification Information

For non-locking towers, deduct as follows from the list price for each unit:

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT3SBLH4215BBFLN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers.

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information).

- 15"w Side Access towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, **w**, **d** and **h** are actual to the nearest $\frac{1}{16}$ "

42'', 50'', 57'' and 64'' Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 18³/₈"

Note: All towers are configured from the top down with standard combinations of box and file drawers.

Storage Towers Steel Front - Template Pull 15" Wide Storage Towers 64" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
64" High Single Door tower with two box and one	left hand	147/8"	231/2"	63 5/16"	Y	BT3SLH6415BBFLS	\$3,630.	\$4,171.	\$4,349.
file drawer (right hand shown)	right hand	147/8"	231/2"	635/16"	Y	BT3SRH6415BBFLS	3,630.	4,171.	4,349.



64" High Single Door tower with two file drawers	
(right hand shown)	

left hand	$14^{7}/8''$	231/2"	635/16"	Y	BT3SLH6415FFLS	3,289.	3,782.	3,953.
right hand	147/8"	231/2"	635/16"	Y	BT3SRH6415FFLS	3,289.	3,782.	3,953.



Order Code

Example: BT3SBLH6415BBFLS-**BT3** Series 2 Steel Front SB Side Access Bookcase Left Hand Access LH 64 64" High 15" Wide 15 Box Drawer В В Box Drawer F File Drawer L Locking 117 Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT3SBLH4215BBFLN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers.

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information).

- 15"w Side Access towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Dimensions under, w, d and h are actual to the nearest 1/16"


42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 183/8"

Note: All towers are configured from the top down with standard combinations of box and file


Storage Towers Steel Front - Template Pull 15" Wide Storage Towers 64" High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
64" High Side Access Bookcase tower with two	left hand	147/8"	231/2"	63 5/16"	Y	BT3SBLH6415BBFLS	\$3,222.	\$3,713.	\$3,869.
box and one file drawer (right hand shown)	right hand	147/8"	231/2"	635/16"	Y	BT3SBRH6415BBFLS	3,222.	3,713.	3,869.



64" High Side Access Bookcase tower with two file drawers (right hand shown)

left hand	$14^{7}/8''$	$23^{1}/2''$	635/16"	Y	BT3SBLH6415FFLS	3,067.	3,527.	3,676.
right hand	15"	231/2"	635/16"	Y	BT3SBRH6415FFLS	3.067.	3.527.	3.676.



Order Code

Example: BT3SBLH6415BBFLS-**BT3** Series 2 Steel Front SB Side Access Bookcase Left Hand Access LH 64 64" High 15" Wide 15 Box Drawer В В Box Drawer F File Drawer L Locking 117 Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT3SBLH4215BBFLN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers.

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information).

- 15"w Side Access towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Dimensions under, w, d and h are actual to the nearest 1/16"

42", 50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 183/8"

Note: All towers are configured from the top down with standard combinations of box and file

Storage Towers Steel Front - Template Pull 24" Wide Storage Towers 42" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
42" High Side Access Bookcase with two box and	left hand	23 7/8"	231/2"	41 5/16"	Y	BT3WSBLH4224BBFLS	\$4,281.	\$4,923.	\$5,138.
one file drawer with wardrobe (left hand shown)	right hand	237/8"	231/2"	41 5/16"	Y	BT3WSBRH4224BBFLS	4,281.	4,923.	5,138.



42" High Side Access Bookcas	se with two file
drawers with wardrobe (left ha	nd shown)

left hand	$23^{7}/8''$	$23^{1}/2''$	$41^{5}/_{16}''$	Y	BT3WSBLH4224FFLS	4,117.	4,734.	4,941.
right hand	237/8"	$23^{1}/2''$	41 5/16"	Y	BT3WSBRH4224FFLS	4,117.	4,734.	4,941.



Order Code Example: BT3SBLH4224BBFLS-**BT3** Series 2 Steel Front SB Side Access Bookcase Left Hand Access LH 42 42" High 24" Wide 24 Box Drawer В В Box Drawer F File Drawer L Locking 117 Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT3SBLH4215BBFLN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers.

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information).

- 15"w Side Access towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16" • File drawer depth: 183/8"

Note: All towers are configured from the top down with standard combinations of box and file

Storage Towers Steel Front - Template Pull 24" Wide Storage Towers 50" High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
50" High Side Access Bookcase with two box and	left hand	23 7/8"	231/2"	485/16"	Y	BT3WSBLH5024BBFLS	\$4,303.	\$4,947.	\$5,169.
one file drawer with wardrobe (left hand shown)	right hand	237/8"	231/2"	485/16"	Y	BT3WSBRH5024BBFLS	4,303.	4,947.	5,169.



50" High Side Access Bookcase with two file drawers with wardrobe (left hand shown)

left hand	$23^{7}/8''$	$23^{1}/2''$	$48^{5}/16''$	Y	BT3WSBLH5024FFLS	4,140.	4,760.	4,964.
right hand	237/8"	231/2"	485/16"	Y	BT3WSBRH5024FFLS	4,140.	4,760.	4,964.



Order Code Example: BT3SBLH5024BBFLS-**BT3** Series 2 Steel Front SB Side Access Bookcase Left Hand Access LH 50 50" High 24" Wide 24 В Box Drawer В Box Drawer F File Drawer L Locking 117 Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT3SBLH4215BBFLN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers.

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information).

- 15"w Side Access towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 121/16" • File drawer depth: 183/8"

Note: All towers are configured from the top down with standard combinations of box and file

Storage Towers Steel Front - Template Pull 24" Wide Storage Towers 50" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
50" High tower with two box and one file drawer	left hand	23 7/8"	231/2"	485/16"	Y	BT3WSLH5024BBFLS	\$4,031.	\$4,635.	\$4,836.
and door and wardrobe (left hand shown)	right hand	23 7/8"	231/2"	485/16"	Y	BT3WSRH5024BBFLS	4,031.	4,635.	4,836.



50" High tower with two file drawers and door and wardrobe (left hand shown)

left hand	237/8''	$23^{1}/_{2}''$	$48^{5}/16''$	Y	BT3WSLH5024FFLS	3,695.	4,246.	4,432.
right hand	23 7/8"	231/2"	485/16"	Y	BT3WSRH5024FFLS	3,695.	4,246.	4,432.



Order Code

Example: BT3SBLH5024BBFLS-**BT3** Series 2 Steel Front SB Side Access Bookcase Left Hand Access LH 50 50" High 24" Wide 24 Box Drawer В В Box Drawer F File Drawer L Locking 117 Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT3SBLH4215BBFLN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers.

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information).

- 15"w Side Access towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions


Dimensions under, w, d and h are actual to the nearest 1/16"

50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 121/16" File drawer depth: 183/8"
- Note: All towers are configured from the top down with standard combinations of box and file


Storage Towers Steel Front - Template Pull 24" Wide Storage Towers 57" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
57" High Side Access Bookcase with two box and	left hand	23 7/8"	231/2"	563/16"	Y	BT3WSBLH5724BBFLS	\$4,473.	\$5,140.	\$5,368.
one file drawer with wardrobe (left hand shown)	right hand	237/8"	231/2"	563/16"	Y	BT3WSBRH5724BBFLS	4,473.	5,140.	5,368.



57" High Side Access Bookcase with two file drawers with wardrobe (left hand shown)

left hand	237/8"	$23^{1}/2''$	563/16"	Y	BT3WSBLH5724FFLS	4,308.	4,960.	5,177.
right hand	l 23 1/8"	231/2"	563/16"	Y	BT3WSBRH5724FFLS	4,308.	4,960.	5,177.



Example:	BT3SBLH5724BBFLS- 117
ВТ3	Series 2 Steel Front
SB	Side Access Bookcase
LH	Left Hand Access
57	57" High
24	24" Wide
В	Box Drawer
В	Box Drawer

File Drawer

Soft Grey paint finish

Locking

Order Code

117

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT3SBLH4215BBFLN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers.

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information).

- 15"w Side Access towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16" • File drawer depth: 183/8"

Note: All towers are configured from the top down with standard combinations of box and file

Storage Towers Steel Front - Template Pull 24" Wide Storage Towers 57" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
57" High tower with two box and one file drawer	left hand	23 7/8"	231/2"	56³/16"	Y	BT3WSLH5724BBFLS	\$4,076.	\$4,688.	\$4,891.
and door and wardrobe (left hand shown)	right hand	23 7/8"	231/2"	563/16"	Y	BT3WSRH5724BBFLS	4,076.	4,688.	4,891.



57" High tower with two file drawers and door and wardrobe (left hand shown)

left hand	237/8''	$23^{1}/2''$	56³/16"	Y	BT3WSLH5724FFLS	3,807.	4,377.	4,573.
right hand	237/8"	231/2"	563/16"	Y	BT3WSRH5724FFLS	3,807.	4,377.	4,573.



Example: BT3SBLH5724BBFLS-**BT3** Series 2 Steel Front SB Side Access Bookcase Left Hand Access LH 57 57" High 24" Wide 24 Box Drawer В В Box Drawer F File Drawer L Locking 117 Soft Grey paint finish

Order Code

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT3SBLH4215BBFLN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers.

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information).

- 15"w Side Access towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"


50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 121/16"
- File drawer depth: 183/8"

Note: All towers are configured from the top down with standard combinations of box and file

Storage Towers Steel Front - Template Pull 24" Wide Storage Towers 64" High

description	type	w	d	h	lock	pattern no.	P1	P2	P3
64" High Side Access Bookcase with two box and	left hand	23 7/8"	231/2"	63 5/16"	Y	BT3WSBLH6424BBFLS	\$4,573.	\$5,253.	\$5,483.
one file drawer with wardrobe (left hand shown)	right hand	23 7/8"	231/2"	635/16"	Y	BT3WSBRH6424BBFLS	4,573.	5,253.	5,483.



64" High Side Access Bookcase with two file drawers with wardrobe (left hand shown)

left hand	237/8"	$23^{1}/2''$	63 5/16"	Y	BT3WSBLH6424FFLS	4,410.	5,074.	5,300.
right hand	237/8"	231/2"	635/16"	Y	BT3WSBRH6424FFLS	4,410.	5,074.	5,300.



0.40.00.	
Example:	BT3SBLH6424BBFLS- 117
ВТ3	Series 2 Steel Front
SB	Side Access Bookcase
LH	Left Hand Access
64	64" High
24	24" Wide
В	Box Drawer
В	Box Drawer
F	File Drawer
L	Locking
117	Soft Grey paint finish

Order Code

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT3SBLH4215BBFLN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers.

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information).

- 15"w Side Access towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16" • File drawer depth: 183/8"

Note: All towers are configured from the top down with standard combinations of box and file

Storage Towers Steel Front - Template Pull 24" Wide Storage Towers 64" High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
64" High tower with two box and one file drawer	left hand	23 7/8"	231/2"	63 5/16"	Y	BT3WSLH6424BBFLS	\$4,104.	\$4,718.	\$4,923.
and door and wardrobe (left hand shown)	right hand	23 7/8"	231/2"	635/16"	Y	BT3WSRH6424BBFLS	4,104.	4,718.	4,923.



64" High tower with two file drawers and door and wardrobe (left hand shown)

left hand	237/8''	$23^{1}/2''$	635/16"	Y	BT3WSLH6424FFLS	3,918.	4,507.	4,702.
right hand	23 7/8"	231/2"	635/16"	Y	BT3WSRH6424FFLS	3,918.	4,507.	4,702.



Order Code Example: BT3SBLH6424BBFLS-**BT3** Series 2 Steel Front SB Side Access Bookcase Left Hand Access LH 64 64" High 24" Wide 24 Box Drawer В В Box Drawer F File Drawer L Locking 117 Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT3SBLH4215BBFLN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers.

on all doors and drawers.

information). Laminate fronts receive 5" pulls (1) lock.

(2) locks.

 24"w and 30"w Side Access include (2) locks.

24"w and 30"w Front Access locks.

Critical Dimensions Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry

15"w Side Access towers include

15"w Front Access towers include

towers with wardrobe include (3)

Dimensions under, w, d and h are actual to the nearest 1/16"

50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 121/16" • File drawer depth: 183/8"

Note: All towers are configured from the top down with standard combinations of box and file

Storage Towers Steel Front - Template Pull 30" Wide Storage Towers 50" High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
50" High tower with two box and one file drawer	left hand	297/8"	231/2"	485/16"	Y	BT3WSLH5030BBFLS	\$4,140.	\$4,760.	\$4,964.
and door and wardrobe (left hand shown)	right hand	297/8"	231/2"	485/16"	Y	BT3WSRH5030BBFLS	4,140.	4,760.	4,964.



50" High tower with two file drawers and door and wardrobe (left hand shown)

left hand	297/8"	$23^{1}/2''$	485/16"	Y	BT3WSLH5030FFLS	3,826.	4,403.	4,594.
right hand	297/8"	231/2"	485/16"	Y	BT3WSRH5030FFLS	3,826.	4,403.	4.594.



Order Code

Example:	BT3WSLH5030BBFLS- 117
ВТ3	Series 2 Steel Front
WS	Wardrobe and Single Door
LH	Left Hand Access
50	50" High
30	30" Wide
В	Box Drawer
В	Box Drawer
F	File Drawer
L	Locking
117	Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT3SBLH4215BBFLN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers.

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information).

- 15"w Side Access towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16" • File drawer depth: 183/8"

Note: All towers are configured from the top down with standard combinations of box and file

 $\textbf{Note:} \ \mathbf{Template} \ \mathbf{pull} \ \mathbf{wardrobes} \ \mathbf{and}$ cabinet doors utilize a pull and self closing hinge in place of touch latch.

Storage Towers Steel Front - Template Pull 30" Wide Storage Towers 57" High

description	type	W	d	h	lock	pattern no.	P1	P2	Р3
57" High tower with two box and one file drawer	left hand	297/8"	231/2"	56³/16"	Y	BT3WSLH5730BBFLS	\$4,338.	\$4,981.	\$5,199.
and door and wardrobe (left hand shown)	right hand	297/8"	231/2"	563/16"	Y	BT3WSRH5730BBFLS	4,338.	4,981.	5,199.



57" High tower with two file drawers and door	left hand	297/8"	231/2"	563/16"	Y	BT3WSLH5730FFLS	3,893.	4,475.	4,668.
and wardrobe (left hand shown)	right hand	297/8"	231/2"	563/16"	Y	BT3WSRH5730FFLS	3,893.	4,475.	4,668.



Order Code

Example:	BT3WSLH5730BBFLS-
ВТ3	Series 2 Steel Front
ws	Wardrobe and Single
	Door
LH	Left Hand Access
57	57" High
30	30" Wide
В	Box Drawer
В	Box Drawer
F	File Drawer
L	Locking
117	Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT3SBLH4215BBFLN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers.

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information).

- 15"w Side Access towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, w, d and h are actual to the nearest 1/16"

50", 57" and 64" Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 121/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 121/16" • File drawer depth: 183/8"

Note: All towers are configured from the top down with standard combinations of box and file

Storage Towers Steel Front - Template Pull 30'' Wide Storage Towers 64'' High

description	type	W	d	h	lock	pattern no.	P1	P2	P3
64" High tower with two box and one file drawer	left hand	297/8"	231/2"	63 5/16"	Y	BT3WSLH6430BBFLS	\$4,410.	\$5,074.	\$5,300.
and door and wardrobe (left hand shown)	right hand	297/8"	231/2"	635/16"	Y	BT3WSRH6430BBFLS	4,410.	5,074.	5,300.



64" High tower with two file drawers and door and wardrobe (left hand shown)

left hand	$29^{7}/8''$	$23^{1}/2''$	635/16"	Y	BT3WSLH6430FFLS	4,117.	4,732.	4,939.
right hand	297/8"	231/2"	635/16"	Y	BT3WSRH6430FFLS	4,117.	4,732.	4,939.



Order Code

Example:	BT3WSLH6430BBFLS- 117
BT3	Series 2 Steel Front
ws	Wardrobe and Single Door
LH	Left Hand Access
64	64" High
30	30" Wide
В	Box Drawer
В	Box Drawer
F	File Drawer
L	Locking
117	Soft Grey paint finish

Specification Information

For non-locking towers, deduct as follows from the list price for each unit:

Deduct \$30 for (1) lock unit Deduct \$60 for (2) lock unit Deduct \$75 for (3) lock unit Substitute the "L" suffix with an "N" within the pattern number to designate a non-locking unit, example (BT3SBLH4215BBFLN)

Template Pull length: Steel and Veneer fronts receive 2" pulls on doors and 3" pulls on drawers.

Laminate fronts receive 5" pulls on all doors and drawers.

Application Notes

Hanging rails and other accessories are not included and must be ordered separately. (See Tower Accessories for pricing and order entry information)

Half depth adjustable shelves and coat hooks may be ordered separately allowing the cupboard area of the 15", 24" and 30" wide towers to support binders as well as shorter coats. (See Tower Accessories for pricing and order entry information).

- 15"w Side Access towers include (1) lock.
- 15"w Front Access towers include (2) locks.
- 24"w and 30"w Side Access include (2) locks.
- 24"w and 30"w Front Access towers with wardrobe include (3) locks.

Critical Dimensions

Dimensions under, **w**, **d** and **h** are actual to the nearest $\frac{1}{16}$ "

50'', 57'' and 64'' Tower Internal Dimensions

- Box drawer height: 45/16"
- Box drawer width: 12 1/16"
- Box drawer depth: 183/8"
- File drawer height: 91/4"
- File drawer width: 12 1/16"
- File drawer depth: 183/8"

Note: All towers are configured from the top down with standard combinations of box and file drawers.

description	type	W	d	h	pattern no.	list	P1	P2	Р3
Pedestal Drawer Divider Kit (Not for use in 3"high drawers)				5"	DT3PDD	\$651.			
Drawer Divider, Version 1	Box drawer				DS1PBD	56.			
	File drawer				DS1PFD	56.			
Drawer Divider, Version 2	Box drawer File drawer				DS2PBD DS2PFD	98. 105.			
Pencil Tray	black				DS2PPTN	63.			
, 	clear				DS2PPTC	73.			
Stationary Insert for box drawers (4 trays)					DS1PST	293.			
File Support Channel					DS1PFS	56.			

Example: DT3PDD DT3 Series 2 Steel PDD Pedestal Drawer Divider Kit

Specification Information

Pencil Tray is available in black or clear finish. All other pedestal and storage tower accessories are supported with a black painted finish standard.

Version 1 drawer dividers and stationary inserts are compatible with all pedestals shipped prior to March 21, 2022, all 24" deep pedestals without finished back and all 24" deep mobile pedestals.

Version 2 drawer dividers are compatible with 18" deep mobile pedestals and floorstanding pedestals with finished back, shipped after March 21, 2022.

Stationary inserts are not compatible with 18" mobile pedestals or floorstanding pedestals with finished back, shipped after March 21, 2022.

Application Notes

Doublewide shelf kits are intended for use with open BS2DW units only. Each open doublewide features two available shelf positions with one shelf included standard with the unit. Shelf kits include appropriate shelf clips for field installation.

The Pedestal Drawer Divider Kit (DT3PDD) is comprised of a series of magnetic fences that attach to the bottom of a pedestal drawer body to support the division and management of space within pedestal box or file drawers. Each kit consist of (4) 3" wide, (3) 6" wide, (2) 9" wide and (2) 12" wide dividers. Dividers are constructed from steel and are available in a black painted finish standard.

DS1PFS file support channel is compatible with Series 2 24" deep mobile pedestals. File support channel may also be used with 16" wide Anchor pedestal drawers.

description	type	W	d	h	pattern no.	list	PI	P2	Р3
Series 2 Floorstanding Pedestal Retrofit Lock Kit					DS2LKKT	\$100.			







pack of 4	36"	BS2ASF3604	0.	1,007.	1,058.	1,109.
pack of 10	18"	BS2ASF1810	0.	1,715.	1,800.	1,884.
pack of 10	24"	BS2ASF2410	0.	1,997.	2,094.	2,193.
pack of 10	30"	BS2ASF3010	0.	2,218.	2,329.	2,439.
pack of 10	36"	BS2ASF3610	0.	2,408.	2,528.	2,648.
pack of 4	18"	BS2ASF1804	0.	733.	769.	805.
pack of 4	24"	BS2ASF2404	0.	843.	886.	927.
pack of 4	30"	BS2ASF3004	0.	931.	979.	1,026.

Order Code

Example: **DT3PDD** DT3 Series 2 Steel PDD Pedestal Drawer Divider

Specification Information

Pencil Tray is available in black or clear finish. All other pedestal and storage tower accessories are supported with a black painted finish standard.

Version 1 drawer dividers and stationary inserts are compatible with all pedestals shipped prior to March 21, 2022, all 24" deep pedestals without finished back and all 24" deep mobile pedestals.

Version 2 drawer dividers are compatible with 18" deep mobile pedestals and floorstanding pedestals with finished back, shipped after March 21, 2022.

Stationary inserts are not compatible with 18" mobile pedestals or floorstanding pedestals with finished back, shipped after March 21, 2022.


Application Notes

Doublewide shelf kits are intended for use with open BS2DW units only. Each open doublewide features two available shelf positions with one shelf included standard with the unit. Shelf kits include appropriate shelf clips for field installation.

The Pedestal Drawer Divider Kit (DT3PDD) is comprised of a series of magnetic fences that attach to the bottom of a pedestal drawer body to support the division and management of space within pedestal box or file drawers. Each kit consist of (4) 3" wide, (3) 6" wide, (2) 9" wide and (2) 12" wide dividers. Dividers are constructed from steel and are available in a black painted finish standard.

DS1PFS file support channel is compatible with Series 2 24" deep mobile pedestals. File support channel may also be used with 16" wide Anchor pedestal drawers.

description	type	W	d	h	pattern no.	list	P1	P2	Р3
15" Wide Half Depth Shelf	Half Depth	15"	12"	3/4"	DT3HDS15	\$220.			



 15" Wide Full Depth Shelf
 Full Depth
 15"
 223/8"
 1"
 DT3FDS15
 159.



Metal Shelf for Side Access Bookcase and Display Towers

Oty 2 Shelves

DT3MBCDS

363. 394. 417.



Order Code

Example:	DT3HDS15
DT3	Series 2 Towers
HDS	Half Depth Shelf
15	15" Wide

Specification Information

Half Depth Shelves:

15" wide half depth shelves are suitable for use with 15" wide single door towers or a 30" wide towers with a 15" wide wardrobe.

Side Access Bookcase Shelves:

Side Access Bookcase Shelves are available or steel construction. Shelves are for use with Side Access bookcase towers only.


Application Notes

Worksurface Splice Plate Kits are intended for use with Side Access Bookcase and Display towers only. Splice Plate Kits permit the attachment of standard 24" deep (Nominal) worksurfaces. Each kit contains a connector bracket and trim panel. Trim panels should be specified to match the tower paint

Note: All Shelves are user adjustable.

Storage Tower Accessories Shelves and Worksurface Splice Plate Kits

description	type	w	d	h	pattern no.	list	P1	P2	Р3
Worksurface Splice Plate Kit for Display and Side					DT3WSP		\$241.	\$265.	\$282.
Access Bookcase Towers									



Order Code

Example:	DT3HDS15
DT3	Series 2 Towers
HDS	Half Depth Shelf
15	15" Wide

Specification Information

Half Depth Shelves:

15" wide half depth shelves are suitable for use with 15" wide single door towers or a 30" wide towers with a 15" wide wardrobe.

Side Access Bookcase Shelves:

Side Access Bookcase Shelves are available or steel construction. Shelves are for use with Side Access bookcase towers only.

Application Notes

Worksurface Splice Plate Kits are intended for use with Side Access Bookcase and Display towers only. Splice Plate Kits permit the attachment of standard 24" deep (Nominal) worksurfaces. Each kit contains a connector bracket and trim panel. Trim panels should be specified to match the tower paint finish.

Note: All Shelves are user adjustable.

DS1PFS

56.

Storage Tower Accessories Drawer Dividers

description	type	W	d	h	pattern no.	list
Pedestal Drawer Divider Kit (Not for use in 3"high drawers)				5″	DT3PDD	\$651.
Pencil Tray	black				DS2PPTN	63.
	clear				DS2PPTC	73.
Drawer Divider, Version 1	Box drawer				DS1PBD	56.
Market Bivides, version 1	File drawer				DS1PFD	56.
Drawer Divider, Version 2	Box drawer				DS2PBD	98.
	File drawer				DS2PFD	105.
Stationary Insert for box drawers (4 trays)					DS1PST	293.



File Support Channel

0	rde	- ^	~~	_
0	ue	··	uu	

Example: DT3PDD-MEY DT3 Series 2 Steel PDD Pedestal Drawer Divider Kit MEY Memo Yellow paint finish

Specification Information

Pencil Tray is available in black or clear finish. All other pedestal and storage tower accessories are supported with a black painted finish standard.

Version 1 drawer dividers, stationary inserts and file support channel are compatible with all Front Access Towers and Side Access Towers shipped prior to August 5, 2022.

Version 2 drawer dividers are compatible with Side Access Towers shipped August 5, 2022 or later (stationary inserts and file support channel not compatible).

Application Notes

The Pedestal Drawer Divider Kit (DT3PDD) is comprised of a series of magnetic fences that attach to the bottom of a pedestal drawer body to support the division and management of space within pedestal box or file drawers. Each kit consist of (4) 3" wide, (3) 6" wide, (2) 9" wide and (2) 12" wide dividers. Dividers are constructed from steel and are available in black painted finish standard

Storage Tower Accessories Coat Hooks and Rods

description	type	W	d	h	pattern no.	list
Coat bar kit for 9" wide wardrobes					DT3CB9	\$211.
Coat Bar Kit for 15" wide single door or 15" wide wardrobe					DT3CB15	218.
Coat Bar for 30" wide double door tower					DT3CB30	254.
Coat Bar for 24" wide single and double door towers					DT3CB24	236.
Drop Down Coat Hook for Use in tower without standard wardrobe					DT3DCH	138.
Floor Cover for 9" Wide Wardrobe	9" Wide Wardrobe				DT3FM9	101.
Floor Cover for 15" Wide Wardrobe	15" Wide Wardrobe				DT3FM15	123.

Specification Information

All towers with a 9" or 15" wardrobe are shipped with one coat hook installed at the factory. Coat rods are available as an accessory item and be placed within a 9" or 15" wardobe or used within a 24" or 30" tower.

Application Notes

Drop Down coat hooks should be used when a wardobe is not present. Drop Down coat hooks permit the hanging of coats and jackets within single door or double door towers. Floor Covers are designed for use within 9" and 15" wardobes only.

Note: Consider combining a Drop Down coat hook with half depth shelves within a single door or double door tower to gain additional functionality from the cupboard area of the tower.

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

		EXISTING CONSTRUCTION							
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height			
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width			
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16"" c/c maximum"	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum			
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above			
				Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above			
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6"	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.			
	cabinet, and beyond to the next stud. Fasten the wood block structure rectangu configuration to the top have a structure rectangu configuration to the top have a structure rectangu configuration to the top have a structure rectanguation to the next stud.	For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame	Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs.	Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs.	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backim gsystem] horizontally between each of the exposed studs.	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs.			
	three screws at the ends of each block. (Fasten the Danback [™] as directed by the manufacturer)	to the wall every 6", and fasten the lower horizontal element to	Fasten the wood block to each stud using three screws at the ends of each block.	Fasten the wood block to each stud using three screws at the ends of each block.	Fasten the wood block to each stud using three screws at the ends of each block.	Fasten the wood block to each stud using three screws at the ends of each block.			
	Fasten the Knoll supplied wall mounting		Replace the drywall and repair as desired.						
	cleat, bracket, frame, etc directly to each wood block every 6"		Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"	Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"	Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"	Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"			
	structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.		For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.			
*Graham Wall Hung Shelf	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket			
	This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above		This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above			
Fasten the Knoll supplied wall cleat with	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking			

Alpha-Numeric Index

pattern no.	page	pattern no.	page	pattern no.	page	pattern no.	page
1	70	BS2C2272B36B36LS	68	BT3SLH6415BBFLS	77	BT3WSRH5030FFL(L/V)	59
BS2ACW3015 BS2ACW3020	70	BS2C2272B36O36LL	69	BT3SLH6415FFL(L/V)	55	BT3WSRH5030FFLS	86
	70	BS2C2272B36O36LS	69	BT3SLH6415FFLS	77	BT3WSRH5724BBFL(L/V)	57
BS2ACW3025 BS2ACW3030	70	BS2C2272O36O36	66	BT3SRH5015BBFL(L/V)	53	BT3WSRH5724BBFLS	83
BS2ACW3035	70	BS2DW180	64	BT3SRH5015BBFLS	73	BT3WSRH5724FFL(L/V)	57
BS2ACW3040	70	BS2DW24O	64	BT3SRH5015FFL(L/V)	53	BT3WSRH5724FFLS	83
BS2ACW3615	70	BS2DW30L(L/V)	52	BT3SRH5015FFLS	73	BT3WSRH5730BBFL(L/V)	60
BS2ACW3620	70	BS2DW30LS	64	BT3SRH5715BBFL(L/V)	54	BT3WSRH5730BBFLS	87
BS2ACW3625	70	BS2DW300	64	BT3SRH5715BBFLS	75	BT3WSRH5730FFL(L/V)	60
BS2ACW3630	70	BS2DW36L(L/V)	52	BT3SRH5715FFL(L/V)	54	BT3WSRH5730FFLS	87
BS2ACW3635	70	BS2DW36LS	64	BT3SRH5715FFLS	75	BT3WSRH6424BBFL(L/V)	58
BS2ACW3640	70	BS2DW36O	64	BT3SRH6415BBFL(L/V)	55	BT3WSRH6424BBFLS	85
BS2AGB01	71	BS2PFL18A(L/V)	50	BT3SRH6415BBFLS	77	BT3WSRH6424FFL(L/V)	58
BS2AGB10	71	BS2PFL18A(S)	62	BT3SRH6415FFL(L/V)	55	BT3WSRH6424FFLS	85
BS2ALX04	71	BS2PFL18B(L/V)	50	BT3SRH6415FFLS	77	BT3WSRH6430BBFL(L/V)	61
BS2ALX100	71	BS2PFL18B(S)	62	BT3WSBLH4224BBFLS	79	BT3WSRH6430BBFLS	88
BS2ALX20	71	BS2PFL24AB(L/V)	50	BT3WSBLH4224FFLS	79	BT3WSRH6430FFL(L/V)	61
BS2ASF1804	90	BS2PFL24AB(S)	62	BT3WSBLH5024BBFLS	80	BT3WSRH6430FFLS	88
BS2ASF1810	90	BS2PFL24BB(L/V)	50	BT3WSBLH5024FFLS	80	DS1PBD	89, 93
BS2ASF2404	90	BS2PFL24BB(S)	62	BT3WSBLH5724BBFLS	82	DS1PFD	89, 93
BS2ASF2410	90	BS2PFL30A(L/V)	50	BT3WSBLH5724FFLS	82	DS1PFS	89, 93
BS2ASF3004	90	BS2PFL30A(S)	62	BT3WSBLH6424BBFLS	84	DS1PST	89, 93
BS2ASF3010	90	BS2PFL30B(L/V)	50	BT3WSBLH6424FFLS	84	DS2DW30L	15
BS2ASF3604	90	BS2PFL30B(S)	62	BT3WSBRH4224BBFLS	79	DS2DW36L	15
BS2ASF3610	90	BS2PML18A(L/V)	51	BT3WSBRH4224FFLS	79	DS2LKKT	90
BS2C22180	65	BS2PML18AS	63	BT3WSBRH5024BBFLS	80	DS2PBD	89, 93
BS2C22240	65	BS2PML18B(L/V)	51	BT3WSBRH5024FFLS	80	DS2PFD	89, 93
BS2C2230BLL	67	BS2PML18BS	63	BT3WSBRH5724BBFLS	82	DS2PFL18A	13
BS2C2230BLS	67	BS2PML18F(L/V)	51	BT3WSBRH5724FFLS	82	DS2PFL18B	13
BS2C22300	65	BS2PML18FS	63	BT3WSBRH6424BBFLS	84	DS2PFL24AB	13
BS2C2236BLL	67	BS2PML24A(L/V)	51	BT3WSBRH6424FFLS	84	DS2PFL24BB	13
BS2C2236BLS	67	BS2PML24AS	63	BT3WSLH5024BBFL(L/V)	56	DS2PFL30A	13
BS2C22360	65	BS2PML24B(L/V)	51	BT3WSLH5024BBFLS	81	DS2PFL30B	13
BS2C2236O18O18	66	BS2PML24BS	63	BT3WSLH5024FFL(L/V)	56	DS2PML18A	14
BS2C2242024018	66	BS2PML24F(L/V)	51	BT3WSLH5024FFLS	81	DS2PML18B	14
BS2C2248B30018LL	69	BS2PML24FS	63	BT3WSLH5030BBFL(L/V)	59	DS2PML18F	14
BS2C2248B30018LS	69	BT3SBLH4215BBFLS	72	BT3WSLH5030BBFLS	86	DS2PML24A	14
BS2C2248024024	66	BT3SBLH4215FFLS	72	BT3WSLH5030FFL(L/V)	59	DS2PML24B	14
BS2C2248O30O18	66	BT3SBLH5015BBFLS	74	BT3WSLH5030FFLS	86	DS2PML24F	14
BS2C2254B30O24LL	69	BT3SBLH5015FFLS	74	BT3WSLH5724BBFL(L/V)	57	DS2PPTC	89, 93
BS2C2254B30024LS	69	BT3SBLH5715BBFLS	76	BT3WSLH5724BBFLS	83	DS2PPTN	89, 93
BS2C2254B36O18LL	69	BT3SBLH5715FFLS	76	BT3WSLH5724FFL(L/V)	57	DS4DW30L	12
BS2C2254B36O18LS	69	BT3SBLH6415BBFLS	78	BT3WSLH5724FFLS	83	DS4DW36L	12
BS2C2254O30O24	66	BT3SBLH6415FFLS	78	BT3WSLH5730BBFL(L/V)	60	DS4PFL18A	10
BS2C2254O36O18	66	BT3SBRH4215BBFLS	72	BT3WSLH5730BBFLS	87	DS4PFL18B	10
BS2C2260B30B30LL	68	BT3SBRH4215FFLS	72	BT3WSLH5730FFL(L/V)	60	DS4PFL24AB	10
BS2C2260B30B30LS	68	BT3SBRH5015BBFLS	74	BT3WSLH5730FFLS	87	DS4PFL24BB	10
BS2C2260B30030LL	69	BT3SBRH5015FFLS	74	BT3WSLH6424BBFL(L/V)	58	DS4PFL30A	10
BS2C2260B30O30LS	69	BT3SBRH5715BBFLS	76	BT3WSLH6424BBFLS	85	DS4PFL30B	10
BS2C2260B36O24LL	69	BT3SBRH5715FFLS	76	BT3WSLH6424FFL(L/V)	58	DS4PML18A	11
BS2C2260B36O24LS	69	BT3SBRH6415BBFLS	78	BT3WSLH6424FFLS	85	DS4PML18B	11
		BT3SBRH6415FFLS	78	BT3WSLH6430BBFL(L/V)	61	DS4PML18F	11
BS2C2260030030	66	BT3SLH5015BBFL(L/V)	53	BT3WSLH6430BBFLS	88	DS4PML24A	11
BS2C2260036024	66	BT3SLH5015BBFLS	73	BT3WSLH6430FFL(L/V)	61	DS4PML24B	11
BS2C2266B30O36LL	69	BT3SLH5015FFL(L/V)	53	BT3WSLH6430FFLS	88	DS4PML24F	11
BS2C2266B30O36LS	69	BT3SLH5015FFLS	73	BT3WSRH5024BBFL(L/V)	56	DT3CB15	94
BS2C2266B36B30LL	68	BT3SLH5715BBFL(L/V)	54	BT3WSRH5024BBFLS	81	DT3CB24	94
BS2C2266B36B30LS	68	BT3SLH5715BBFLS	75	BT3WSRH5024FFL(L/V)	56	DT3CB30	94
BS2C2266B36O30LL	69	BT3SLH5715FFL(L/V)	54	BT3WSRH5024FFLS	81	DT3CB9	94
BS2C2266B36O30LS	69	BT3SLH5715FFLS	75	BT3WSRH5030BBFL(L/V)	59	DT3DCH	94
BS2C2266036030	66	BT3SLH6415BBFL(L/V)	55	BT3WSRH5030BBFLS	86	DT3FDS15	91
BS2C2272B36B36LL	00					******	

pattern no.	page
DT3FM15	94
DT3FM9	94
DT3HDS15	91
DT3MBCDS	91
DT3PDD	89, 93
DT3SBLH4215BBFL DT3SBLH4215FFL	33
DT3SBLH5015BBFL	34
DT3SBLH5015FFL	35
DT3SBLH5715BBFL	37
DT3SBLH5715FFL	36
DT3SBLH6415BBFL	38
DT3SBLH6415FFL	38
DT3SBRH4215BBFL	33
DT3SBRH4215FFL	33
DT3SBRH5015BBFL	34
DT3SBRH5015FFL	35
DT3SBRH5715BBFL	37
DT3SBRH5715FFL	36
DT3SBRH6415BBFL	38
DT3SBRH6415FFL	38
DT3SLH5015BBFL	34
DT3SLH5015FFL	34
DT3SLH5715BBFL	36
DT3SLH5715FFL	36
DT3SLH6415BBFL	38
DT3SLH6415FFL	39
DT3SRH5015BBFL	34
DT3SRH5015FFL	34
DT3SRH5715BBFL	36
DT3SRH5715FFL DT3SRH6415BBFL	36 38
DT3SRH6415FFL	39
DT3WSBLH4224BBFL	40
DT3WSBLH4224FFL	40
DT3WSBLH5024BBFL	41
DT3WSBLH5024FFL	42
DT3WSBLH5724BBFL	44
DT3WSBLH5724FFL	43
DT3WSBLH6424BBFL	46
DT3WSBLH6424FFL	46
DT3WSBRH4224BBFL	40
DT3WSBRH4224FFL	40
DT3WSBRH5024BBFL	41
DT3WSBRH5024FFL	42
DT3WSBRH5724BBFL	44
DT3WSBRH5724FFL	43
DT3WSBRH6424BBFL	46
DT3WSBRH6424FFL DT3WSLH5024BBFL	46
DT3WSLH5024FFL	41
DT3WSLH5030BBFL	47
DT3WSLH5030FFL	47
DT3WSLH5724BBFL	43
DT3WSLH5724FFL	43
DT3WSLH5730BBFL	48
DT3WSLH5730FFL	48
DT3WSLH6424BBFL	45
DT3WSLH6424FFL	45
DT3WSLH6430BBFL	49
DT3WSLH6430FFL	49
DT3WSP	92
DT3WSRH5024BBFL	41
DT3WSRH5024FFL	41
DT3WSRH5030BBFL	47

pattern no.	page
DT3WSRH5030FFL	47
DT3WSRH5724BBFL DT3WSRH5724FFL	43
DT3WSRH5730BBFL	48
DT3WSRH5730FFL	48
DT3WSRH6424BBFL	45
DT3WSRH6424FFL	45
DT3WSRH6430BBFL	49
DT3WSRH6430FFL	49
DT4SBLH4215BBFL DT4SBLH4215FFL	16
DT4SBLH5015BBFL	17
DT4SBLH5015FFL	18
DT4SBLH5715BBFL	20
DT4SBLH5715FFL	19
DT4SBLH6415BBFL	21
DT4SBLH6415FFL	21
DT4SBRH4215BBFL	16
DT4SBRH4215FFL	16
DT4SBRH5015BBFL DT4SBRH5015FFL	17
DT4SBRH5715BBFL	20
DT4SBRH5715FFL	19
DT4SBRH6415BBFL	21
DT4SBRH6415FFL	21
DT4SLH5015BBFL	17
DT4SLH5015FFL	17
DT4SLH5715BBFL	19
DT4SLH5715FFL DT4SLH6415BBFL	19 21
DT4SLH6415FFL	22
DT4SRH5015BBFL	17
DT4SRH5015FFL	17
DT4SRH5715BBFL	19
DT4SRH5715FFL	19
DT4SRH6415BBFL	21
DT4SRH6415FFL DT4WSBLH4224BBFL	22
DT4WSBLH4224FFL	23
DT4WSBLH5024BBFL	25
DT4WSBLH5024FFL	24
DT4WSBLH5724BBFL	27
DT4WSBLH5724FFL	26
DT4WSBLH6424BBFL	29
DT4WSBLH6424FFL	29
DT4WSBRH4224BBFL	23
DT4WSBRH4224FFL DT4WSBRH5024BBFL	23
DT4WSBRH5024FFL	24
DT4WSBRH5724BBFL	27
DT4WSBRH5724FFL	26
DT4WSBRH6424BBFL	29
DT4WSBRH6424FFL	29
DT4WSLH5024BBFL	24
DT4WSLH5024FFL	24
DT4WSLH5030BBFL DT4WSLH5030FFL	30
DT4WSLH5724BBFL	26
DT4WSLH5724FFL	26
DT4WSLH5730BBFL	31
DT4WSLH5730FFL	31
DT4WSLH6424BBFL	28
DT4WSLH6424FFL	28
DT4WSLH6430BBFL	32
DT4WSLH6430FFL	32

pattern no.	page
DT4WSRH5024BBFL	24
DT4WSRH5024FFL	24
DT4WSRH5030BBFL	30
DT4WSRH5030FFL	30
DT4WSRH5724BBFL	26
DT4WSRH5724FFL	26
DT4WSRH5730BBFL	31
DT4WSRH5730FFL	31
DT4WSRH6424BBFL	28
DT4WSRH6424FFL	28
DT4WSRH6430BBFL	32
DT4WSRH6430FFL	32

This Selling Policy supersedes all previous selling policies and is inclusive of Knoll, KnollStudio and Muuto. Prices, discounts and product offerings are subject to change without notice.

Terms & Conditions of Sales

Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supersede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.

Ordering Information Order Confirmation Pricing Policies

All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.

A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.

List prices are subject to change without notice.

List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.

Taxes

All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.

Terms of Payment

Payment for one hundred percent (100%) of the net order amount (including any applicable shipping and handling fee) is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment. If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.

Changes and Cancellation

Standard purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.

QuickShip orders may not be changed or canceled without Knoll's authorization. In the event of Muuto order changes, 25% payment of original net order amount is required for changes incurring the week the order was entered. 100% payment of original net order amount is required for changes incurring the week the order is scheduled to ship. If Muuto is ordered on QuickShip, the QuikShip policy supersedes.

Freight Prepaid

For standard orders, freight is prepaid and included in the price of all Knoll Office and KnollStudio Products, except KnollTextiles and Muuto, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.

Freight for all Muuto orders must be specified at time of order placement and added to the PO.

Delivery/Freight Charges

Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.

For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.

Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.

Nonstandard methods of shipment and/or additional services are available upon request. Orders for QuickShip product shipping direct parcel or White Glove are subject to additional shipping and handling charges and must be paid by Purchaser. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery.

Partial shipments may be made and invoiced by Seller.

Claims

All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.

October 1, 2022 99

Selling Policy

Seller's Security Interest Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filling of documentation, which may be necessary to perfect and assure the security interest of Seller.

Returns The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.

Held Orders/Storage

If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.

Customer's Own Material

A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.

Warranty

Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.

Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).

Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.

Product and Period of Warranty

Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Morrison, Reff Profiles laminate, Rockwell Unscripted, Series 2 Storage, Template, Quoin and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, digital locks, upholstery, textiles and leathers, special or custom products, see below), Islands Collection table structure, legs, and laminate worksurfaces; and Wexby mobile bin.

12 Years: Chadwick, Generation by Knoll, k. task, Life, Newson Task, Moment, MultiGeneration by Knoll, Ollo, ReGeneration by Knoll, Remix, and Toboggan seating (except seating upholstery, textiles, leathers and finishes, see below).

10 Years: Anchor Storage except digital locks, Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Dividends Horizon Satellite Surfaces, Reff Profiles, Rockwell Unscripted, Quoin wood components, Template wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (The Graham Collection) (except wood casegoods upholstered surfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Sapper XYZ Monitor Arm Series, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, cork and FilzFelt, see below), Smokador collection (except leathers, see below), Orchestra Universal Systems Accessories, k. lounge structural components, KnollStudio Pixel and Propeller, Antenna Telescope bases, Tone bases, k.screens, and dealer-purchased non BIFMA-certified Muuto products.

5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products and plywood, Currents handcrank, KnollStudio (excluding textiles, leather and outdoor finishes), LSM, Pixel Lounge, Rockwell Unscripted wire bases, KnollExtra CPU holders and all universal storage drawers, and Power Collection, k.bench (except changes in finish, see below) and k.stand bases (except changes in finish, see below), Islands Collection veneer worksurfaces, operational parts, wide grommet lid, castors, glides and electrical; and dealer-purchased non BIFMA-certified Muuto products.

3 Years: Rockwell Unscripted upholstery (except textiles and leather), Office Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers, KnollExtra Pop Up Screens, k.screen (except cork and PET), and retailer-purchased Muuto products.

2 Years: Anchor Storage digital locks, Quoin digital locks, all other KnollExtra product.

1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, wood casegoods, upholstered surfaces, KnollStudio, textiles, leathers and outdoor product finishes, Pixel Lounge fabric, k. lounge upholstery and k. lounge fabric, Rockwell Unscripted fabric and accessories, k.screen cork

This warranty does not apply to:

- Damage caused by a carrier other than the Seller.
- Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).
- COM or other third party materials applied to Products.
- Products not installed by or under the auspices of a Knoll Dealer.
- Dramatic temperature variations or exposure to unusual conditions.
- Changes in surface finishes, including colorfastness due to aging or exposure to light.
- Except as specifically noted above, textiles and upholstery supplied by KnollTextiles and Spinneybeck FilzFelt (consult current price lists for applicable

Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with

100 October 1, 2022

Selling Policy

Delay/Force Majeure

respect to or arising out of the Product furnished hereunder.

Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product

Compliance with Law

PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.

Patents

Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.

The foregoing indemnity does not apply to the following:

- Products supplied according to a design other than that of Seller, and which is required by the Purchaser.
 Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.
- · Any settlements of a suit or proceeding made without Seller's written consent.

Limitations of Liability

SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.

Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.

101 October 1, 2022

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

- 5 workstations with 2 locks per station
- 3 workstations with 4 locks per station
- 2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC__" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. For additions to existing installations, specify desired key numbers in the description.

Service Parts

Pattern #	Description	List Price
KKEY	Shrouded Key Specify key number desired	\$11
KBLANK	Shrouded Key Blank	\$11
KSPECB	Retrofit Universal Core/Key Specify key number desired	\$23
KCHANGE	Change Key	\$11
HLKRKMASTER*	Master Key	\$14

^{*}Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc. 1235 Water Street P.O. Box 157

East Greenville, PA 18041 Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEEDTM certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."