

# k. stand

Price List  
July 2018



**Knoll**

# Table of Contents

k.™ stand

Introduction	Knoll and Sustainable Design	2
	GREENGUARD Certified®	3
	Finish Options	4
	k.™ stand Height Adjustable Tables	6
Bases	Standard Electric	7
	Extended Electric	8
Tops	Antenna Workspaces Worksurfaces	9
	Reff Profiles Worksurfaces	10
	Dividends Horizon Worksurfaces	11
	Morrison Worksurfaces	12
	AutoStrada Worksurfaces	13
Accessories	Accessories	14
Alpha-Numeric Index		15
Selling Policy		16
General Ordering Information		18

# Knoll and Sustainable Design

---

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level® certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

## Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

## Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.

## Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level® sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

*For more information about Knoll and sustainable design, visit [knoll.com/environment](http://knoll.com/environment).*

A natural extension of the Knoll commitment to protect the biosphere, conserve natural resources and reduce waste, k. stand Height-Adjustable Tables are environmentally responsible in manufacturing process and materials.

k.™ stand Height-Adjustable Tables are **GREENGUARD Gold** certified. Visit [GREENGUARD.org](http://GREENGUARD.org) for more information and to find printable certificates for Knoll products that can be used for verification and LEED submission. GREENGUARD provides the only guide to certified low-emitting interior products and building materials. Its goal is to help building owners and managers, architects, interior designers and product specifiers build and furnish healthier offices, hospitals, schools and homes by providing a register of tested and certified low-emitting products and materials.

The GREENGUARD Certification Program (formerly known as GREENGUARD Indoor Air Quality Certification) gives assurance that products designed for use in indoor spaces meet strict chemical emissions limits, which contribute to the creation of healthier interiors. Achieving GREENGUARD Certification gives credence to manufacturers' sustainability claims, backing them with empirical scientific data from an unbiased, third-party organization.

GREENGUARD Certification emissions limits were first used as purchasing specifications for the US EPA and the State of Washington for furniture and commercial building products. GREENGUARD Certification criteria have been the basis for the LEED credit for low-emitting furniture since 2002. Office furniture products that are GREENGUARD Certified are also compliant with the BIFMA X7.1 standard and BIFMA e3 credit 7.6.1.

The GREENGUARD Gold Certification requirements comply with the State of California's Department of Public Health Services Standard Practice for Specification Section 01350 (California Section 01350) for testing chemical emissions from building products used in schools and other environments. As such, GREENGUARD Gold Certified products can be used to earn valuable credits in the CHPS Best Practices Manual for K-12 schools, the US Green Building Council's LEED® Green Building Rating Systems, the Green Guide for Healthcare, the NAHB Green Building Guidelines, Green Globes, Regreen and many other building codes, standards and specifications.

GREENGUARD Gold Certification standard includes health based criteria for additional chemicals and also requires lower total VOC emissions levels to ensure that products are acceptable for use in environments such as schools and healthcare facilities. In addition to limiting emissions of more than 360 VOCs and total chemical emissions, office Furniture products that are GREENGUARD Gold Certified are also compliant with the BIFMA X7.1 standard and BIFMA e3 credits 7.6.1, 7.6.2, and 7.6.3.

k. stand environmentally responsible manufacturing processes and materials include:

**FSC-Certified**

Wood components are standard FSC-certified with North American hardwood veneers.

**Recovered Particleboard**

k. stand tops have FSC certified, 90% recovered particleboard cores.

**VOC-Free Finishes**

Water-based wood stains and UV-cured polyurethane wood top coats are virtually VOC-free.

**VOC-Free Adhesives**

Water-based adhesives used to adhere laminate and veneer to substrate are 99% VOC-free.



**k.™ stand Paint Finish**

B Black  
 W White  
 G Grey

**Wood Finishes**

New codes begin with a three digit numeric sequence, followed by a letter suffix. Each letter suffix (A-F) represents a different combination of pore fill options and gloss levels.

Code	<i>V1 TECHWOOD</i>	Code	<i>V2 PREMIUM TECHWOOD</i>	Code	<i>V3 PREMIUM VENEER</i>
638	Blond Maple	647	White Pine	039	Pippy Oak *
628	Dark Mahogany	640	Ebony	044	Figured Sycamore
639	Light Cherry	642	Grigio		
641	Black Oak				
506	Maple		<b><i>V2 NATURAL VENEER</i></b>		
509	Cherry	020	Natural Oak		
512	Medium Walnut	038	Rustic Walnut *		
513	Medium Teak	017	Light Walnut		
514	Espresso	002	Bronze Cherry		
637	Natural	006	Maple		
644	Light Walnut	021	Peacock Green Walnut		
645	Dove Grey	022	Old English Walnut		
		037	Birch		

	Gloss Level	Fill Level
A	Low Gloss	Closed Pore
B	MediumGloss	Closed Pore
C	High Gloss	Closed Pore
D	Low Gloss	Open Pore
E	Medium Gloss	Open Pore
F	High Gloss	Open Pore

**Edge Options for Veneers**

WOOD Complementary Wood  
 SYN Complementary Synthetic  
 WPLY Wood Ply Edge \*  
 SPLY Synthetic Ply Edge \*

\* Ply Edge available on Birch (037) worksurfaces.

**\*Note:**

-Synthetic Edge option is available on worksurfaces, only.

-Finishes with \* are available on worksurfaces only.

For more detailed information on Veneer finishes, please refer to the Wood Finish Matrix on the Knoll.com

## Laminate Finishes

### Core Laminate

#### Surface / Edge

- 111 Jet Black
- 114 Folkstone Grey\*\*
- 115 Medium Grey
- 117 Soft Grey\*\*
- 118 Bright White\*\*
- 119 Pumice\*\*
- 121 Micro Grey \*
- 122 Brushed Sand \*
- 123 Brushed Grey \*
- 128 Fog
- 129 Micro Sand \*

\*121, 122, 123, 129 Not available with matching edge option, and only available on worksurfaces.

\*\*Melamine worksurface finish, excluding AutoStrada, Currents and Morrison Tables.

Note: All core Laminate worksurfaces are available with matching and non matching edges. ie; A worksurface in 118, can have 139 edge finish.

### Wood Grain Laminates

#### Surface / Edge

- 124 Medium Chery
- 125 Natural Maple\*\*
- 126 Natural Cherry\*\*
- 127 Walnut\*\*
- 139 Light Ash
- 140 Warm Ash\*\*
- 141 Whitened Ash
- 142 Grey Ash\*\*
- 143 Classic Oak\*\*
- 144 Graphite Pear
- 145 Zebra
- 147 Silverwood\*\*
- 148 Smokewood\*\*
- 149 Barnwood\*\*

#### Additional Edge Options for Laminate worksurfaces (only):

- WPLY Ply Edge - Wood (V1 Pricing)
- SPLY Ply Edge - Synthetic (L Pricing)

### Impact Resistant Laminate

#### Core & Wood Grain Laminates

#### Surface / Edge

- 911 Jet Black
- 914 Folkstone Grey
- 917 Soft Grey
- 918 Bright White
- 919 Pumice
- 924 Medium Cherry
- 925 Natural Maple
- 926 Natural Cherry
- 927 Walnut
- 928 Fog

**Note:** *The Rules of Wood Grain Laminates, applies to the Impact Resistant Laminates.*  
*\*25% Upcharge applies to the laminate pricing for the Impact Resistant Laminates.*

**Note:** For Tone Profiles, AutoStrada and Antenna / Telescope and Morrison you can chose from V1, V2 and V3. For Dividends Horizon you can chose from V1 only.

**Please refer to individual price lists for detailed information on finish options.**

# k.<sup>TM</sup> stand Height Adjustable Tables

## *Base Types and Height Ranges*

k.<sup>TM</sup> stand

---

k.<sup>TM</sup> stand is available in Electric or Extended Electric base styles only. k.<sup>TM</sup> stand bases are adjusted with button controls mounted along the front edge of the top. There are two switch options; a Standard Switch and Digital Switch. The Standard Switch features Up and Down buttons only. The Digital Switch includes Up and Down buttons as well as four programmable height settings.

Power Requirements Per k.<sup>TM</sup> stand Table: 100-240V at 50-60 Hz, 4A at 120V running draw

Start Up Draw: ≤ 2.5A

Running Draw: ≤ 2.5A

Standby Draw: <0.7W

<b>Base Type</b>	<b>k.<sup>TM</sup> stand Standard Electric</b>	<b>k.<sup>TM</sup> stand Extended Electric</b>
<b>Height Range</b>	27.4 - 47"	23.8 - 49.5"
<b>Adjustment</b>	1-2" per second	1-2" per second
<b>Load Capacity</b>	360 lbs	360 lbs

*\*Height ranges shown do not include top thickness*

Published heights are measured to the underside of the worksurface. When planning with storage or other object under the desk, account for 2<sup>3</sup>/<sub>4</sub>" of base structure. Do not specify items that interfere with the travel of the table.

Casters raise the overall height of the table 2<sup>1</sup>/<sub>4</sub>".


# Standard Electric Adjustable Width Base

k.™ stand

description	type	w	d	pattern no.	List Price
24" Deep C-Leg Bases	For use with 47-96" wide tops	46 <sup>3</sup> / <sub>4</sub> " - 75 <sup>1</sup> / <sub>4</sub> "	23 <sup>1</sup> / <sub>2</sub> "	<b>KHATBCEA24G( )</b>	\$1,993.



30" Deep C-Leg Bases	For use with 47-96" wide tops	46 <sup>3</sup> / <sub>4</sub> " - 75 <sup>1</sup> / <sub>4</sub> "	29 <sup>1</sup> / <sub>2</sub> "	<b>KHATBCEA30G( )</b>	1,993.
----------------------	-------------------------------	---	----------------------------------	-----------------------	--------



Bases

Order Code	Specification Information	Application Notes	Notes
<b>C-Leg Bases</b>			
<i>Example:</i> <b>KHATBCEA24GS, W</b>			
<b>KHATB</b>	k.™ stand base		
<b>C</b>	C-Leg		
<b>E</b>	Electric		
<b>A</b>	Adjustable Width		
<b>24</b>	Depth		
<b>G</b>	Glides		
<b>S</b>	Standard Switch		
<b>W</b>	White Finish		
	<ol style="list-style-type: none"> <li>Switch Style: "D" specifies the Digital Switch, which includes digital display and four programmable height settings. Add \$50 list for the Digital Switch.</li> <li>Base Finish: Available in fully painted Black, White or Grey</li> </ol>	<p>Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.</p> <p>Base comes with worksurface mounting hardware.</p> <p>Maximum of 15" worksurface overhang on one or both sides permitted.</p> <p>A stiffener is required on worksurfaces that are 72" or wider.</p>	<p>48", 84", 90" and 96" wide undersized tops are not part of the k.™ stand scope.</p>




# Extended Electric Adjustable Width Base

k.™ stand

description	type	w	d	pattern no.	list
24" Deep C-Leg Bases	For use with 47-96" wide tops	46 <sup>3</sup> / <sub>4</sub> " - 75 <sup>1</sup> / <sub>4</sub> "	23 <sup>1</sup> / <sub>2</sub> "	<b>KHATBCEXA24G( )</b>	\$2,278.





30" Deep C-Leg Bases	For use with 47-96" wide tops	46 <sup>3</sup> / <sub>4</sub> " - 75 <sup>1</sup> / <sub>4</sub> "	29 <sup>1</sup> / <sub>2</sub> "	<b>KHATBCEXA30G( )</b>	2,278.
----------------------	-------------------------------	---	----------------------------------	------------------------	--------



Order Code	Specification Information	Application Notes	Notes
<b>C-Leg Bases</b>			
<i>Example:</i> <b>KHATBCEA24GS, W</b>			
<b>KHATB</b>	k.™ stand base		
<b>C</b>	C-Leg		
<b>E</b>	Electric		
<b>A</b>	Adjustable Width		
<b>24</b>	Depth		
<b>G</b>	Glides		
<b>S</b>	Standard Switch		
<b>W</b>	White Finish		
	<ol style="list-style-type: none"> <li>Switch Style: "D" specifies the Digital Switch, which includes digital display and four programmable height settings. Add \$50 list for the Digital Switch.</li> <li>Base Finish: Available in fully painted Black, White or Grey</li> </ol>	<p>Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.</p> <p>Base comes with worksurface mounting hardware.</p> <p>Maximum of 15" worksurface overhang on one or both sides permitted.</p> <p>A stiffener is required on worksurfaces that are 72" or wider.</p>	<p>48", 84", 90" and 96" wide undersized tops are not part of the k.™ stand scope.</p>

Antenna Workspaces Worksurfaces  
 Tops for C-Leg Tables  
 24" and 30" Deep Rectangular

k.™ stand

description	type	w*	w	d	h	pattern no.	laminate (L)	Mixed(M)	V1(V)	V2(V)	V3(V)
	For use with 24"D C-Leg Base	54"	51"	24"	1 1/4"	<b>KHATTYR5124( )</b>	\$350.	\$594.	\$594.	\$684.	\$924.
	For use with 24"D C-Leg Base	60"	57"	24"	1 1/4"	<b>KHATTYR5724( )</b>	377.	632.	632.	729.	985.
	For use with 24"D C-Leg Base	66"	63"	24"	1 1/4"	<b>KHATTYR6324( )</b>	408.	659.	659.	757.	1,022.
	For use with 24"D C-Leg Base	72"	69"	24"	1 1/4"	<b>KHATTYR6924( )</b>	424.	683.	683.	788.	1,062.
	For use with 24"D C-Leg Base	78"	75"	24"	1 1/4"	<b>KHATTYR7524( )</b>	458.	715.	715.	824.	1,112.
	For use with 30"D C-Leg Base	54"	51"	30"	1 1/4"	<b>KHATTYR5130( )</b>	428.	665.	665.	763.	1,031.
	For use with 30"D C-Leg Base	60"	57"	30"	1 1/4"	<b>KHATTYR5730( )</b>	471.	702.	702.	806.	1,090.
	For use with 30"D C-Leg Base	66"	63"	30"	1 1/4"	<b>KHATTYR6330( )</b>	526.	715.	715.	824.	1,112.
	For use with 30"D C-Leg Base	72"	69"	30"	1 1/4"	<b>KHATTYR6930( )</b>	544.	740.	740.	851.	1,150.
	For use with 30"D C-Leg Base	78"	75"	30"	1 1/4"	<b>KHATTYR7530( )</b>	583.	782.	782.	886.	1,199.

Tops



Order Code	Specification Information	Application Notes	Options
<b>Antenna Tops</b>	<b>Antenna Tops</b>	<b>Antenna Tops</b>	<b>Antenna Tops</b>
<i>Example:</i> <b>KHATTYR5130L, 118, 118</b>	<i>To order, specify:</i>	Worksurfaces are pre-drilled with pilot for use with wood screws.	Top Finish Options: Add an (L) for laminate, (V) for veneer suffix or (M) for mixed (laminate with wood edge) suffix to pattern number.
<b>KHATT</b> k.™ stand top	1. Pattern number	Actual worksurfaces are undersized by 1 1/2" on each side edge.	
<b>Y</b> Antenna Style	2. Top Finish	A stiffener is required on worksurfaces that are 72" or wider.	
<b>R</b> Rectangular Top	3. Edge Finish (laminate and mixed tops only)		
<b>51</b> Width			
<b>30</b> Depth			
<b>L</b> Laminate			
<b>118</b> Bright White Laminate			
<b>118</b> Bright White Edge			

# Reff Profiles Worksurfaces

## Tops for C-Leg Tables

### 24" and 30" Deep Rectangular

k.™ stand

description	type	w*	w	d*	d	h	pattern no.	laminate (L)	Mixed(M)	V1(V)	V2(V)	V3(V)
	For use with 24"D C-Leg Base	54"	52"	24"	23"	1 1/4"	<b>KHATRR5223N</b>	\$527.	\$625.	\$568.	\$655.	\$883.
	For use with 24"D C-Leg Base	60"	58"	24"	23"	1 1/4"	<b>KHATRR5823N</b>	571.	556.	505.	698.	945.
	For use with 24"D C-Leg Base	66"	64"	24"	23"	1 1/4"	<b>KHATRR6423N</b>	583.	691.	628.	724.	976.
	For use with 24"D C-Leg Base	72"	70"	24"	23"	1 1/4"	<b>KHATRR7023N</b>	615.	723.	657.	758.	1,023.
	For use with 24"D C-Leg Base	78"	76"	24"	23"	1 1/4"	<b>KHATRR7623N</b>	641.	756.	687.	795.	1,070.
	For use with 30"D C-Leg Base	54"	52"	30"	29"	1 1/4"	<b>KHATRR5229N</b>	606.	715.	650.	744.	1,004.
	For use with 30"D C-Leg Base	60"	58"	30"	29"	1 1/4"	<b>KHATRR5829N</b>	629.	738.	671.	771.	1,043.
	For use with 30"D C-Leg Base	66"	64"	30"	29"	1 1/4"	<b>KHATRR6429N</b>	640.	755.	686.	794.	1,069.
	For use with 30"D C-Leg Base	72"	70"	30"	29"	1 1/4"	<b>KHATRR7029N</b>	658.	776.	705.	808.	1,091.
	For use with 30"D C-Leg Base	78"	76"	30"	29"	1 1/4"	<b>KHATRR7629N</b>	688.	810.	736.	848.	1,143.



Order Code	Specification Information	Application Notes	Options
<b>Reff Profiles Tops</b>	<b>Reff Profiles Tops</b>	<b>Reff Profiles Tops</b>	<b>Reff Profiles Tops</b>
<i>Example:</i> <b>KHATRR5229NL, 118</b>	<i>To order, specify:</i>	Worksurfaces are pre-drilled with pilot for use with wood screws.	Top Finish Options:
<b>KHATT</b> k.™ stand top	1. Pattern number	Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back side.	Add an (L) for laminate, (V) for veneer suffix or (M) for mixed (laminate with wood edge) suffix
<b>R</b> Reff Profiles Top	2. Top Finish		to pattern number.
<b>R</b> Rectangular Top	3. Edge Finish (laminate and mixed tops only)	A stiffener is required on worksurfaces that are 72" or wider.	
<b>52</b> Width			
<b>29</b> Depth			
<b>N</b> No Grommet			
<b>L</b> Laminate			
<b>118</b> Bright White Laminate			
<b>118</b> Bright White Edge			

# Dividends Horizon Worksurfaces

## Tops for C-Leg Tables

### 24" and 30" Deep Rectangular

k.™ stand



description	type	w*	w	d*	d	h	pattern no.	Laminate	Laminate	Techwood
								w/ ABS edge	with woodgrain edge	w/ Techwood Edge
 Dividends Horizon C-Leg Tops, 24" Deep	For use with 24"D C-Leg Base	54"	52"	24"	23"	1 1/4"	<b>KHATTDR5223N</b>	\$352.	\$387.	\$614.
	For use with 24"D C-Leg Base	60"	58"	24"	23"	1 1/4"	<b>KHATTDR5823N</b>	382.	417.	644.
	For use with 24"D C-Leg Base	66"	64"	24"	23"	1 1/4"	<b>KHATTDR6423N</b>	409.	450.	671.
	For use with 24"D C-Leg Base	72"	70"	24"	23"	1 1/4"	<b>KHATTDR7023N</b>	427.	472.	701.
	For use with 24"D C-Leg Base	78"	76"	24"	23"	1 1/4"	<b>KHATTDR7623N</b>	460.	504.	735.
 Dividends Horizon C-Leg Tops, 30" Deep	For use with 30"D C-Leg Base	54"	52"	30"	29"	1 1/4"	<b>KHATTDR5229N</b>	431.	473.	669.
	For use with 30"D C-Leg Base	60"	58"	30"	29"	1 1/4"	<b>KHATTDR5829N</b>	474.	523.	698.
	For use with 30"D C-Leg Base	66"	64"	30"	29"	1 1/4"	<b>KHATTDR6429N</b>	527.	581.	725.
	For use with 30"D C-Leg Base	72"	70"	30"	29"	1 1/4"	<b>KHATTDR7029N</b>	548.	600.	751.
	For use with 30"D C-Leg Base	78"	76"	30"	29"	1 1/4"	<b>KHATTDR7629N</b>	585.	648.	788.

Tops

Order Code	Specification Information	Application Notes	Options
<b>Dividends Horizon Tops</b>	<b>Dividends Horizon Tops</b>	<b>Dividends Horizon Tops</b>	<b>Dividends Horizon Tops</b>
<i>Example:</i> <b>KHATTDR5429N, L 118</b>	<i>To order, specify:</i>	Worksurfaces are pre-drilled with pilot for use with wood screws.	Top Finish Options:
<b>KHATT</b> k.™ stand top	1. Pattern number	Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back side.	Add an (L) for laminate to pattern number.
<b>D</b> Dividends Horizon Top	2. Top Finish		
<b>R</b> Rectangular Top	3. Edge Finish (laminate tops only)		
<b>54</b> Width		A stiffener is required on worksurfaces that are 72" or wider.	
<b>29</b> Depth			
<b>N</b> No Grommet			
<b>L</b> Laminate			
<b>118</b> Bright White Laminate			
<b>118</b> Bright White Edge			

Morrison Worksurfaces  
 Tops for C-Leg Tables  
 24" and 30" Deep Rectangular

k.™ stand

description	type	w*	w	d*	d	h	pattern no.	L	V1	V2
	For use with 24"D C-Leg Base	54"	52"	24"	23"	1 1/4"	<b>KHATTMR5223()</b>	\$532.	\$898.	\$1,372.
	For use with 24"D C-Leg Base	60"	58"	24"	23"	1 1/4"	<b>KHATTMR5823()</b>	574.	941.	1,441.
	For use with 24"D C-Leg Base	66"	64"	24"	23"	1 1/4"	<b>KHATTMR6423()</b>	621.	1,039.	1,594.
	For use with 24"D C-Leg Base	72"	70"	24"	23"	1 1/4"	<b>KHATTMR7023()</b>	665.	1,108.	1,746.
	For use with 24"D C-Leg Base	78"	76"	24"	23"	1 1/4"	<b>KHATTMR7623()</b>	708.	1,143.	1,821.
	For use with 30"D C-Leg Base	54"	52"	30"	29"	1 1/4"	<b>KHATTMR5229()</b>	595.	992.	1,492.
	For use with 30"D C-Leg Base	60"	58"	30"	29"	1 1/4"	<b>KHATTMR5829()</b>	640.	1,061.	1,617.
	For use with 30"D C-Leg Base	66"	64"	30"	29"	1 1/4"	<b>KHATTMR6429()</b>	684.	1,127.	1,763.
	For use with 30"D C-Leg Base	72"	70"	30"	29"	1 1/4"	<b>KHATTMR7029()</b>	750.	1,220.	1,884.
	For use with 30"D C-Leg Base	78"	76"	30"	29"	1 1/4"	<b>KHATTMR7629()</b>	797.	1,284.	1,982.

Order Code	Specification Information
<b>Morrison Tops</b>	<b>Morrison Tops</b>
<i>Example:</i> <b>KHATTMR5229L, 118</b>	<i>To order, specify:</i>
<b>KHATT</b> k.™ stand top	1. Pattern number
<b>M</b> Morrison Top	2. Top Finish
<b>R</b> Rectangular Top	
<b>52</b> Width	
<b>29</b> Depth	
<b>L</b> Laminate	
<b>118</b> Bright White Laminate	


Application Notes	Options
<b>Morrison Tops</b>	<b>Morrison Tops</b>
Worksurfaces are pre-drilled with pilot for use with wood screws.	Top Finish Options: Add an (L) for laminate, (V) for veneer suffix to pattern number.
Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back side.	
A stiffener is required on worksurfaces that are 72" or wider.	

# AutoStrada Worksurfaces

## Tops for C-Leg Tables







### 30" Deep Rectangular

k.™ stand

description	type	w*	w	d*	d	h	pattern no.	laminate (L)	V1(V)/		
									Mixed(M)	V2(V)	V3(V)
	For use with 30"D C-Leg Base	54"	52"	30"	29"	1 1/4"	<b>KHATTAR5229( )N</b>	\$609.	\$928.	\$1,044.	\$1,360.
	For use with 30"D C-Leg Base	60"	58"	30"	29"	1 1/4"	<b>KHATTAR5829( )N</b>	679.	963.	1,082.	1,407.
	For use with 30"D C-Leg Base	66"	64"	30"	29"	1 1/4"	<b>KHATTAR6429( )N</b>	695.	984.	1,107.	1,442.
	For use with 30"D C-Leg Base	72"	70"	30"	29"	1 1/4"	<b>KHATTAR7029( )N</b>	716.	1,010.	1,136.	1,478.
	For use with 30"D C-Leg Base	78"	76"	30"	29"	1 1/4"	<b>KHATTAR7629( )N</b>	739.	1,056.	1,191.	1,547.

Tops

Order Code	Specification Information	Application Notes	Options
<b>AutoStrada Tops</b>	<b>AutoStrada Tops</b>	<b>AutoStrada Tops</b>	<b>AutoStrada Tops</b>
<i>Example:</i> <b>KHATTAR5229( )N, 118</b>	<i>To order, specify:</i>	Worksurfaces are pre-drilled with pilot for use with wood screws.	Top Finish Options:
<b>KHATT</b> k.™ stand top	1. Pattern number	Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back side.	Add an (L) for laminate, (V) for veneer suffix or (M) for mixed suffix to pattern number.
<b>AR</b> AutoStrada Top	2. Top Finish		
<b>R</b> Rectangular Top	3. Edge Finish (laminate and mixed tops only)		
<b>52</b> Width			
<b>29</b> Depth		A stiffener is required on worksurfaces that are 72" or wider.	
<b>L</b> Laminate			
<b>N</b> No Grommet			
<b>118</b> Bright White Laminate			
<b>118</b> Bright White Edge			

description	type	w	d	h	pattern no.	list
Digital Switch 	For k.stand Electric and Extended Electric	4 1/4"		3/4"	<b>KHATDS</b>	\$250.
k.stand Casters 	Kit of 4 - 2 locking, 2 non-locking	2"	1 1/4"	2 1/4"	<b>KHATCAS</b>	85.
Power Strip 	For use on Tone and k.stand Height Adjustable Tables	24 3/4"	2"	2"	<b>TBPS24</b>	390.
Cleat Plate 	For use on Tone and k.stand Height Adjustable Tables	25"	3 3/4"	2 1/4"	<b>TBCP</b>	124.
Vertical Wire Manager 	For use on Tone and k.stand Standard Electric	1"	3/4"	16 1/2"	<b>TBVWMS</b>	31.
	For use with Tone and k.stand Extended Electric	1"	3/4"	20"	<b>TBVWME</b>	31.
Worksurface Reinforcement 		54"	4"		<b>DB1WR54</b>	72.
		60"	4"		<b>DB1WR60</b>	73.
		66"	4"		<b>DB1WR66</b>	76.
		72"	4"		<b>DB1WR72</b>	79.

### Order Code

#### Digital Switch

Example: **KHATDS**

**KHAT** k.™ stand

**DS** Digital Switch

### Specification Information

1. Digital Switch ships with cord.
2. Casters cannot be used on k.stand with desk mounted privacy screens or modesty panels. Casters raise the overall height of the table 2 1/4".
3. A stiffener is required on worksurfaces 72" or wider.

---

<i>pattern no.</i>	<i>page</i>
DB1WR54	14
DB1WR60	14
DB1WR66	14
DB1WR72	14
KHATBCEA24C	7
KHATBCEA30G	7
KHATBCEXA24G	8
KHATBCEXA30G	8
KHATCAS	14
KHATDS	14
KHATTAR5229	13
KHATTAR5829	13
KHATTAR6429	13
KHATTAR7029	13
KHATTAR7629	13
KHATTD5223N	11
KHATTD5229N	11
KHATTD5823N	11
KHATTD5829N	11
KHATTD6423N	11
KHATTD6429N	11
KHATTD7023N	11
KHATTD7029N	11
KHATTD7623N	11
KHATTD7629N	11
KHATTM5223	12
KHATTM5229	12
KHATTM5823	12
KHATTM5829	12
KHATTM6423	12
KHATTM6429	12
KHATTM7023	12
KHATTM7029	12
KHATTM7623	12
KHATTM7629	12
KHATTR5223N	10
KHATTR5229N	10
KHATTR5823N	10
KHATTR5829N	10
KHATTR6423N	10
KHATTR6429N	10
KHATTR7023N	10
KHATTR7029N	10
KHATTR7623N	10
KHATTR7629N	10
KHATTYR5124	9
KHATTYR5130	9
KHATTYR5724	9
KHATTYR5730	9
KHATTYR6324	9
KHATTYR6330	9
KHATTYR6924	9
KHATTYR6930	9
KHATTYR7524	9
KHATTYR7530	9
TBCP	14
TBPS24	14
TBVWMES	14
TBVWMEX	14



# Selling Policy

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
<b>Terms &amp; Conditions of Sales</b>	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
<b>Ordering Information</b>	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
<b>Order Confirmation</b>	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
<b>Pricing Policies</b>	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
<b>Taxes</b>	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
<b>Terms of Payment</b>	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
<b>Changes and Cancellation</b>	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
<b>Freight Prepaid</b>	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
<b>Delivery/Freight Charges</b>	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
<b>Claims</b>	<p>All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.</p>
<b>Seller's Security Interest</b>	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
<b>Returns</b>	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
<b>Held Orders/Storage</b>	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>

# Selling Policy

<b>Customer's Own Material</b>	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
<b>Warranty</b>	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Morrison, Reff Profiles laminate, Rockwell Unscripted, Series 2 Storage, Template and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, upholstery, textiles and leathers, special or custom products, see below)</i></p> <p><i>12 Years: Chadwick, Essentials Work Chairs, Generation by Knoll, k. task, Life, Moment, MultiGeneration by Knoll, ReGeneration by Knoll, Remix, and Toboggan seating (except seating upholstery, textiles, leathers and finishes, see below).</i></p> <p><i>10 Year: Anchor Storage except digital keypad lock, Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Dividends Horizon Satellite Surfaces, Reff Profiles, Rockwell Unscripted, Template wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (The Graham Collection) (except wood casegoods upholstered surfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Sapper XYZ Monitor Arm Series, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, cork and FilzFelt, see below), Smokador collection (except leathers, see below), Orchestra Universal Systems Accessories, k. lounge structural components, KnollStudio Pixel and Propeller, Tone bases.</i></p> <p><i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products and plywood, Currents handcrank, KnollStudio, Rockwell Unscripted wire bases, Spark Series seating structural elements, structural elements of all KnollStudio outdoor products including all Richard Schultz designed products, KnollExtra CPU holders and all universal storage drawers and Power Collection, k. stand bases and HiLo.</i></p> <p><i>3 Years: Rockwell Unscripted upholstery (except textiles and leather), Office Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers, KnollExtra Pop Up Screens.</i></p> <p><i>2 Years: Anchor Storage digital keypad lock, all other KnollExtra product</i></p> <p><i>1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, wood casegoods upholstered surfaces. KnollStudio, outdoor product finishes, k. lounge upholstery and k. lounge fabric. Rockwell Unscripted fabric and accessories.</i></p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none"><li>• Damage caused by a carrier other than the Seller.</li><li>• Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).</li><li>• COM or other third party materials applied to Products.</li><li>• Products not installed by or under the auspices of a Knoll Dealer.</li><li>• Dramatic temperature variations or exposure to unusual conditions.</li><li>• Changes in surface finishes, including colorfastness due to aging or exposure to light.</li><li>• Except as specifically noted above, textiles and upholstery supplied by KnollTextiles and Spinneybeck FilzFelt (consult current price lists for applicable warranties).</li></ul> <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces.</p> <p>THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
<b>Delay/Force Majeure</b>	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
<b>Compliance with Law</b>	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
<b>Patents</b>	<p>Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.</p> <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none"><li>• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.</li><li>• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.</li><li>• Any settlements of a suit or proceeding made without Seller's written consent.</li></ul>
<b>Limitations of Liability</b>	<p><b>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</b></p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

# General Ordering Information

---

## **The Products**

This guide encompasses all standard products for this product group.

## **Sizes**

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

## **Pricing**

All prices shown are list.

## **How to Order**

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

## **Mail all orders to:**

Knoll, Inc.

1235 Water Street

P.O. Box 157

East Greenville, PA 18041

Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

## Sustainability Statement

---

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to [knoll.com](http://knoll.com), click on "About Knoll" and then "Environmental Focus."