
Knoll Space

Volume 2

Price List (Canada)
July 2023

Knoll

Home Office	Finish Options	2
	Credenza Specifications: Credenza Counterweight Kits	3
	Credenza Specifications: Mobile Credenzas	5
	Anchor Credenzas: Credenzas 48" wide, 16" and 20" deep	6
	Anchor Credenzas: Credenzas 60" wide, 16" and 20" deep	7
	Counterweight Kits: For Doublewide Pedestals	8
	Rockwell Unscripted Materials and Finishes	9
	Rockwell Unscripted Storage Assemblies: Mobile Storage Cart	11
	Rockwell Unscripted Occasional Tables: Wire base	12
	Rockwell Unscripted Easy Tables: Rectangular Flat Edgeband	13
	Rockwell Unscripted Easy Tables: Rectangular Bullnose Edgeband	15
	Rockwell Unscripted Easy Tables: Square Bullnose Edgeband	17
	Rockwell Unscripted Easy Tables: Rounded Bullnose Edgeband	18
	Rockwell Unscripted Storage Assemblies: Credenza with Wire Base	19
Alpha-Numeric Index		20
Selling Policy		21
General Ordering Information		23

KNOLL CORE LAMINATES

Matching edge band unless noted otherwise

L1 - Solid Colors

114*	Folkstone Grey
117*	Soft Grey
118*	Bright White
119*	Pumice

L2 - Solid Colors

111*	Jet Black
115*	Medium Grey
128*	Fog

L2 - Patterned

121	Micro Grey <i>with 114 Folkstone grey edge band</i>
122	Brushed Sand <i>with 119 Pumice edge band</i>
123	Brushed Grey <i>with 128 Fog edge band</i>
129	Micro Sand <i>with 119 Pumice edge band</i>

L2 - Wood Grain

124*	Medium Cherry
125*	Natural Maple
126*	Natural Cherry
127*	Walnut
139*	Light Ash
140*	Warm Ash
141*	Whitened Ash
142*	Grey Ash
143*	Classic Oak
144*	Graphite Pear
145	Zebra
147*	Silverwood
148*	Smokewood
149*	Barnwood

*denotes melamine finish
Melamine laminates are available in High Pressure Laminate at an upcharge and quoted separately

PULL FINISHES

Knoll Core Paints

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey
118	Bright White
120	Black Brown
611	Beige Mist Metallic
612	Medium Grey Metallic
613	Silver

Accent Paints

130	Dark Red
131	Slate Blue
132	Olive Green
133	Canary Yellow
134	Knoll Red

Anodized Finishes

AA	Anodized Aluminum
AN	Anodized Nickel

Anodized pulls have grooved underside.

FOOT FINISHES

Paint

111T	Jet Black Textured
114T	Folkstone Grey Textured
115T	Medium Grey Textured
118T	Bright White Textured
613T	Silver Textured

LOCK FINISHES

Standard Lock

B	Black
C	Chrome

Digital Keypad and RFID Lock, all units

NO	Brushed Nickel
----	----------------

Digital Keypad on Credenzas, Doublewide Pedestals also available in

B	Black
---	-------

PET FINISHES

Nomad

6150	Gull
6151	Smoke
6152	Powder
6153	Sage
6154	Goldmound

Credenza Specifications

Credenza Counterweight Kits

Counterweight Applications

Open units with shelf do not require counterweight. In freestanding application, select units with Open/File or Box/File components require counterweight as noted in the chart below. If units are connected to a panel, supporting a worksurface or ganged back-to-back with another unit, no counterweight is required. When required, counterweights are specified separately and field-installed.

Pattern Numbers	Standard Leveling Glides	Raised on Feet
WC221816FL	must be ganged for stability	(1) WCWKIT03
WC2218FL	must be ganged for stability	(1) WCWKIT03
WC221816BL	must be ganged for stability	(1) WCWKIT03
WC2218BL	must be ganged for stability	(1) WCWKIT03
WC222416FL	(1) WCWKIT05	(1) WCWKIT04
WC2224FL	(1) WCWKIT05	(1) WCWKIT04
WC222416BL	(1) WCWKIT06	(1) WCWKIT05
WC2224BL	(1) WCWKIT06	(1) WCWKIT05
WC223016FL	(1) WCWKIT04	(1) WCWKIT03
WC2230FL	(1) WCWKIT06	(1) WCWKIT03
WC223016BL	(1) WCWKIT05	(1) WCWKIT03
WC2230BL	(1) WCWKIT06	(1) WCWKIT03
WC223016F18012L	(1) WCWKIT01	(1) WCWKIT01
WC2230F18012L	(1) WCWKIT01	(1) WCWKIT01
WC223016012F18L	(1) WCWKIT01	(1) WCWKIT01
WC2230012F18L	(1) WCWKIT01	(1) WCWKIT01
WC223016B18012L	(1) WCWKIT01	(1) WCWKIT01
WC2230B18012L	(1) WCWKIT01	(1) WCWKIT01
WC223016012B18L	(1) WCWKIT01	(1) WCWKIT01
WC2230012B18L	(1) WCWKIT01	(1) WCWKIT01
WC223616FL	(1) WCWKIT05	(1) WCWKIT03
WC2236FL	(1) WCWKIT07	(1) WCWKIT03
WC223616BL	(1) WCWKIT07	(1) WCWKIT05
WC2236BL	(1) WCWKIT07	(1) WCWKIT05
WC223616F24012L	(1) WCWKIT02	(1) WCWKIT01
WC2236F24012L	(1) WCWKIT02	(1) WCWKIT01
WC223616012F24L	(1) WCWKIT02	(1) WCWKIT01
WC2236012F24L	(1) WCWKIT02	(1) WCWKIT01
WC223616B24012L	(1) WCWKIT02	(1) WCWKIT01
WC2236B24012L	(1) WCWKIT02	(1) WCWKIT01
WC223616012B24L	(1) WCWKIT02	(1) WCWKIT01
WC2236012B24L	(1) WCWKIT02	(1) WCWKIT01
WC223616F18018L	counterweight not required	counterweight not required
WC2236F18018L	counterweight not required	counterweight not required
WC223616018F18L	counterweight not required	counterweight not required
WC2236018F18L	counterweight not required	counterweight not required
WC223616B18018L	counterweight not required	counterweight not required
WC2236B18018L	counterweight not required	counterweight not required
WC223616018B18L	counterweight not required	counterweight not required
WC2236018B18L	counterweight not required	counterweight not required
WC224216FL	(1) WCWKIT08	(1) WCWKIT05
WC2242FL	(1) WCWKIT07	(1) WCWKIT05
WC224216BL	(1) WCWKIT08	(1) WCWKIT06
WC2242BL	(1) WCWKIT08	(1) WCWKIT06
WC224816F30018L	(1) WCWKIT01	no counterweight required
WC224816018F30L	(1) WCWKIT01	no counterweight required
WC2248F30018L	(1) WCWKIT01	no counterweight required
WC2248018F30L	(1) WCWKIT01	no counterweight required
WC224816B30018L	(1) WCWKIT01	no counterweight required
WC224816018B30L	(1) WCWKIT01	no counterweight required
WC2248B30018L	(1) WCWKIT01	no counterweight required
WC2248018B30L	(1) WCWKIT01	no counterweight required
WC226016F36024L	(1) WCWKIT02	(1) WCWKIT01
WC226016F42018L	(1) WCWKIT03	(1) WCWKIT01
WC226016018F42L	(1) WCWKIT03	(1) WCWKIT01
WC226016024F36L	(1) WCWKIT02	(1) WCWKIT01
WC2260F36024L	(1) WCWKIT02	(1) WCWKIT01
WC2260F42018L	(1) WCWKIT03	(1) WCWKIT01
WC2260018F42L	(1) WCWKIT03	(1) WCWKIT01
WC2260024F36L	(1) WCWKIT02	(1) WCWKIT01
WC226016B30030L	(1) WCWKIT01	no counterweight required
WC226016B36024L	(1) WCWKIT02	(1) WCWKIT01
WC226016B42018L	(1) WCWKIT03	(1) WCWKIT01
WC226016018B42L	(1) WCWKIT03	(1) WCWKIT01
WC226016024B36L	(1) WCWKIT02	(1) WCWKIT01
WC226016030B30L	(1) WCWKIT01	no counterweight required
WC2260B30030L	(1) WCWKIT01	no counterweight required
WC2260B36024L	(1) WCWKIT02	(1) WCWKIT01
WC2260B42018L	(1) WCWKIT03	(1) WCWKIT01
WC2260018B42L	(1) WCWKIT03	(1) WCWKIT01
WC2260024B36L	(1) WCWKIT02	(1) WCWKIT01
WC2260030B30L	(1) WCWKIT01	no counterweight required
WC226016F30F30L	(1) WCWKIT06	(1) WCWKIT04
WC2260F30F30L	(1) WCWKIT06	(1) WCWKIT04

Credenza Specifications

Credenza Counterweight Kits

WC226016B30B30L	(1) WCWKIT06.	(1) WCWKIT04
WC2260B30B30L	(1) WCWKIT06.	(1) WCWKIT04
WC227216F42O30L	(1) WCWKIT05.	(1) WCWKIT01
WC227216O30F42L	(1) WCWKIT05.	(1) WCWKIT01
WC2272F42O30L	(1) WCWKIT05.	(1) WCWKIT01
WC2272O30F42L	(1) WCWKIT05.	(1) WCWKIT01
WC227216B36O36L	(1) WCWKIT05.	(1) WCWKIT01
WC227216B42O30L	(1) WCWKIT05.	(1) WCWKIT02
WC227216O30B42L	(1) WCWKIT05.	(1) WCWKIT02
WC227216O36B36L	(1) WCWKIT05.	(1) WCWKIT01
WC2272B36O36L	(1) WCWKIT05.	(1) WCWKIT01
WC2272B42O30L	(1) WCWKIT05.	(1) WCWKIT02
WC2272O30B42L	(1) WCWKIT05.	(1) WCWKIT02
WC2272O36B36L	(1) WCWKIT05.	(1) WCWKIT01
WC227216F36F36L	(2) WCWKIT08.	(2) WCWKIT05
WC2272F36F36L	(2) WCWKIT08.	(2) WCWKIT05
WC227216B36B36L	(2) WCWKIT08.	(2) WCWKIT05
WC2272B36B36L	(2) WCWKIT08.	(2) WCWKIT05
WC228416F30O24F30L	(2) WCWKIT07.	(2) WCWKIT04
WC2284F30O24F30L	(2) WCWKIT07.	(2) WCWKIT04
WC228416B30B30O24L	(1) WCWKIT07.	(1) WCWKIT06
WC228416B30O24B30L	(1) WCWKIT07.	(1) WCWKIT06
WC228416O24B30B30L	(1) WCWKIT07.	(1) WCWKIT06
WC2284B30B30O24L	(2) WCWKIT07.	(2) WCWKIT04
WC2284B30O24B30L	(2) WCWKIT07.	(2) WCWKIT04
WC2284O24B30B30L	(2) WCWKIT07.	(2) WCWKIT04
WC228416F42F42L	(2) WCWKIT10.	(2) WCWKIT06
WC2284F42F42L	(2) WCWKIT10.	(2) WCWKIT06
WC228416B42B42L	(1) WCWKIT09 + (1) WCWKIT10	(2) WCWKIT06
WC2284B42B42L	(1) WCWKIT09 + (1) WCWKIT10	(2) WCWKIT06

Anchor Mobile Credenzas

Mobile credenzas are 25" high overall including 22" high wood construction case with 3" high casters. Credenzas feature one or two midpanels providing a unique combination of open and enclosed storage.

Mobile credenzas are available in 8 widths and 2 depths with a variety of configurations.

Available Sizes

Height: 25"

Widths: 18", 24", 30", 36", 42", 48", 60", 72"

Depths: 16", 20"

Mobile credenzas 48" wide and smaller require four 2-1/2" corner casters with decorative caster plate. Mobile credenzas 60" wide and larger require four 2-1/2" corner casters and one 2-1/2" center caster with decorative caster plate. The front two corner casters are locking.

In addition, mobile credenzas with drawers require one additional 2" caster assembly beneath each file drawer to prevent tipping when drawer is extended.

Appropriate caster kits are included with mobile credenzas (WCM25. .) pattern numbers. Casters are not intended for use with (WC22. .) pattern numbers.

Mobile credenza cases ship assembled including top and decorative caster plates. All casters and counterweight kits are field installed.

Construction

- Credenzas are constructed of wood core, laminate and ABS edge banding; cam and dowel construction.
- Material thickness: 1-3/16" (nominal) on credenza bottom and midpanels, 3/4" on credenza back, sides, interior shelves and drawer fronts.
- Material thickness: 1-3/16" (nominal) on credenza tops
- Box and File drawer suspension: Full extension, ball bearing slides
- Units include interlock to prevent more than one drawer (aligned vertically) opening at a time.
- Decorative Caster Plate: Painted cast aluminum, black
- Casters: Single wheel, hard rubber caster, black

Internal Drawer Dimensions*

Box Drawer


- Internal Height: 3-3/4" (5-1/8" clearance)
- Internal Width: 14 3/4", 20 3/4", 26-3/4", 32-3/4", 38-3/4"
- Internal Depth: 16-1/4" (20D), 12-3/4" (16D)

File Drawer

- Internal Height: 9-3/4" (11-3/4" clearance)
- Internal Width: 14 3/4", 20 3/4", 26-3/4", 32-3/4", 38-3/4"
- Internal Depth: 16-1/4" (20D), 12-3/4" (16D)

Internal Clearances- Open sections*

- Internal Height A: 6-1/2"
- Internal Height B: 11-15/16"
- Internal Width by nominal configuration size:
 - 18"w configuration = 16-1/2"w
 - 24"w configuration = 22-1/2"w
 - 30"w configuration = 28-1/2"w
 - 36"w configuration = 34-1/2"w
 - 42"w configuration = 40-1/2"w
- Internal Depth: 18-1/4" (20D), 13-7/8" (16D)



*Actual dimensions to the nearest 1/16th of an inch.


Filing

Credenza file drawers within 20" deep units provide standard side-to-side letter or legal filing and front-to-back letter filing. Credenza file drawers within 16" deep units accommodate side-to-side letter filing only, front-to-back file bars may be specified separately.

Locks

Anchor credenzas may be ordered with or without locks. No lock hole is drilled on units specified as non-locking.

Standard lock placement is the upper right hand corner of the bottom file drawer. Center of lock is 1-9/16" from top edge, 1-1/2" from side. Dual-tab lock design allows one shared lock core per box/file configuration.



Locks are randomly keyed unless otherwise specified. Other keying options include keyed alike or keyed with lock cores K001-K250. To specify units as such, reference Knoll Key Lock Program.


Keyless lock options with manual bolt are available for select sizes and configurations. Refer to Digital Keypad and RFID Lock Specifications for details.

Pulls

Finger Pull, 10" long; centered horizontally on drawers.

Top drawer: mounted 3/4" from bottom of drawer




Bottom drawer: mounted 3/4" from top of drawer



Anchor Credenzas

Credenzas 48" wide, 16" and 20" deep

Knoll Space Canada Volume 2




description	configuration left-to-right	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
	18"O - 30"O	48"	22 ³ / ₁₆ "	15"	WC224816O18O30L	\$1018.	\$148.	\$0.	\$36.
	30"O - 18"O	48"	22 ³ / ₁₆ "	15"	WC224816O30O18L	1018.	148.	0.	36.
	18"O - 30"O (shown)	48"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2248O18O30L	1203.	161.	0.	36.
	30"O - 18"O	48"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2248O30O18L	1203.	161.	0.	36.
	30"F - 18"O	48"	22 ³ / ₁₆ "	15"	WC224816F30O18L(N)	1435.	148.	27.	36.
	18"O - 30"F	48"	22 ³ / ₁₆ "	15"	WC224816O18F30L(N)	1435.	148.	23.	36.
	30"F - 18"O	48"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2248F30O18L(N)	1588.	161.	23.	36.
	18"O - 30"F	48"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2248O18F30L(N)	1588.	161.	23.	36.
	30"BF - 18"O	48"	22 ³ / ₁₆ "	15"	WC224816B30O18L(N)	1726.	148.	33.	36.
	18"O - 30"BF	48"	22 ³ / ₁₆ "	15"	WC224816O18B30L(N)	1726.	148.	33.	36.
	30"BF - 18"O	48"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2248B30O18L(N)	1880.	161.	33.	36.
	18"O - 30"BF	48"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2248O18B30L(N)	1880.	161.	33.	36.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 3 for detailed requirements.	Credenzas 20" deep (nominal) have a 19 ¹ / ₁₆ " deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page	Example: WC2248O18O30L	Add \$25 to the list price per standard key lock. Add \$325 to the list price per lock for manual digital keypad lock. Add \$395 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Credenzas 16 deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
3. <i>Top Finish</i> See Finish Options page	W Anchor Storage C Credenza 22 22" High 48 48" Wide O18 Left: Open 18" O30 Right: Open 30" L Laminate case and front (118) Case Finish, Bright White (118) Top Finish, Bright White	Add \$10 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish. Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details. Dimensions listed under w h d are actual to the nearest 1/16".	Credenzas are preassembled including top. Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing. Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.

Anchor Credenzas

Credenzas 60" wide, 16" and 20" deep

Knoll Space Canada Volume 2

description	configuration left-to-right	w	h	d	pattern no.	L1	L2 Case (adder)	L2 Front (adder)	L2 Top (adder)
	18"O - 42"O	60"	22 ³ / ₁₆ "	15"	WC226016O18O42L	\$1178.	\$158.	\$0.	\$43.
	24"O - 36"O	60"	22 ³ / ₁₆ "	15"	WC226016O24O36L	1178.	158.	0.	43.
	30"O - 30"O	60"	22 ³ / ₁₆ "	15"	WC226016O30O30L	1178.	158.	0.	43.
	36"O - 24"O	60"	22 ³ / ₁₆ "	15"	WC226016O36O24L	1178.	158.	0.	43.
	042"O - 18"O	60"	22 ³ / ₁₆ "	15"	WC226016O42O18L	1178.	158.	0.	43.
	18"O - 42"O (shown)	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O18O42L	1385.	171.	0.	43.
	24"O - 36"O	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O24O36L	1385.	171.	0.	43.
	30"O - 30"O	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O30O30L	1385.	171.	0.	43.
	36"O - 24"O	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O36O24L	1385.	171.	0.	43.
	42"O - 18"O	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O42O18L	1385.	171.	0.	43.
	36"F - 24"O	60"	22 ³ / ₁₆ "	15"	WC226016F36O24L(N)	1622.	158.	30.	43.
	42"F - 18"O	60"	22 ³ / ₁₆ "	15"	WC226016F42O18L(N)	1650.	158.	33.	43.
	18"O - 42"F	60"	22 ³ / ₁₆ "	15"	WC226016O18F42L(N)	1650.	158.	33.	43.
	24"O - 36"F	60"	22 ³ / ₁₆ "	15"	WC226016O24F36L(N)	1622.	158.	30.	43.
	36"F - 24"O	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260F36O24L(N)	1798.	171.	30.	43.
	42"F - 18"O	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260F42O18L(N)	1814.	171.	33.	43.
	18"O - 42"F	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O18F42L(N)	1814.	171.	33.	43.
	24"O - 36"F	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260O24F36L(N)	1798.	171.	30.	43.
	30"BF - 30"O	60"	22 ³ / ₁₆ "	15"	WC226016B30O30L(N)	1897.	158.	33.	37.
	36"BF - 24"O	60"	22 ³ / ₁₆ "	15"	WC226016B36O24L(N)	1918.	158.	36.	37.
	42"BF - 18"O	60"	22 ³ / ₁₆ "	15"	WC226016B42O18L(N)	1934.	158.	39.	37.
	18"O - 42"BF	60"	22 ³ / ₁₆ "	15"	WC226016O18B42L(N)	1934.	158.	39.	37.
	24"O - 36"BF	60"	22 ³ / ₁₆ "	15"	WC226016O24B36L(N)	1918.	158.	39.	37.
	30"O - 30"BF	60"	22 ³ / ₁₆ "	15"	WC226016O30B30L(N)	1897.	158.	33.	37.
	30"BF - 30"O	60"	22 ³ / ₁₆ "	19 ¹ / ₁₆ "	WC2260B30O30L(N)	2070.	171.	33.	37.

Order Information	Order Code	Specification Information	Application Notes
1. <i>Base Pattern Number</i>	Credenza , 48" wide, Open 18" - Open 30"	Credenzas with file drawers may require counterweights when used in freestanding applications. Refer to Credenza Counterweight Specification page 3 for detailed requirements.	Credenzas 20" deep (nominal) have a 19 ¹ / ₁₆ " deep case. Credenzas with drawer fronts are 20" deep overall.
2. <i>Case Finish</i> See Finish Options page	Example: WC2248O18O30L	Add \$25 to the list price per standard key lock. Add \$325 to the list price per lock for manual digital keypad lock. Add \$395 to the list price per lock for manual RFID lock. Digital keypad and RFID locks require program and manager key(s), specified separately.	Credenzas 16 deep (nominal) have a 15" deep case. Credenzas with drawer fronts are 16" deep overall.
3. <i>Top Finish</i> See Finish Options page	W Anchor Storage C Credenza 22 22" High 48 48" Wide O18 Left: Open 18" O30 Right: Open 30" L Laminate case and front (118) Case Finish, Bright White (118) Top Finish, Bright White	Add \$10 to the list price per pull for Anodized Nickel (AN) or Aluminum (AA) finish. Anchor products are available with mixed finishes and laminate grades. See Mixed Laminate Finishes for further details. Dimensions listed under w h d are actual to the nearest 1/16".	Credenzas are preassembled including top. Credenzas 20" deep with file drawer include rails for side to side and front-to-back Letter or Legal filing. Credenzas 16" deep with file drawer include rails for side-to-side Letter filing. Front-to-back bars may be specified separately to accommodate Letter or Legal filing, see Credenza Accessories for details.

Counterweight Kits For Doublewide Pedestals

Knoll Space Canada Volume 2

description	type	w	h	pattern no.	list
Counterweight Kits	Counterweight Kit 01			WCWKIT01	\$92.
	Counterweight Kit 02			WCWKIT02	110.
	Counterweight Kit 03			WCWKIT03	154.
	Counterweight Kit 04			WCWKIT04	175.
	Counterweight Kit 05			WCWKIT05	194.
	Counterweight Kit 06			WCWKIT06	218.
	Counterweight Kit 07			WCWKIT07	236.
	Counterweight Kit 08			WCWKIT08	259.
	Counterweight Kit 09			WCWKIT09	299.
	Counterweight Kit 10			WCWKIT10	327.
Front to Back File Bars for 16" deep credenzas and Pedestals, version 1	Front to Back File Bars, version 1, Kit of 12			WAFB1612	244.
	Front to Back File Bars, version 1, Kit of 24			WAFB1624	448.
	Front to Back File Bars, version 1, Kit of 4			WAFB1604	94.

Front to Back File Bars for 16" deep credenzas and Pedestals, version 2	Front to Back File Bars, version 2, Kit of 2			WA2FB1602	46.
---	--	--	--	------------------	-----



Order Information	Order Code	Specification Information	Application Notes
		Counterweight may be required when using doubles wide pedestals in freestanding application. Refer to Pedestal Specifications for details.	Counterweight kits include hardware to mount the counterweight plates.
		When applicable, reference the pedestal pricing pages to identify the appropriate kit.	Counterweight plates are to be mounted to the back panel behind the file drawer(s) inside the pedestal.
			16" deep credenzas require separately specified bars for front-to-back Letter or Legal filing.
			Specify version 2 (WA2FB) for: - 30" wide doublewides shipped April 30, 2021 or later - 36" wide doublewides shipped May 14, 2021 or later - 42" wide doublewides shipped May 28, 2021 or later - 18" and 24" wide doublewides shipped June 11, 2021 or later
			Specify version 1 (WAFB) for doublewidesshipped prior to above listed dates.

Knoll Core Laminates

M	Standard Whiteboard [†]
118*	Bright White
114*	Folkstone Grey
115*	Medium Grey
111	Jet Black
141*	Whitened Ash [†]
147*	Silverwood** [†]
148*	Smokewood** [†]
149*	Barnwood** [†]

** Matching edge band not available

[†] Priced as L2 for Creative Wall surfaces

*Denotes melamine finish

Knoll Core Paints*Smooth*

118	Bright White
114	Folkstone Grey
115	Medium Grey
111	Jet Black
120	Black Brown *

*Not available on under edge of tapered top tables.

Textured

118T	Bright White
114T	Folkstone Grey
115T	Medium Grey
111T	Jet Black
120T	Black Brown
134T	Knoll Red (metal cube only)

Edgebands*0.8mm ABS*

118	Bright White
114	Folkstone Grey
115	Medium Grey
111	Jet Black
141	Whitened Ash

2mm Flat ABS

118	Bright White
114	Folkstone Grey
115	Medium Grey
111	Jet Black
141	Whitened Ash

3.5mm Bullnose ABS

118	Bright White
114	Folkstone Grey
115	Medium Grey
111	Jet Black

0.6mm Veneer

WPLY Wood Ply Edge for veneer surfaces, gloss level will complement veneer
 650D Wood Ply Edge for laminate surfaces, low gloss
 650E Wood Ply Edge for laminate surfaces, medium gloss

Phenolic

WB	White Phenolic, black edge
BB	Black Phenolic, black edge

Solid Plywood

BP	Birch plywood, 9 ply, clear finish
MP	Mahogany plywood, 4 ply, clear finish

Solid Wood Legs

BR	Birch, clear finish (coordinates with Birch veneer)
OA	White Oak, clear finish (coordinates with Natural Oak and Pippy Oak veneers)
WN	Walnut, clear finish (coordinates with Rustic Walnut veneer)
OE	Ebonized white oak
ES	Espresso-stained ash
EB	Ebony-stained ash

Special Metal Finishes

C	Chrome, trivalent
---	-------------------

Hardware Finishes

613	Silver (default for Bright White, Folkstone Grey, Medium Grey paints)
111	Jet Black (default for Jet Black and Black Brown paints)
	Zinc

Rockwell Unscripted Fabric

RUF01	Linen
RUF02	Wheat
RUF03	Spice
RUF04	Bittersweet
RUF05	Leaf
RUF06	Moss
RUF07	Cerulean
RUF08	Blue Tide
RUF09	River Rock
RUF10	Earth

Nomad Covering (Steps)

NOM01	Indigo
NOM03	Red
NOM07	Natural
NOM08	Sand
NOM10	Aegean
NOM12	Lima
NOM13	Graphite

Industrial Canvas(soft storage bins)

KH	Khaki
MG	Medium Grey
NV	Navy

Fabric and Leather Upholstery

KnollTextiles fabrics and Spinneybeck leathers, see approvals; COM and COL

Fabric Vertical Surfaces

KnollTextiles panel fabrics, see approvals

Steps

BR	Birch plywood, clear finish
BE	Ebonized Birch Plywood, clear finish

Exclusive Vertical Surfaces

C	Cork, natural
O	Porcelain, magnetized, white
P	Peg board, natural
	Perforated steel, see smooth core paints for colors
E	FilzFelt, 100% wool, 3mm, 63 colors

*F3MM**

100	Wollweiß	284	Himmel
102	Kirsche	286	H'Blau
105	Rost	300	Anthrazit
110	Rohwieß	308	Petrol
116	Orange	312	Lagune
124	Gelb	319	Café
125	Tomate	331	Saharav
131	Honig	343	D'Grün
136	Weinrot	377	Maigrün
150	Weiß	378	Oliv
151	Hellorange	384	Lind
156	Loden	385	Schlamme
160	Beige	408	Taupe
170	Asche	415	Schlif
173	Mango	423	Hellgrau
175	Graphit	425	Taubengrau
179	Hellrot	426	Schwarz
180	Terracotta	437	Aubergine
200	Natur	448	Moos
201	Rot	467	Sand
203	Vanille	476	Schoko
209	Bordeaux	497	D'Braun
220	Rehbraun	503	Magnolie
231	Rosa	534	Rosé
242	Pink	540	Ozean
250	Trüffelbaun	548	Türkis
255	Flieger	613	Gletscher
265	Lavendel	626	Azur
269	Violett	686	Enzian
272	Royal	713	Kiwi
274	Senf	732	Farn
282	D'Blau		

*When ordering all pattern numbers should be preceded by *F3MM*

For specific product applications for each finish refer to the Materials & Finishes Matrix.

Acoustical Divider Screens

(Sawhorse Workbench)

A101	Ice
AA02	Acacia
AG03	Granite
AM04	Midnight
AA05	Ash

Glass Divider Screens

(Sawhorse Workbench)

GL13TEMP	Clear Tempered
GL35	Grey Tinted
GL13	Acid Etched

Wood Finishes

New codes begin with a three digit numeric sequence, followed by a letter suffix. Each letter suffix (A-F) represents a different combination of pore fill options and gloss levels.

Knoll Wood Finishes *		Gloss Level	Fill Level
020	Natural Oak	A Low Gloss	Closed Pore
038	Rustic Walnut	B Medium Gloss	Closed Pore
039	Pippy Oak	C High Gloss	Closed Pore
037	Birch	D Low Gloss	Open Pore
		E Medium Gloss	Open Pore
		F High Gloss	Open Pore

***Note:**



Occasional tables only available in open pore, low gloss Natural Oak (020D), Rustic Walnut (038D) and Pippy Oak (039D) veneers. For birch use solid Plywood (BP).

For more detailed information on veneer finishes, please refer to the Wood Finish Matrix on Knoll.com.

Rockwell Unscripted Storage Assemblies

Mobile Storage Cart

Knoll Space Canada Volume 2




description	type	w	d	h	pattern no.	list price seat pad	list price phenolic	birch plywood
 Mobile Storage Cart, 21"H	Flip top with latch, open mesh storage basket, braking casters, internal supports hold letter sized hanging file folders	20½"	15"	21"	USAMBS181521	0.	1,106.	1,337.
 Seat Pad	Seat pad for 21"H cart, includes adhesive tabs	17¾"	15"	¾"	USSEAT1815	240.	0.	0.

Order Code	Specification Information
<i>Example:</i> USAMBS151624115111	<i>To order, please specify:</i>
USA Unscripted Storage Assembly	1. Pattern number
MBS Mobile Storage Cart	2. Top finish
1516 15" wide X 16" deep basket	3. Basket finish
24 24" high uprights	4. Upright and support finish
BB Black top and edge	Top Finish:
115 Medium Grey basket	WB White phenolic, black edge
111 Jet Black uprights	BB Black phenolic, black edge
	BP Birch plywood, exposed edge
	Casters are black.
	<i>Basket Finish:</i>
	118 Bright White
	115 Medium Grey
	<i>Upright Finish:</i>
	118 Bright White
	114 Folkstone Grey
	115 Medium Grey
	111 Jet Black
	120 Black Brown
	<i>Seat Pad Fabric:</i> Seat pad available in KnollTextiles Crossroad fabric K2085, colors 1-14 only. For other Crossroad colors, minimum order of 24 seat pads required. Inquire with CPD.

Rockwell Unscripted Occasional Tables

Wire base

Knoll Space Canada Volume 2

description	w	d	h	pattern no.	list price laminate	plywood	V2	V3
Round top, coffee table 	35"	35"	17"	UTOWO3517H1	\$1,163.	\$1,360.	\$2,074.	\$2,137.
Round top, side table 	22"	22"	20"	UTOWO2220H1	742.	1,051.	1,655.	1,703.
Square top, side table 	22"	22"	20"	UTOWS2220H1	742.	1,051.	1,655.	1,703.

Order Code	Specification Information
<i>Example:</i> UTOWO2220H1 111	<i>To order please specify:</i>
UT Unscripted tables	1. Pattern number
OW Occasional table, wire base	2. Top finish
O Round top	3. Base finish
2220 22" diameter, 20" high	<i>Laminate top options:</i>
H1 Capsule grommet	Laminate applied to solid birch
111 Jet Black laminate top	plywood top with visible plywood edge
111T Jet Black base finish	118 Bright White
	114 Folkstone Grey
	115 Medium Grey
	111 Jet Black
	<i>Solid plywood top options:</i>
	BP Birch plywood (9-ply)
	MP Mahogany plywood (4-ply)
	<i>Veneer top options:</i>
	Veneer applied to solid birch
	plywood top with visible plywood edge
	V414 Natural Oak (V2)
	V446 Rustic Walnut (V2)
	V447 Pippy Oak (V3)
	<i>Base finishes:</i>
	118T Bright White
	114T Folkstone Grey
	115T Medium Grey
	111T Jet Black
	120T Black Brown
	C Chrome

Rockwell Unscripted Easy Tables
Rectangular Flat Edgeband
Desk Height with Casters

Knoll Space Canada Volume 2

description	w	d	h	pattern no.	list price laminate	V1	V2	V3
24"D Rectangular Easy Tables with Casters	48"	24"	28"	UTERF482428C()	\$785.	\$831.	\$934.	\$982.
	54"	24"	28"	UTERF542428C()	799.	847.	952.	1,000.
	60"	24"	28"	UTERF602428C()	815.	863.	966.	1,017.
	66"	24"	28"	UTERF662428C()	827.	876.	985.	1,033.
27"D Rectangular Easy Tables with Casters	48"	27"	28"	UTERF482728C()	815.	863.	966.	1,017.
	54"	27"	28"	UTERF542728C()	827.	876.	985.	1,033.
	60"	27"	28"	UTERF602728C()	843.	893.	1,001.	1,051.
	66"	27"	28"	UTERF662728C()	855.	907.	1,019.	1,068.
30"D Rectangular Easy Tables with Casters	48"	30"	28"	UTERF483028C()	843.	893.	1,001.	1,051.
	54"	30"	28"	UTERF543028C()	855.	907.	1,019.	1,068.
	60"	30"	28"	UTERF603028C()	870.	921.	1,036.	1,088.
	66"	30"	28"	UTERF663028C()	883.	935.	1,051.	1,102.
Ganging Bracket	UTEGB				3.	0.	0.	0.



Order Code	Specification Information	Specification Information	
<i>Example:</i> UTERF482428CC2 114 111 111T	<i>To order please specify:</i>	<i>Grommet Options:</i>	<i>Materials and Finishes:</i>
UTE Unscripted Easy Table	1. Pattern number	(NG) No grommet	See Materials and Finishes matrix
RF Rectangular flat edge	2. Top finish	(C1) 1 Capsule Grommet	
482428 48"W x 24"D x 28"H	3. Edgeband finish	(C2) 2 Capsule Grommets	
C Casters	4. Leg finish		
C2 2 Capsule grommets			
114 Folkstone Grey top			
111 Jet Black edgeband			
111T Jet Black base finish			

Rockwell Unscripted Easy Tables

Rectangular Flat Edgeband

Desk Height with Glides

Knoll Space Canada Volume 2

description	w	d	h	pattern no.	list price laminate	V1	V2	V3
24"D Rectangular Easy Tables with Glides	48"	24"	28"	UTERF482428G()	\$742.	\$788.	\$892.	\$935.
	54"	24"	28"	UTERF542428G()	756.	802.	908.	955.
	60"	24"	28"	UTERF602428G()	772.	818.	925.	969.
	66"	24"	28"	UTERF662428G()	785.	831.	941.	989.
	72"	24"	28"	UTERF722428G()	897.	950.	1,076.	1,131.
27"D Rectangular Easy Tables with Glides	48"	27"	28"	UTERF482728G()	772.	818.	925.	969.
	54"	27"	28"	UTERF542728G()	785.	831.	941.	989.
	60"	27"	28"	UTERF602728G()	799.	847.	959.	1,005.
	66"	27"	28"	UTERF662728G()	814.	863.	976.	1,024.
	72"	27"	28"	UTERF722728G()	925.	981.	1,112.	1,165.
30"D Rectangular Easy Tables with Glides	48"	30"	28"	UTERF483028G()	799.	847.	959.	1,005.
	54"	30"	28"	UTERF543028G()	814.	863.	976.	1,024.
	60"	30"	28"	UTERF603028G()	826.	875.	992.	1,042.
	66"	30"	28"	UTERF663028G()	841.	892.	1,008.	1,059.
	72"	30"	28"	UTERF723028G()	954.	1,011.	1,145.	1,201.
36"D Rectangular Easy Tables with Glides	72"	36"	28"	UTERF723628G()	966.	1,024.	1,160.	1,219.



Ganging Bracket



Order Code	Specification Information
<i>Example:</i> UTERF482428GC2 114 111 111T	<i>To order please specify:</i>
UTE Unscripted Easy Table	1. Pattern number
RF Rectangular flat edge	2. Top finish
482428 48"W x 24"D x 28"H	3. Edgeband finish
G Glides	4. Leg finish
C2 2 Capsule grommets	
114 Folkstone Grey top	
111 Jet Black edgeband	
111T Jet Black base finish	

Grommet Options:

- (NG) No grommet
- (C1) 1 Capsule Grommet
- (C2) 2 Capsule Grommets

Materials and Finishes:


See Materials and Finishes matrix

Rockwell Unscripted Easy Tables

Rectangular Bullnose Edgeband

Desk Height with Casters

Knoll Space Canada Volume 2

description	w	d	h	pattern no.	list price laminate	V1	V2	V3
24"D Rectangular Easy Tables with Casters	48"	24"	28"	UTERB482428C()	\$785.	\$831.	\$934.	\$982.
	54"	24"	28"	UTERB542428C()	799.	847.	952.	1,000.
	60"	24"	28"	UTERB602428C()	815.	863.	966.	1,017.
	66"	24"	28"	UTERB662428C()	827.	876.	985.	1,033.
27"D Rectangular Easy Tables with Casters	48"	27"	28"	UTERB482728C()	815.	863.	966.	1,017.
	54"	27"	28"	UTERB542728C()	827.	876.	985.	1,033.
	60"	27"	28"	UTERB602728C()	843.	893.	1,001.	1,051.
	66"	27"	28"	UTERB662728C()	855.	907.	1,019.	1,068.
30"D Rectangular Easy Tables with Casters	48"	30"	28"	UTERB483028C()	843.	893.	1,001.	1,051.
	54"	30"	28"	UTERB543028C()	855.	907.	1,019.	1,068.
	60"	30"	28"	UTERB603028C()	870.	921.	1,036.	1,088.
	66"	30"	28"	UTERB663028C()	883.	935.	1,051.	1,102.
Ganging Bracket 	UTGB				3.	0.	0.	0.

Order Code	Specification Information
<i>Example:</i> UTERB482428CC2 114 111 111T	<i>To order please specify:</i>
UTE Unscripted Easy Table	1. Pattern number
RB	2. Top finish
482428 48"W x 24"D x 28"H	3. Edgeband finish
C Casters	4. Leg finish
C2 2 Capsule grommets	
114 Folkstone Grey top	
111 Jet Black edgeband	
111T Jet Black base finish	

Grommet Options:

(NG) No grommet
 (C1) 1 Capsule Grommet
 (C2) 2 Capsule Grommets

Materials and Finishes:
 See Materials and Finishes matrix

Rockwell Unscripted Easy Tables

Rectangular Bullnose Edgeband

Desk Height with Glides

Knoll Space Canada Volume 2

description	w	d	h	pattern no.	list price laminate	V1	V2	V3
24"D Rectangular Easy Tables with Glides	48"	24"	28"	UTERB482428G()	\$742.	\$788.	\$892.	\$935.
	54"	24"	28"	UTERB542428G()	756.	802.	908.	955.
	60"	24"	28"	UTERB602428G()	772.	818.	925.	969.
	66"	24"	28"	UTERB662428G()	785.	831.	941.	989.
	72"	24"	28"	UTERB722428G()	897.	950.	1,076.	1,131.
27"D Rectangular Easy Tables with Glides	48"	27"	28"	UTERB482728G()	772.	818.	925.	969.
	54"	27"	28"	UTERB542728G()	785.	831.	941.	989.
	60"	27"	28"	UTERB602728G()	799.	847.	959.	1,005.
	66"	27"	28"	UTERB662728G()	814.	863.	976.	1,024.
	72"	27"	28"	UTERB722728G()	925.	981.	1,112.	1,165.
30"D Rectangular Easy Tables with Glides	48"	30"	28"	UTERB483028G()	799.	847.	959.	1,005.
	54"	30"	28"	UTERB543028G()	814.	863.	976.	1,024.
	60"	30"	28"	UTERB603028G()	826.	875.	992.	1,042.
	66"	30"	28"	UTERB663028G()	841.	892.	1,008.	1,059.
	72"	30"	28"	UTERB723028G()	954.	1,011.	1,145.	1,201.
36"D Rectangular Easy Tables with Glides	72"	36"	28"	UTERB723628G()	966.	1,024.	1,160.	1,219.



Ganging Bracket				UTEGB	3.	0.	0.	0.
-----------------	--	--	--	--------------	----	----	----	----



Order Code	Specification Information
<i>Example:</i> UTERB482428GC2 114 111 111T	<i>To order please specify:</i>
UTE Unscripted Easy Table	1. Pattern number
RB	2. Top finish
482428 48"W x 24"D x 28"H	3. Edgeband finish
G Glides	4. Leg finish
C2 2 Capsule grommets	
114 Folkstone Grey top	
111 Jet Black edgeband	
111T Jet Black base finish	

Grommet Options:
 (NG) No grommet
 (C1) 1 Capsule Grommet
 (C2) 2 Capsule Grommets

Materials and Finishes:
 See Materials and Finishes matrix


Rockwell Unscripted Easy Tables

Square Bullnose Edgeband

Desk Height

Knoll Space Canada Volume 2

description	type	w	d	h	pattern no.	list price laminate	V1	V2	V3
28" Desk Height Square Easy Tables	with Casters	40"	40"	28"	UTESB404028C()	\$785.	\$831.	\$934.	\$982.
	with Casters	60"	60"	28"	UTESB606028C()	1,065.	1,130.	1,279.	1,343.
	with Glides	40"	40"	28"	UTESB404028G()	742.	788.	892.	935.
	with Glides	60"	60"	28"	UTESB606028G()	1,024.	1,085.	1,229.	1,289.



Order Code

<i>Example:</i> UTESB404028C	
UTE	Unscripted Easy Table
SB	
404028	40"W x 40"D x 28"H
C	Casters

Specification Information

To order please specify:

1. Pattern number
2. Top finish
3. Edgeband finish
4. Leg finish

Grommet Options:

- (NG) No grommet
- (A1) 1 Small Round Grommet
- (B1) 1 Big Round Grommet
- (C1) 1 Capsule Grommet
- (S1) 1 Square Grommet

Materials and Finishes:

See Materials and Finishes matrix

Rockwell Unscripted Easy Tables

Rounded Bullnose Edgeband

Desk Height

Knoll Space Canada Volume 2

description	type	w	d	h	pattern no.	list price laminate	V1	V2	V3
28" Desk Height Round Easy Tables	with Casters	42"	42"	28"	UTEOB4228C()	\$785.	\$831.	\$934.	\$982.
	with Casters	60"	60"	28"	UTEOB6028C()	1,065.	1,130.	1,279.	1,343.
	with Glides	42"	42"	28"	UTEOB4228G()	742.	788.	892.	935.
	with Glides	60"	60"	28"	UTEOB6028G()	1,024.	1,085.	1,229.	1,289.



Order Code

<i>Example:</i>	UTEOB4228C
UTE	Unscripted Easy Table
OB	
4228	42"W x 28"H
C	Casters

Specification Information

To order please specify:

1. Pattern number
2. Top finish
3. Edgeband finish
4. Leg finish

Grommet Options:

- (NG) No grommet
- (A1) 1 Small Round Grommet
- (B1) 1 Big Round Grommet
- (C1) 1 Capsule Grommet
- (S1) 1 Square Grommet


Materials and Finishes:

See Materials and Finishes matrix

Rockwell Unscripted Storage Assemblies

Credenza with Wire Base

Knoll Space Canada Volume 2

						list price	laminate	laminate	laminate	V2 case	V3 case	V2	V3
description	type	w	d	h	pattern no.	laminate case & doors	case w/ V2 doors	case w/ V3 doors	case w/ V3 doors	w/ lam. doors	w/ lam. doors	case & doors	case & doors
	Open case front	48"	15"	24"	USACWO4815	\$1,352.	n/a	n/a	n/a	n/a	n/a	\$1,946.	\$2,102.
		60"	15"	24"	USACWO6015	1,541.	n/a	n/a	n/a	n/a	n/a	2,161.	2,333.
	Full door, four doors	48"	15"	24"	USACWH4815	1,863.	2,320.	2,388.	2,548.	2,723.	3,007.	3,246.	
	Full door, five doors	60"	15"	24"	USACWH6015	2,181.	2,754.	2,835.	2,911.	3,109.	3,484.	3,764.	
	Four door, open left cubby	60"	15"	24"	USACWHOL6015	2,089.	2,548.	2,614.	2,821.	3,017.	3,279.	3,541.	
	Four door, open right cubby	60"	15"	24"	USACWHOR6015	2,089.	2,548.	2,614.	2,821.	3,017.	3,279.	3,541.	

Order Code

Example: **USACWHOL6015 114**
114 039E 039E 114T

USA	Unscripted storage assemblies
CW	Credenza, wire base
HOL	Four door, open left
6015	60"W x 15"D
114	Folkstone Grey case
114	Folkstone Grey case edge
039E	Pippy Oak doors
039E	Pippy Oak door edges
114T	Folkstone Grey base

Specification Information

To order please specify:

1. Pattern number
2. Case finish
3. Case edgeband finish
4. Door finish
5. Door edgeband finish (if applicable)
6. Base finish

Finish options:

See Materials and Finishes matrix

Base finishes:

118T	Bright White
114T	Folkstone Grey
115T	Medium Grey
111T	Jet Black
120T	Black Brown
C	Chrome

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
USACWH4815	19	UTERF662728C	13	WCWKIT06	8
USACWH6015	19	UTERF662728G	14	WCWKIT07	8
USACWHOL6015	19	UTERF663028C	13	WCWKIT08	8
USACWHOR6015	19	UTERF663028G	14	WCWKIT09	8
USACWO4815	19	UTERF722428G	14	WCWKIT10	8
USACWO6015	19	UTERF722728G	14		
USAMBS181521	11	UTERF723028G	14		
USSEAT1815	11	UTERF723628G	14		
UTGB	13, 14, 15, 16	UTESB404028C	17		
UTOB4228C	18	UTESB404028G	17		
UTOB4228G	18	UTESB606028C	17		
UTOB6028C	18	UTESB606028G	17		
UTOB6028G	18	UTOWO2220H1	12		
UTERB482428C	15	UTOWO3517H1	12		
UTERB482428G	16	UTOWS2220H1	12		
UTERB482728C	15	WA2FB1602	8		
UTERB482728G	16	WAFB1604	8		
UTERB483028C	15	WAFB1612	8		
UTERB483028G	16	WAFB1624	8		
UTERB542428C	15	WC224816B30018L(N)	6		
UTERB542428G	16	WC224816F30018L(N)	6		
UTERB542728C	15	WC224816O18B30L(N)	6		
UTERB542728G	16	WC224816O18F30L(N)	6		
UTERB543028C	15	WC224816O18O30L	6		
UTERB543028G	16	WC224816O30O18L	6		
UTERB602428C	15	WC2248B30018L(N)	6		
UTERB602428G	16	WC2248F30018L(N)	6		
UTERB602728C	15	WC2248O18B30L(N)	6		
UTERB602728G	16	WC2248O18F30L(N)	6		
UTERB603028C	15	WC2248O18O30L	6		
UTERB603028G	16	WC2248O30O18L	6		
UTERB662428C	15	WC226016B30030L(N)	7		
UTERB662428G	16	WC226016B36O24L(N)	7		
UTERB662728C	15	WC226016B42O18L(N)	7		
UTERB662728G	16	WC226016F36O24L(N)	7		
UTERB663028C	15	WC226016F42O18L(N)	7		
UTERB663028G	16	WC226016O18B42L(N)	7		
UTERB722428C	16	WC226016O18F42L(N)	7		
UTERB722728G	16	WC226016O18O42L	7		
UTERB723028C	16	WC226016O24B36L(N)	7		
UTERB723628C	16	WC226016O24F36L(N)	7		
UTERF482428C	13	WC226016O24O36L	7		
UTERF482428G	14	WC226016O30B30L(N)	7		
UTERF482728C	13	WC226016O30O30L	7		
UTERF482728G	14	WC226016O36O24L	7		
UTERF483028C	13	WC226016O42O18L	7		
UTERF483028G	14	WC2260B30030L(N)	7		
UTERF542428C	13	WC2260F36O24L(N)	7		
UTERF542428G	14	WC2260F42O18L(N)	7		
UTERF542728C	13	WC2260O18F42L(N)	7		
UTERF542728G	14	WC2260O18O42L	7		
UTERF543028C	13	WC2260O24F36L(N)	7		
UTERF543028G	14	WC2260O24O36L	7		
UTERF602428C	13	WC2260O30O30L	7		
UTERF602428G	14	WC2260O36O24L	7		
UTERF602728C	13	WC2260O42O18L	7		
UTERF602728G	14	WCWKIT01	8		
UTERF603028C	13	WCWKIT02	8		
UTERF603028G	14	WCWKIT03	8		
UTERF662428C	13	WCWKIT04	8		
UTERF662428G	14	WCWKIT05	8		

Selling Policy

	<p>This Selling Policy supersedes all previous selling policies and is inclusive of Knoll, KnollStudio and Muuto. Prices, discounts and product offerings are subject to change without notice.</p>
Terms & Conditions of Sales	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supersede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
Ordering Information	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
Order Confirmation	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
Pricing Policies	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
Taxes	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
Terms of Payment	<p>Payment for one hundred percent (100%) of the net order amount (including any applicable shipping and handling fee) is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
Changes and Cancellation	<p>Standard purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p> <p>QuickShip orders may not be changed or canceled without Knoll's authorization. In the event of Muuto order changes, 25% payment of original net order amount is required for changes incurring the week the order was entered. 100% payment of original net order amount is required for changes incurring the week the order is scheduled to ship. If Muuto is ordered on QuickShip, the QuickShip policy supersedes.</p>
Freight Prepaid	<p>For standard orders, freight is prepaid and included in the price of all Knoll Office and KnollStudio Products, except KnollTextiles and Muuto, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p> <p>Freight for all Muuto orders must be specified at time of order placement and added to the PO.</p>
Delivery/Freight Charges	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Orders for QuickShip product shipping direct parcel or White Glove are subject to additional shipping and handling charges and must be paid by Purchaser. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
Claims	<p>All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.</p>

Selling Policy

Seller's Security Interest	Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.
Returns	The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.
Held Orders/Storage	If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.
Customer's Own Material	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
Delay/Force Majeure	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
Compliance with Law	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
Patents	Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.
	The foregoing indemnity does not apply to the following:
	<ul style="list-style-type: none">• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.• Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT. Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.
Warranty	please visit warranty website link https://www.knoll.com/help/warranty for up-to-date information.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are MSRP.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."