
Propeller®


Price List July 2023




Introduction	Designer Index	3
	Visual Index	2
	Using the Propeller Price List	6
	Intertek Clean Air Certified Propeller Products	7
	Materials and Finishes	8
	Product Maintenance	9
	Placing Your Propeller Order	10
Propeller Collection	Emanuela Frattini : Propeller® Training Table Series	12
	Emanuela Frattini : Propeller® Column Base Tables	26
	Emanuela Frattini: Propeller® Conference Table Series	28
	Emanuela Frattini : Propeller® Accessories	72
	Emanuela Frattini : Propeller® Electrical	78
Selling Policy		129
General Ordering Information	on	131




Visual Index Propeller Collection



Visual Index Propeller Collection



Visual Index Propeller Collection



A Price List Overview

Where do I send my order? How should I maintain my marble table? From textile options to wood polishes, the KnollStudio price list is designed to provide you with everything you need to know in order to understand, specify, and care for furniture in the KnollStudio Collection.

This book is divided into three easy-to-use sections.

- Propeller Table Series
- PixelTM Tables Series
- LSM Conference Tables

For a quick overview of the collection's scope, review the Visual Index on pages 2-5. If you're looking for pieces by a specific designer, try the Designer Index on page 0.

Finishes

For detailed explanations of the many materials used in constructing KnollStudio furniture, consult page 8. A cross-reference of KnollStudio veneer or lumber finishes with standard Knoll Office veneers is provided on page 8. Easy-care maintenance information is also provided on pages 9-10.

Placing Your KnollStudio Order

For information about where to send your order and key terms and conditions, see page 10.
The complete Knoll Selling Policy is available on pages 129-130.

General Ordering Information and Knoll's Sustainability Statement is available on page 131

Product Information On Each Page

On each page, the following features will assist you:

Description provides both the pattern number and a basic description of the product.

Dimensions provide the overall space the product will require. Statistics are based on the maximum width, depth, and height of the product.

Weight is based on the product itself. It does not include packaging. Weights are rounded to the nearest pound.

Weights of upholstered items do not include weight of textile/leather. To calculate total weight, multiply covering requirements by textile/leather weight, and add to product weight.

Pattern Number provides both the product identification number and all additional selections required for ordering. Finish options are enclosed in parentheses. Finish suffix descriptions are found under Finishes on the bottom portion of the page.

Order Code/Ordering Information outlines exactly how to specify KnollStudio product and the full scope of finishes and other options. The Order Code provides an example of how one pattern number on the page is specified.

Construction provides specific materials and finishes employed, as well as specific construction details.

Note to Knoll Dealer Sellers:

The products contained in this price list are also available through the Knoll Essentials program, with limited exceptions. For additional information, please contact your customer service representative or visit Knoll Exchange.

For More Information

For more information, contact your KnollStudio representative, a Knoll Space reailer or e-tailer, or telephone Customer Services at 800 343-KNOLL. To find the retailer or showroom nearest you, visit www.knoll.com.

Intertek Clean Air Certification

Intertek's Clean Air Certification validtes the level of volatile organic compound (VOC) emissions from products. VOCs are gases emitted from products and include a variety of chemicals that may effect consumers' health in the short- and long-term. Both Intertek Clean Air GOLD and SILVER certifications ensure the user-health, safety and sustainability of Knoll products. A selection of Knoll Office and KnollStudio products are Intertek certified Clean Air, most of which are certified GOLD, which imposes more rigorous standards than certified SILVER.

- USGBC LEED credits
- California 01350 Special Environmental Requirements (CDPH)
- · California Department of General Service (DGS) Indoor Air Quality Specifications for Open Panel Office Furniture
- $\bullet\,$ Compliant to BIFMA e3 standard credit 7.6.2 and 7.6.3

KnollStudio Natural Materials

Wood and marble are natural materials that vary. Use material samples and printed sample materials as reference only. KnollStudio printed and finish samples offer an example of what an "average" natural material may look like, within a range of acceptance carefully delineated by Knoll. Because of the breadth of variations possible with any natural material, Knoll specialists select these materials with stringent criteria, accepting only the top 3 - 5% of what is available.

Wood

Knoll Natural Veneers

All natural finishes are selected from the finest hardwoods available around the world. Veneers are flat cut and carefully matched so that cathedral or heart patterns are perfectly balanced. Natural veneers also are cut to allow a generous margin of quarter-grain figuring ensuring invisible splicing.





Quarter Pattern

Cathedral Pattern

Marble

Knoll selects the highest quality, structurally sound marble through a host of quarries in the United States, Turkey, Spain, Slovenia and Italy. Because each mountain range and quarry have their own signature, every marble piece - even within a single quarry - is unique. Hues, veins, crystals, fossils, clouds, and distinctive marks will vary from piece to piece. This is the extraordinary character of stone as a material. Its high quality and its unique nature give the Knoll tables a feel of incredible sculptural beauty. The following are the marbles that KnollStudio offers:

Coated Marbles

Coated Marbles

Coated marbles have transparent, high-polish, polyester coating to prevent use-associated stains. Even with this protection, coated marbles should not be used outdoors. Stains should be wiped immediately. Coating will yellow over time. Satin coated marbles have transparent satin polyester coating to

Satin Coated Marble

transparent satin polyester coating to prevent use-associated stains. This satin finish gives the stone a natural, honed appearance while providing the same protective qualities as the Coated Marbles. Even with this protection, satin coated marbles should not be used outdoors. Stains should be wiped immediately. Coating will yellow over time.

Arabescato

Ivory white with dark grey veining. May contain random green veins.

Calacatta

Ivory white. Gold and beige random veins with additional veins varying from cream to green and grey.

Grey Marble

Grey with black and white veins. Hues vary in tone and intensity.

Man-Made Materials & Finishes

Stainless Steel

Completely rust-proof, highly durable, and resistant to bending stress.

Polished Chrome

Several-step plating process that includes a heavy layer of nickel for added rust protection and a bright mirror finish.

Satin Chrome

Chrome plating applied for a soft satinized chrome finish with a higher nickel content.

Polished Aluminum
A shiny, polished finish.

Clear Anodized Aluminum A light grey satin finish.

Laminate

An exceptionally durable plastic surface. Highly resistant to most chemicals and extensive wear.

Vetro Bianco:

Vetro Bianco is an engineered resin free quartz surface. The brilliant white surface is nonporous, stain proof, and extremely durable making it suitable for indoor and outdoor use. With proper care, your KnollStudio furniture should last for years to come. To help ensure the longevity of your purchase, below are helpful hints on routine cleaning for your KnollStudio piece. Most basic maintenance can be performed with common household cleaning products.

Wood

Clean with a commercial brand of liquid furniture polish twice a month. For stubborn dirt or light scratches, rub lightly with very fine steel wool before using furniture polish. Steel wool Grade #0000 is recommended. To rejuvenate luster, apply a furniture cream as a last step. Do not use water or household solvents: they will destroy the protective finish.

Marble with Polyester Coating

Wash with lukewarm water. Wash more thoroughly with Windex, Fantastik, Ivory Flakes in warm water, or other non-abrasive solutions. Rinse with warm water and dry with a soft cloth.

Vetro Bianco

Wash surface with lukewarm water. Clean more thoroughly with a non-abrasive solution such as Windex or Fantastik. Rinse with warm water and dry with a soft cloth. Wipe off stains immediately with water and a soft cloth. Never use steel wool or other abrasives on surface.

Glass/Acrylic Polycarbonate

Clean with Windex, Fantastik or other non-abrasive cleaning solutions. Wipe dry with a clean cloth.

Laminate/Melamine

Scrub with Windex, Fantastik, Mr. Clean, or other household soaps or detergents well dissolved in water, or with a very soft cloth dampened with alcohol or a synthetic thinner. For a dull finish, rub with jeweler's rouge as a polishing agent and finish with paste wax. Never use abrasives. Remove stubborn stains with Soft Scrub.

Stainless Steel

Use Windex, Fantastik, or other non-abrasive household cleaners. For small scratches, rub with Comet, Ajax, or other mild abrasives in the direction of the grain. Apply a coat of auto wax to maintain beauty.

Chrome/Satin Chrome

Clean with Windex or an automotive chrome cleaner such as Semi-Chrome twice a month. Apply a coat of hard paste wax to protect against moisture.

Polished Aluminum

Clean with Windex, Fantastik, or other non-abrasive cleaning solutions. Coat with a hard paste wax semi-annually to maintain luster and prevent discoloration.

Anodized Aluminum

Clean with mild soaps, detergents, or other non-abrasive cleaning agents. Apply paste wax or DuPont non-abrasive car polish #7 twice a year to prevent oxidation.

For stubborn stains or discolorations, apply navel jelly aluminum cleaner.

Urethane Edge

Clean with household soaps and detergents well dissolved in water. Do not use abrasive cleaning solutions.

Powder Coat Paint

Clean with Windex or Endust using a soft cloth. Remove stubborn stains with Soft Scrub.

Use the Following Address:

If you would like to send an order directly to our order entry departments, please use the following address:

Knoll, Inc. P.O. Box 157 East Greenville, PA 18041 Attn: Order Entry

Fax: 215 679-1570 Tel: 800 343-KNOLL

When Placing Your Order, Include:

- All information requested on the order form.
- Local taxes for the "delivered to" address.
- For orders \$2,000 or under (including applicable taxes and delivery/installation fees, if any), full payment must be made when order is placed.
- For orders over \$2,000, a deposit equal to one-half of the complete order value is required at order placement. Balance must be settled before shipment.

Key Points to Remember:

All accepted orders will be confirmed in writing on the Knoll standard acknowledgement form. A copy of the acknowledgement will be mailed to the customer prior to production.

Freight within the 48 contiguous United States and Canada, excluding the Yukon, Northwest Territories and Newfoundland, is prepaid and included in the price of all orders.

For residential orders, Knoll strongly recommends White Glove delivery service to most locations in the Continental United States and Canada. White Glove service includes inside delivery, unpacking, furniture installation and removing cartons and crates. The fee for this service will be quoted at the point of purchase.

KnollStudio's limited warranty covers all furniture against manufacturing defects in this price list for a period of five years after delivery to the customer.

All pricing is in U.S. dollars.

For More Information:

For complete Knoll Selling Policy and warranty information, please refer to pages 129-130 in the back of this price list.

For additional information on KnollStudio, contact your KnollStudio representative, a Knoll Space retailer or e-tailer, or telephone Customer Services at 800 343-KNOLL. To find the retailer or showroom nearest you, visit www.knoll.com.

Emanuela Frattini Propeller® Training Table Series Configurations and Product Information

Below are only a few examples of suggested configurations using Propeller Training tables, bridge tops, segments and screens.


All connections are tool-free and can be made by the user. To gang tables, connectors can be simply removed from the integral storage port in the leg. When tables are hard wired a screwdriver is needed.


The inherent flexibility of Propeller tables allows for diverse applications, ranging from setups for conference rooms to private offices and workstations.
































Ordering Information

Specify:

- 1. Pattern number
- 2. Top finish selection 3. Caster or glide selection
- (table only)
- 4. Edgeband selection 5. Grommet option
- (table and bridge only)
- 6. Leg/grommet finish

Shipping:

Tops and legs are shipped separately. Legs ship knocked-down: foot plate and vertical component. Simple field assembly required.

Scope

Product scope:

P2-F Folding table

P2-M Semi-round table **P2-R** Rectangular table

P2-S Segment

P2-V Rectangular bridge

P6-C Flip Top table P8-C Adjustable Height table

Electrical options:

Please see Propeller Electrical section for product and specification details.

1 ³/16" thick; 3-ply, solid-core construction. Plastic laminate top and backer sheet on bottom.

Threaded inserts are die-cast zinc.

Construction

Edges:

12

All table edges are finished, allowing ganged tables to be separated and used individually. Flat ABS edgeband, molded urethane edge and solid wood edge are available.

Molded edge detail:

Molded, seamless urethane edge with integral color.

Flat edgeband: ABS flat edgeband, with integral

1/4" edge detail: Solid wood



Grommet option: Individual table segments may be specified with zero, one, or two grommets, located at mid-depth or front edge locations. All grommets are 3 1/4" diameter. Optional grommet-mounted power receptacles available.

Grommet liners are black injection molded ABS plastic. Yin-yang grommet cap is textured, die-cast aluminum with powder-coat finish.



Propeller's S-shaped training leg incorporates two separate channels for power and communications wiring. Cables are laid behind flipper strips. Vertical leg is extruded aluminum construction with clear satin anodized or powder coat finish. There are three types of Propeller training legs:

Standard Training leg section:




Standard Training leg: vertical extrusion is 3 3/4"w x 1 5/8"d. Leg end caps are injection-molded, glass-filled nylon. Leg mounting plates are aluminum die-castings with integral storage port in a textured paint finish.

C-leg and T-legs:

13

C-leg and T-leg offer additional kneespace. Vertical extrusion is 5"w x 2 ¹/₄"d, same profile as conference leg. Cast aluminum end plates with textured paint finish. Cast aluminum foot in textured metallic powder coat.



Glides/casters: Glides and locking casters-black nylon.

C-Leg has low glide at front and high glide in the back. T-Leg has two low glides.

Connector plates:

Aluminum die-casting with textured paint finish. Integral storage port for connecting tables.

Connector bars:

Bar and latch are made of cast alloy with tumble-bead finish. Button is injection-molded red ABS plastic. Spring and back plate are steel stampings.

veneer/

flat edge

Emanuela Frattini Propeller® Training Table Series Rectangular and Square Tables

	description	W	d	h	between legs w	between legs	table weight (lbs.)
Designer(s):	P2-R Rectangular table	48"	18"	281/2"	40"	73/4"	44
Emanuela Frattini, 1994	T 8 8	60"	18"	281/2"	52"	73/4"	55
		72"	18"	281/2"	64"	73/4"	62
		36"	24"	281/2"	28"	133/4"	50
		48"	24"	281/2"	40"	133/4"	54
		60"	24"	281/2"	52"	133/4"	63
		72"	24"	281/2"	64"	133/4"	73
V II		42"	30"	281/2"	34"	193/4"	57
		48"	30"	281/2"	40"	193/4"	63
		60"	30"	281/2"	52"	193/4"	75
		66"	30"	281/2"	58"	193/4"	81
		72"	30"	281/2"	64"	193/4"	87
		48"	36"	281/2"	52"	25³/4″	73
		60"	36"	281/2"	52"	25³/4″	87
		72"	36"	281/2"	64"	25³/4″	101
	P2-N Square table	36"	36"	281/2"			59
	8 8	42"	42"	281/2"			75
		48"	48"	281/2"			94

Order Code

Example:	P2-R24-G-PA-6-Y-111	
P2-R24	30" x 60" rectangle	
G	Glides	
PA	Pearwood laminate	
6	Black molded edgeband	
Υ	No grommet	
111	Jet Black legs	

Specify:

- 1. Pattern number
- 2. Locking caster or glide selection
- 3. Top finish selection
- 4. Edgeband selection
- 5. Grommet, Plexus or Transact option 6. Leg/grommet finish

Finishes

Woodgrain laminate top finishes: Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)

 $Solid\ laminate\ top\ finishes:$ Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grev (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix ÓE)

 $Flat\ edge band\ finishes:$ Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118)

Molded edgeband finishes: Black (suffix 300M) Mink (suffix 324M) Innertone (suffix 386M) Platinum (suffix 367M) Folkstone (suffix 004M) Light Grey (suffix 4M) Medium Grey (suffix 5M)

Leg and grommet finishes: Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)

Glides/Casters: Glides (suffix G) Locking Casters (suffix C)

Grommet Options: (\$35 per cutout) Tables may be specified with zero, one or two grommets. All grommets are 31/4" diameter. Optional grommet-mounted power receptacles available, see page 90.

No grommet (suffix Y) Single grommet, left, mid-depth (BG) Two grommets, left & right, front (DR),

Two grommets, left & right, mid-depth

Single grommet, center, right (HG)

* AG, BG not available on 18" deep

Y	
0 0	
AG	
0	
BG	
0 0	
DG	
0	
EG	
0	

Electrical

Single grommet, center, front (ER), (EL),

Single grommet, center (P2-N) (GG)

P2-R02 *	\$1,620.	\$1,995.	\$4,740.	\$5,651.
P2-R04 *	\$1,800.	\$2,212.	\$4,848.	\$5,756.
P2-R06 *	\$1,950.	\$2,398.	\$4,922.	\$5,843.
P2-R10 *	\$1,714.	\$2,367.	\$4,736.	\$5,651.
P2-R12 *	\$2,013.	\$2,473.	\$4,833.	\$5,768.
P2-R14	\$2,220.	\$2,733.	\$4,930.	\$5,871.
P2-R16	\$2,436.	\$2,995.	\$5,036.	\$5,983.
P2-R21 *	\$2,119.	\$2,602.	\$4,883.	\$5,808.
P2-R22 *	\$2,220.	\$2,733.	\$4,922.	\$5,871.
P2-R24	\$2,436.	\$2,995.	\$5,068.	\$6,039.
P2-R25	\$2,541.	\$3,123.	\$5,121.	\$6,088.
P2-R26	\$2,645.	\$3,254.	\$5,163.	\$6,142.
P2-R32 *	\$2,436.	\$2,995.	\$5,026.	\$5,983.
P2-R34	\$2,645.	\$3,254.	\$5,160.	\$6,142.
P2-R36	\$2,857.	\$3,512.	\$5,307.	\$6,306.
P2-N30 *	\$2,220.	\$2,733.	\$4,019.	\$5,381.
P2-N41 *	\$2,436.	\$2,995.	\$4,360.	\$5,756.
P2-N52	\$2,645.	\$3,254.	\$4,393.	\$5,843.

laminate/

flat edge

Sequence Options: (\$35 per cutout) Tables may be specified with zero, one or two cutouts. All sequence cutouts are 2 1/2" x 6". Sequence is available on 24" and 30" deep Rectangular tables only. 36", 42" and 48" wide tables, ES location only; 72" wide tables, DS location only.

No Sequence (Y) Single Sequence, center, front (ES) $\,$ Two Sequence, left & right, front (DS)

Y	
DS	
TCC	

pattern no.

Small Plexus Options: (\$35 per cutout) Tables may be specified with zero, one or two cutouts. All small Plexus cutouts are 61/8"-61/4". Small Plexus is available on 24" and 30" tables only. 36", 42", 48" and 60" wide tables, ES location only.

No Small Plexus (Y) Single Small Plexus, center, front (ESP) Two Small Plexus, right & left, front




Plexus options: (\$35 per cutout)

* Plexus box not available For no Plexus (Y) For medium Plexus, center, mid-depth (GM)

For medium Plexus, left & right, mid-depth (AM) For medium Plexus, center, front (EM), (DR), (DL)

For medium Plexus, left & right, front (DM), (ER), (EL) For medium Plexus, center (P2-N) (GM)



+ For more detailed information, consult the Electrical section of the Propeller

Features

Connecting tables: Each rectangular table includes two connector bars to connect rectangular tops to each other on any side. When not needed, connectors store in ports at top of table leg.

laminate /

molded edge

Maintenance: See pages 9.


Propeller tables are certified Clean Air

Square Tables:

Square tables have four legs with rectangular table end plates. Two connector bars per table. Square tables gang on all four sides to training tables of

veneer/

Emanuela Frattini Propeller® Training Table Series Semi-Circular Tables, Bridge Tops and Segments



attern no.	flat edge	molded edge	flat edge	veneer/wood edge
2-M10	\$1,906.	\$2,344.	\$4,174.	\$6,542.
2-M20	\$2,119.	\$2,602.	\$4,665.	\$7,366.
2-M30	\$2,330.	\$2,863.	\$5,169.	\$8,201.
2-S92	\$1,050.	\$1,290.	\$2,062.	\$3,335.
2-S94	\$1,158.	\$1,419.	\$2,229.	\$3,615.
2-S96	\$1,259.	\$1,548.	\$2,401.	\$3,891.

laminate/

Order Code

P2-M20-C-SL-4-A Example: P2-M20 60" wide semi-circular table Locking casters SL Slate laminate Light Grey edgeband Anodized Aluminum legs

Specify:

- 1. Pattern number
- 2. Locking caster or glide selection
- 3. Top finish selection 4. Edgeband selection
- 5. Grommet or Plexus option
- 6. Grommet/leg finish

Finishes:

Colored laminate finishes: Bright White (suffix 118) Brushed Aluminum (suffix LJ) Brushed Sand (suffix 122) Fog (suffix 128) Folkstone Grey (suffix 114) Jet Black (suffix 111) Light Grey (suffix L) Micro Grey (suffix 121) Micro Sand (suffix 129) Pumice (suffix 119) Slate (suffix SL) Soft Grey (suffix 117)

Finishes

Woodgrain laminate top finishes: Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)

 $Solid\ laminate\ top\ finishes:$ Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

Flat edgeband finishes: Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118)

Molded edgeband finishes: Black (suffix 300M) Mink (suffix 324M) Innertone (suffix 386M) Platinum (suffix 367M) Folkstone (suffix 004M) Light Grey (suffix 4M) Medium Grey (suffix 5M)

Leg and grommet finishes: Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)


Glides/Casters: Glides (suffix G) Locking Casters (suffix C)

Electrical

+ For more detailed information, consult the Electrical section of the Propeller

Grommet Option: (rectangular bridge top only): (\$35 per cutout) Tables may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter. Optional grommet-mounted power receptacles available, see page 90.


Grommet options: No grommet (Y) Two grommets, left and right, mid-depth Single grommet, left, mid-depth (BG) Two grommets, left and right, front (DG) Single grommet, center, front (EG) * AG, BG not available on 18" deep



Plexus Options: (\$35 per coutout) * Plexus box not available For no Plexus box (Y) For medium Plexus, center, mid-depth (GM)

For medium Plexus, left & right, mid-depth (AM)

For medium Plexus, center, front (EM) For medium Plexus, left & right, front (DM)



Note: Cutouts not available on Semi-Circular Tables.

Semi-Circular Tables: Semi-circular tables have three legs for maximum leg space. Use 180° tables free-standing or connected to other

tables. 180° tables connect to rectangular tables of same width or to rectangular tables in a back-to-back configuration. Connect two semi-circular tables to create a large round table

Bridge tops have a weight capacity of 300 pounds.

Configurations:

with rectangular table/bridge top



with rectangular tables back-to-back two



Features

Semi-circular tables and square tables do not stack. Bridge tops can be stacked ten high on table dolly (see page 26).

laminate/

Propeller tables shipped knocked-down. Simple field assembly required.

See pages 9.

Propeller tables are certified Clean Air GOLD.

\$6,427.

\$6,527.

\$6,617.

\$6,427.

\$6,842.

\$6,913.

\$6,944.

\$7.016.

\$7,062.

\$7,132.

\$6,879.

\$6,944.

\$7,202.

\$7,112.

\$7,367.

\$7,165.

\$7,419.

\$7,214.

\$7,151.

\$7,314.

\$7,471.

\$7,637.

veneer/

flat edge

\$5,466.

\$5,589.

\$5,656.

\$5,473.

\$5,860.

\$6,095.

\$5,962.

\$6,201.

\$6,067.

\$6,306.

\$5,910.

\$5,951.

\$6,191.

\$6,100.

\$6,343.

\$6,150.

\$6,394.

\$6,191.

\$6,436.

\$6,289.

\$6,431.

\$6,577.

Emanuela Frattini Propeller® Training Table Series Rectangular Tables with C-Legs and T-Legs

	description
Designer(s): Emanuela Frattini, 1994	P2-C Rectangular table with C-Legs/T-Legs

	W	d	h	leg type	between legs	(lbs.)
s	48"	18"	281/2"	C-Legs	341/2"	50
	60"	18"	281/2"	C-Legs	46 1/2"	53
	72"	18"	281/2"	C-Legs	581/2"	55
	36"	24"	281/2"	C-Legs	22 1/2"	60
	48"	24"	281/2"	C-Legs	34"	67
	48"	24"	281/2"	T-Legs	34"	67
	60"	24"	281/2"	C-Legs	46 1/2"	76
	60"	24"	281/2"	T-Legs	46 1/2"	76
	72"	24"	281/2"	C-Legs	581/2"	86
	72"	24"	281/2"	T-Legs	581/2"	86
	42"	30"	281/2"	C-Legs	291/2"	70
	48"	30"	281/2"	C-Legs	341/2"	76
	48"	30"	281/2"	T-Legs	341/2"	76
	60"	30"	281/2"	C-Legs	46 1/2"	82
	60"	30"	281/2"	T-Legs	46 1/2"	82
	66"	30"	281/2"	C-Legs	521/2"	88
	66"	30"	281/2"	T-Legs	521/2"	88
	72"	30"	281/2"	C-Legs	581/2"	100
	72"	30"	281/2"	T-Legs	581/2"	100
	48"	36"	281/2"	T-Legs	343/4"	95
	60"	36"	281/2"	T-Legs	43 3/4"	109
	72"	36"	281/2"	T-Legs	523/4"	123

Oraer	Coae	

Example:	P2-C26-PA-R5-EG-612
P2-C26	72" x 30" rectangular
	training table with C-Legs
PA	Pearwood laminate
R5	Black edgeband
EG	Single grommet, center,
	front
612	Medium Metallic Grey legs

Specify:

- 1. Pattern number
- 2. Top finish selection 3. Edgeband selection
- 4. Grommet or Plexus option 5. Leg/grommet finish

- Zebra (suffix 145)
 - Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

Finishes

Woodgrain laminate top finishes: Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grev Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)

Solid laminate top finishes:

Flat edgeband finishes: Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118) Molded edgeband finishes:

Black (suffix 300M) Mink (suffix 324M) Innertone (suffix 386M) Platinum (suffix 367M) Folkstone (suffix 004M) Light Grey (suffix 4M) Medium Grey (suffix 5M)

> Leg and grommet finishes: Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)

Glides/Casters: Glides (suffix G) Locking Casters (suffix C)

Features

C-Leg tables/T-Leg tables: C-Leg and T-Leg tables combine Propeller table features with more leg space. Tables have either two C-Legs or C-Legs are mounted to the rear. T-Legs are centered. All legs are positioned at 3 1/8" from table edge on the depth side. Tables have identical wire management and ganging capabilities as standard training tables.

C-Leg and T-Leg tables are available with glides only.

See pages 9.

Propeller tables are certified Clean Air GOLD.

Connecting tables:

Each rectangular table includes four connector plates and two connector bars to connect rectangular tables to each other on any side. When not needed, connectors may be stored in additional black plastic storage port attached underneath table tops.

two T-Legs. 24"d and 30"d training tables

table weight

clearance

Single grommet, left, mid-depth (BG) Two grommets, left & right, front (DR), (DL), (DG) Two grommets, left & right, mid-depth

Single grommet, center, front (ER), (EL),

Single grommet, center, right (HG) * AG, BG not available on 18" deep tables

Grommet Options: (\$35 per cutout)

No grommet (suffix Y)

Tables may be specified with zero, one or

two grommets. All grommets are 31/4" in

power receptacles available, see page 90.

diameter. Optional grommet-mounted

pattern no.

P2-C02 *

P2-C04 *

P2-C06 *

P2-C10 *

P2-C12 *

P2-C13

P2-C14

P2-C15

P2-C16

P2-C17

P2-C21 *

P2-C22 '

P2-C23 *

P2-C24

P2-C27

P2-C25

P2-C28

P2-C26


P2-C29

P2-C32

P2-C34

P2-C36

Electrical



Sequence Options: (\$35 per cutout) Tables may be specified with zero, one or two cutouts. All sequence cutouts are 2 ½" x 6". Sequence is available on 24" and 30" deep Rectangular C-leg tables only. 36", 42" and 48" wide tables, ES location only; 72" wide tables, DS location only.

laminate/

flat edge

\$2,360.

\$2,376.

\$2,441.

\$2,739.

\$2,750.

\$2,946.

\$2,967.

\$3,175.

\$3,180.

\$3,401.

\$2,857.

\$2,967.

\$3,193.

\$3,180.

\$3,408.

\$3,284.

\$3,509.

\$3,385.

\$3,616.

\$3,445.

\$3,556.

\$3,673.

No Sequence (Y) Single Sequence, center, front (ES) Two Sequence, left & right, front (DS)



Small Plexus Options: (\$35 per cutout) 67/8"-61/4". Small Plexus is available on 24" and 30" tables only. 36", 42", 48"

No Small Plexus (Y) Single Small Plexus, center, front (ESP) Two Small Plexus, right & left, front



Tables may be specified with zero, one or two cutouts. All small Plexus cutouts are and 60" wide tables, ES location only.

laminate/

\$2,967.

\$3,047.

\$3,131.

\$3,375.

\$3,383.

\$3.617.

\$3,648.

\$3,905.

\$3,910.

\$4,185.

\$3,512.

\$3,648.

\$3,884.

\$3,910.

\$4,147.

\$4,038.

\$4,279.

\$4,167.


\$4,216.

\$3,910.


\$4,167.

\$4,428.

molded edge



Plexus options: (\$35 per cutout) *Plexus Box not available For no Plexus (Y) For medium Plexus, center, mid-depth For medium Plexus, left & right, mid-depth (AM) For medium Plexus, center, front (EM), (DR), (DL) For medium Plexus, left & right, front (DM), (ER), (EL)



Emanuela Frattini Propeller® Training Table Series Flip-Top Tables with C-Legs and T-Legs

	description	W	d	h	leg type	(lbs.)
Designer(s):	P6-C Rectangular flip-top table with	48"	18"	29"	C-Legs	71
Emanuela Frattini, 2002	C-Legs/T-Legs	60"	18"	29"	C-Legs	82
		72	18"	29"	C-Legs	91
A		48"	24"	29"	C-Legs	73
		60"	24"	29"	C-Legs	84
		72"	24"	29"	C-Legs	96
		48"	30"	29"	C-Legs	83
		60"	30"	29"	C-Legs	97
•		72"	30"	29"	C-Legs	111
		48"	36"	29"	T-Legs	95
		60"	36"	29"	T-Legs	112
		72"	36"	29"	T-Legs	126

Example:	P6-C26-PA-R6-EG-A
P6-C26	72" x 30" flip-top with
	C-legs
PA	Pearwood laminate
R6	Medium Grey edgeband
EG	Single grommet, center
	back
A	Anodized Aluminum
	grommet and legs

Specify:

- 1. Pattern number
- 2. Top finish selection
- 3. Edgeband selection
- 4. Grommet or Plexus option
- 5. Leg/grommet finish

Woodgrain laminate top finishes: Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)

Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Finishes

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

Flat edgeband finishes: Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118)

Molded edgeband finishes: Black (suffix 300M) Mink (suffix 324M) Innertone (suffix 386M) Platinum (suffix 367M) Folkstone (suffix 004M) Light Grey (suffix 4M) Medium Grey (suffix 5M)

Leg and grommet finishes:

Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)


+ For more detailed information, consult the Electrical section of the Propeller Manual. Grommet Options: (\$35 per cutout)

20

Electrical


No grommet (Y) Single grommet, left, mid-depth (BG) Two grommets, left and right, front (DG) Two grommets, left and right, mid-depth

Singel grommet, center (GG) * AG, BG not available on 18" deep



Tables may be specified with zero, one or two grommets. All grommets are 31/4" diameter. Optional grommet-mounted power receptacles available, see page 90.

Single grommet, center, front (EG)




Sequence Options: (\$35 per cutout) Tables may be specified with zero, one or two cutouts. All sequence cutouts are 2 ½" x 6". Sequence is available on 24" and 30" deep Rectangular flip-top tables with C-leg. 48" wide tables, ES location

only; 72" wide tables, DS location only.

table weight

No Sequence (Y) Single Sequence, center, front (ES) Two Sequence, left & right, front (DS)




Small Plexus Options: (\$35 per cutout) Tables may be specified with zero, one or two cutouts. All small Plexus cutouts are 67/8"-61/4". Small Plexus is available on 24" and 30" tables only. 36", 42", 48" and 60" wide tables, ESP location only.

Single Small Plexus, center, front (ESP) Two Small Plexus, right & left, front

No Small Plexus (Y)

pattern no.	laminate/ flat edge	laminate/ molded edge	veneer/ flat edge	veneer/wood edge
P6-C02	\$2,657.	\$3,263.	\$6,259.	\$7,255.
P6-C04	\$2,842.	\$3,497.	\$6,503.	\$7,480.
P6-C06	\$3,006.	\$3,689.	\$6,616.	\$7,616.
P6-C12	\$3,943.	\$4,631.	\$6,942.	\$7,968.
P6-C14	\$4,156.	\$4,827.	\$7,102.	\$8,143.
P6-C16	\$4,359.	\$5,002.	\$7,202.	\$8,247.
P6-C22	\$4,133.	\$4,761.	\$6,970.	\$8,010.
P6-C24	\$4,380.	\$4,972.	\$7,264.	\$8,334.
P6-C26	\$4,540.	\$5,169.	\$7,415.	\$8,492.
P6-C32	\$4,340.	\$4,988.	\$7,244.	\$8,303.
P6-C34	\$4,610.	\$5,204.	\$7,436.	\$8,519.
P6-C36	\$4,983.	\$5,403.	\$7,505.	\$8,601.



Plexus options: (\$35 per cutout) * Plexus Box not available No Plexus (Y) Single medium Plexus, center (GM) Two medium Plexus, left and right, mid-depth (AM)



Features:

- Rectangular Fliptop tables can be specified with medium cordset Plexus or Transact
- Plexus options not available for $48^{\prime\prime}$ wide tables
- Plexus options for 60'' and 72'' wide tables: (GM, AM)

Glides/Casters: Glides (suffix G) Locking Casters (suffix C)

Propeller tables are certified Clean Air GOLD.

Maintenance: See pages9

C-Leg/T-Leg Flip-Top Rectangular

24"d and 30"d tables have C-Legs mounted to the rear, 36"d flip-top tables have centered T-Legs. Legs are positioned at 21/8" from table edge on the depth side. Flip-Top tables can be ganged side to side or front to back to other flip-top or standard tables.

Flip-Top tables are available with locking casters only.

Flip Mechanism: The Flip mechanism consists of black nylon glass-filled housing on both the C-Leg/T-Leg and the column base tables. The cross-member on rectangular tables is an aluminum extrusion that is anodized or painted to match the Propeller C-Leg/T-Leg. To operate, simply depress the mechanism to lower the table; to raise the table, lift the mechanism towards the table top. Flip-Top mechanism is pneumatic and easy to operate with one hand.

Wire management: Vertical extrusion of C-Legs and T-Legs is 5"w x 21/4" - same profile as conference leg profile. In horizontal position, Quadruplex monument or shallow plug in Plexus boxes can be

used. Nesting:

Flip-Top tables nest easily for compact storage. C-Leg and T-Leg Flip Tops allow the top to flip and nest as well as providing more leg space than a standard folding table. When nested, the tables are staggered. There is no limit to the number of tables that can be nested together.

Example:

Footprint area guideline C-Leg 48" x 24" C-Leg - Two 48" x 24" C-Leg tables flipped and nested measure 51" x 301/2"

- Three 48" x 24" C-Leg tables flipped and nested measure $54^{\prime\prime}$ x $38\,{}^{1}\!/\!{}_{2}{}^{\prime\prime}$
- Six 48'' x 24'' C-Leg tables flipped and nested measure 63" x 63"

60" x 30" C-Leg


- Two 60" x 30" C-Leg tables flipped and nested measure 63" x 30 1/2" - Three 60" x 30" C-Leg tables flipped
- and nested measure 66" x 381/2" - Six $60^{\prime\prime}$ x $30^{\prime\prime}$ C-Leg tables flipped and nested measure 75" x 63"

72" x 36" T-Leg Footprint area guideline T-Leg - Two 72" x 36" T-Leg tables flipped and nested measure 75" x 42"

- Three $72'' \times 36''$ T-Leg tables flipped and nested measure 78" x 491/2"
- Six 72" x 36" T-Leg tables flipped and nested measure 87" x 72"

C-Leg/T-Leg Flip-Top tables are shipped knocked down. The table top, flip mechanism, aluminum cross-member, and leg kit are all shipped in separate boxes. Simple field assembly required.

Nesting Diagrams Guideline: 2 Tables 3 Tables 6 Tables



veneer/

flat edge

Emanuela Frattini Propeller® Training Table Series Rectangular Folding Tables and Dolly

clearance clearance between legs table weight between legs (lbs.) **P2-F** Folding table 24" 281/2" 52" 133/4" 72 60" Designer(s): Emanuela Frattini, 1994 72" 24''133/4" 281/2" 64''81 60" 30" 281/2" 52" 193/4" 83 66" 30" 193/4" 281/2" 58" 89 72" 30" 193/4" 281/2" 64''95 60" 36" 281/2" 52" 253/4" 95 72" 36" 281/2" 64" 253/4" 109

Flat edgeband finishes:

Innertone (suffix 386)

Platinum (suffix 367)

Folkstone (suffix 004)

Black (suffix 300M)

Mink (suffix 324M)

Innertone (suffix 386M)

Platinum (suffix 367M)

Folkstone (suffix 004M)

Light Grey (suffix 4M)

Jet Black (suffix 111)

Glides/Casters:

Glides (suffix G)

Medium Grey (suffix 5M)

Leg and grommet finishes:

Bright White (suffix 118)

Locking Casters (suffix C)

Anodized Aluminum (suffix A)

Medium Metallic Grev (suffix 612)


Bright White (suffix 118)

Molded edgeband finishes:

Black (suffix 111)

Mink (suffix 324)





60"	30"	321/4"
72"	30"	321/4"
60"	36"	321/4"
72"	36"	321/4"

P2-DOLLY-H Additional handle for table

- - -	P2- P2-
-	P2-

Order Code

Example: P2-F16-G-129-R6-Y-612 P2-F16 24" x 72" rectangle folding table G Glides 129 Micro Sand laminate R6 Medium Grey edgeband Y No grommet 612 Medium Metallic Grey legs

Specify:

- 1. Pattern number
- 2. Locking caster or glide selection3. Top finish selection
- 3. Top finish selection4. Edgeband selection
- Edgeband selecti
 Grommet option
- 6. Leg/grommet finish

Finishes

Woodgrain laminate top finishes:
Light Ash (suffix 139)
Warm Ash (suffix 140)
Whitened Ash (suffix 141)
Grey Ash (suffix 142)
Classic Oak (suffix 143)
Graphite Pear (suffix 144)
Zebra (suffix 145)
Medium Cherry (suffix 124)
Natural Maple (suffix 125)
Natural Cherry (suffix 126)
Walnut (suffix 127)

Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)


Veneer top/edge finishes:
Brown Oak (suffix V427)
Burnt Walnut (suffix V421)
Chalk Oak (suffix V421)
Ebonized Walnut (suffix D)
Graphite Oak (suffix V513)
Light Oak (suffix V423)
Maple (suffix K)
Natural Beech (suffix B)
Old English Walnut (suffix V417)
Warm Brown Walnut (suffix J)
American Walnut (suffix AW)
Natural Oak (suffix ON)
Fumed Oak (suffix OF)
Ebonized Oak (suffix OE)

Electrical

+ For more detailed information, consult the Electrical section of the Propeller Manual.

Grommet options: (\$35 per cutout)
Tables may be specified with zero, one or
two grommets. All grommets are 3 '4"
diameter. Optional grommet mounted
power receptacles available, see page 90.

No grommet (suffix Y)
Single grommet, left, mid-depth (BG)
Two grommets, left and right, front (DG)
Two grommets, left and right, mid-depth (AG)
Single grommet, center, front (EG)
Single grommet, center, right (HG)



P2-F14	\$2,857.	\$3,512.	\$6,201.	\$7,220.
P2-F16	\$3,074.	\$3,771.	\$6,296.	\$7,343.
P2-F24	\$3,074.	\$3,771.	\$6,361.	\$7,425.
P2-F25	\$3,180.	\$3,910.	\$6,416.	\$7,476.
P2-F26	\$3,284.	\$4,038.	\$6,457.	\$7,529.
P2-F34	\$3,284.	\$4,038.	\$6,487.	\$7,567.
P2-F36	\$3,497.	\$4,295.	\$6,630.	\$7,731.

table dolly

laminate/

flat edge

laminate/

molded edge

P2-DOLLY24	\$2,258.	
P2-DOLLY26	\$2,524.	
P2-DOLLY34	\$2,524.	
P2-DOLLY36	\$2,784.	

P2-DOLLY-H	\$1,009.

Features

pattern no.

Connecting tables:
Each folding table, includes two connector bars to connect rectan

connector bars to connect rectangular tops to each other on any side. When not needed, connectors store in ports at top of table leg.

Table dollies:

Table dollies can stack 5 folding tables. Red urethane edge is scuff resistant, bottom is medium grey laminate, handle is stainless steel. Wheels are self-lubricating steel bearings with puncture-proof and impact-resistant solid cushion tires, mounted on a polypropylene hub.

Note:

Height of Propeller table folded is 41/4".

Maintenance: See pages 9.

Note:

Propeller tables are certified Clean Air

\$6,358.

\$6,461.

\$6,577.

\$6,487. \$6,656.

\$6,761.

\$6,871.

\$7.024. \$6,879.

veneer/

flat edge

\$5,396.

\$5,493.

\$5,604.

\$5,513.

\$5,656.

\$5,756.

\$5,871.


\$6,004.

\$6,145.

Emanuela Frattini Propeller® Training Table Series Standing Height Tables

Designer(s): Emanuela Frattini, 1994





W	d	h	w	d	(lbs.)
48"	24"	38"	40"	133/4"	66
60"	24"	38"	52"	13 3/4"	75
72"	24"	38"	64"	13 3/4"	85
48"	30"	38"	40"	19³/₄″	75
60"	30"	38"	52"	19³/₄″	87
72"	30"	38"	64"	19³/₄″	99
48"	36"	38"	40"	25³/4″	85
60"	36"	38"	52"	25³/4″	99
72"	36"	38"	64"	25 3/4"	113

clearance

clearance

O	- ~	^-	_	_	4	_

P2-H26-G-111-5-AG-612 Example: P2-H26 72" x 30" standing height Glides 111 Jet Black laminate Medium Grey edgeband AG 2 grommets, mid-depth 612 Medium Metallic Grev grommets and legs Example: P2-K26-A Shelf for 72" x 30" standing P2-K26 height table Aluminum shelf finish

Specify:

- 1. Pattern number
- 2. Locking caster or glide selection
- 3. Top finish selection
- 4. Edgeband selection
- 5. Grommet/Plexus option
- 6. Grommet and leg finish
- Specify shelf: 7. Pattern number
- 8. Shelf finish

Finishes

Woodgrain laminate top finishes: Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)

 $Solid\ laminate\ top\ finishes:$ Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

Flat edgeband finishes:

Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118)

Molded edgeband finishes: Black (suffix 300M) Mink (suffix 324M) Innertone (suffix 386M) Platinum (suffix 367M) Folkstone (suffix 004M) Light Grey (suffix 4M) Medium Grey (suffix 5M)

Leg and grommet finishes: Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)

Glides/Casters: Glides (suffix G) Locking Casters (suffix C)

Electrical


the Electrical section of the Propeller

Grommet options: (\$35 per cutout) Tables may be specified with zero, one, or two grommets. All grommets are 31/4" diameter. Optional grommet mounted power receptacles available, see page 90.

Single grommet, left, mid-depth (BG) Two grommets, left and right, front (DG) Two grommets, left and right, mid-depth Single grommet, center, front (EG)

+ For more detailed information, consult

* AG, BG not available on 48" wide




Features

Plexus options: (\$35 per cutout) * Plexus Box not available For no Plexus (Y) For medium Plexus, center, mid-depth

(GM) For medium Plexus, left & right, mid-depth (AM) For medium Plexus, center, front (EM) For medium Plexus, left & right, front

* AM, DM available for 72" wide tables only



pattern no.

P2-H12*

P2-H14

P2-H16

P2-H22 *

P2-H24

P2-H26

P2-H32 *

P2-H34

P2-H36

Standing height tables: Use Standing Height Tables free-standing or connected to other Standing Height Tables. Two connectors provided with tables.

laminate/

flat edge

\$2,220.

\$2,436.

\$2,645.

\$2,436.

\$2,645.

\$2,857.

\$2,645.

\$2,857.

\$3,074.

shelf

laminate/

\$2,733.

\$2,995.

\$3,254.

\$2,995.

\$3,254.

\$3,512.

\$3.254.

\$3,512.

\$3,609.

molded edge

Extruded aluminum construction with clear satin anodized finish or powder-coat finish. Wire management flipper strips are flexible PVC. Leg end caps are injection-molded, glass-filled nylon. Leg mounting plates are aluminum die-castings with a textured paint finish. Black ribbed nylon glide or black nylon caster.

Maintenance:See pages 9.

Propeller tables are certified Clean Air

veneer/


veneer/

Emanuela Frattini Propeller® Column Base Tables Round and Square Tables

Designer(s):
Emanuela Frattini, 1999

P2-Y Propeller round column base table
42"
28 ½"
48"
28 ½"






42"	28 1/2"	71	4-star
48"	281/2"	85	4-star


71

85

4-star

4-star







30"	30"	28 1/2"	53	4-star
36"	36"	28 1/2"	67	4-star
42"	42"	28 1/2"	83	4-star
48"	48"	28 1/2"	102	4-star

pattern no.	flat edge	molded edge	½" wood edge	flat edge	1/4" wood edge
P2-Y42	\$2,567.	\$2,953.		\$5,446.	\$7,766.
P2-Y48	\$2,591.	\$2,965.		\$5,580.	\$7,889.
P2-Y48	\$2,591.	\$2,965.		\$5,580.	

laminate/

laminate/

laminate/

P3-J42	\$6,748.
P3-J48	\$6,995.

P2-X30	\$1,978.	\$2,430.	\$4,543.	\$5,907.
P2-X36	\$2,155.	\$2,650.	\$4,710.	\$6,071.
P2-X42	\$2,337.	\$2,871.	\$5,043.	\$6,429.
P2-X48	\$2,517.	\$3,094.	\$5,077.	\$6,237.

P3-L30	\$5,135.
P3-L36	\$5,171.
P3-L42	\$4,908.
P3-L48	\$5,156.

Order Code

Example: P2-X30-117-1-Y-A P2-X30 Propeller 30" square table, 4-star base 117 Soft Grey laminate 1 Spring Green edgeband Y No grommet A Anodized Aluminum base

Specify:

- Pattern number
 Top finish
- 3. Edge band selection (except for wood top with wood edge)
- 4. Grommet option
- 5. Leg/grommet finish

Ordering Information

Woodgrain laminate top finish
Light Ash (suffix 139)
Warm Ash (suffix 140)
Whitened Ash (suffix 141)
Grey Ash (suffix 142)
Classic Oak (suffix 143)
Graphite Pear (suffix 144)
Zebra (suffix 145)
Medium Cherry (suffix 124)
Natural Maple (suffix 125)
Natural Cherry (suffix 126)
Walnut (suffix 127)

Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes:
Brown Oak (suffix V427)
Burnt Walnut (suffix V313)
Chalk Oak (suffix V421)
Ebonized Walnut (suffix D)
Graphite Oak (suffix V513)
Light Oak (suffix V423)
Maple (suffix K)
Natural Beech (suffix B)
Old English Walnut (suffix V417)
Warm Brown Walnut (suffix J)
American Walnut (suffix AW)
Natural Oak (suffix OF)
Ebonized Oak (suffix OE)

Flat edgeband finishes: Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118)

Molded edgeband finishes: Black (suffix 300M) Mink (suffix 324M) Innertone (suffix 386M) Platinum (suffix 367M) Folkstone (suffix 004M) Light Grey (suffix 4M) Medium Grey (suffix 5M)

Leg and grommet finishes: Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)

26

Electrical

+ For more detailed information, consult the Electrical section of the Propeller Manual.

Grommet options: (\$35 per cutout)
Tables may be specified with zero, one or
two grommets. All grommets are 3 ¼"
diameter. Optional grommet mounted
power receptacles available, see
page 90 for details.

No grommet (suffix Y) Single grommet, center (suffix GG)



Note:

- Plexus box not available on column base tables.

Specification Information

The column base of the tables has one integrated channel for wire management. Cables are laid behind a translucent PVC flipper strip and can be easily pulled out. Wires can be brought to the table top through an optional center grommet.

 $Column\ profile:$



Urethane table edge detail:

Flat edgeband:



Wood Edge:
Tables can be specified with either '/-4" wood edge with veneer top or '/-2" wood edge with laminate top.

Base:

Extruded aluminum column with integrated wire management channel in anodized or powder-coat finish. Silver steel top attachment plate. Cast aluminum star-base with protective textured metallic surface coat matching the column color. Leveling low black nylon glides.

Maintenance See pages 9.

Note:

Propeller tables are certified Clean Air GOLD.

Emanuela Frattini Propeller® Conference Table Series Configurations and Product Information

Below are only a few examples of suggested configurations using Propeller Conference tables and accessories.


The inherent flexibility of Propeller tables allows for diverse applications, ranging from setups for conference rooms to private offices and workstations.

Conference table types















using Propeller Conference tables and accessories. The possibilities of connecting tables and accessories are virtually unlimited.

Conference area configurations





Below are a few examples of private office and workstation configurations



All configurations utilize standard Propeller products which are grouped

according to desired application. Coordination of finishes allows for cohesive





Ordering

Specify:

P3-J

1. Pattern number

- 2. Caster or glide selection (table only).
- 3. Top finish selection
- 4. Edgeband selection
- 5. Grommet option (table and bridge only)
- 6. Leg/grommet finish

P3-RL	Rectangular table,
	Std. legs
P2-IL	Rectangular desk
	return, C-Legs
P3-AL	Bullet conference
	table, T-legs
	Bullet conference
	table, Std. legs
P3-HL	Rectangular table,
	T-Legs
P3-IL	Rounded rectangular

table, T-Legs

Round conference

table, column base

Construction

1³/₁₆" thick, 3-ply, solid medium density fiberboard core with balanced backer sheet on bottom. Solid veneer or plastic laminate. Wood tops are cross veneered. Threaded inserts are die-cast zinc.

All table edges are finished, allowing ganged tables to be separated and used individually. ABS flat edgeband and solid wood edge are available. On rectangular tables with wood edges, short sides have rectalinear edges for ganging, long side edges are chamferred.

Long side edge detail: Solid wood



Short side edge detail: Solid wood

28



Flat edgeband: ABS flat edgeband, with integral

Wood Edge Profiles: AutoStrada and Saarinen edge

profiles are available as long side edge details. On rectangular tables with wood edges, short sides have rectilinear edges for ganging, long side edges are chamferred.

AutoStrada profile = AE


Long side edge detail:

Long side edge detail: Saarinen profile = SE

Long side edge detail Propeller profile = PE

Propeller's S-shaped conference leg incorporates two separate channels for power and communications wiring. Cables are laid behind flipper strips to meet UL code. Vertical leg is extruded aluminum construction with clear satin anodized or powder coat finish.Legs are 5"w x 21/4"d with 25% greater capacity than the training table leg. There are two types of Propeller Conference legs: Standard Conference legs and T-Legs.

Conference Leg section




Standard Conference legs:

Leg mounting plates are steel stampings with powder-coat finish. Leg end caps are injection-molded, glass-filled nylon. Black plastic glide with 3/4" levelling range or 2" lockable black nylon caster. T-Legs: T-legs offer additional kneespace. Cast aluminum end plates with textured paint finish. Cast aluminum foot in textured metallic


Conference Leg

powder coat.



Connecting Segments

Underside of worksurface is pre-drilled with zinc inserts for freestanding or bridging leg position. Rectangular tops that are 78" and wider cannot be shared between legs. Standard conference leg includes screws for attachment of mounting plate under worksurface. Tool free option allows reconfiguration using soft touch hand screws. Kit includes: 8 soft touch hand screws for 2 legs.



Glides/casters:

Glides and locking casters-black nylon.

Electrical options:

Electrical options include Grommet, Quadruplex and Plexus box. Please see Propeller Electrical section beginning on page 82.

Shipping:

Tops and legs are shipped separately. Legs ship knocked-down into foot plate and vertical assembly. Simple field assembly required.



veneer/

\$10,115.

\$10,970.

\$11,335.

\$11,807.

\$12,155.

\$12,509.

\$12,861.

\$13,979.

\$14,161.

\$14,345.

\$14,528.

\$14,709.

\$14,889.

\$15,073.

\$14,332.

\$14,512.

\$14,698.

\$14,879.

\$15,060.

\$15,243.

\$15,424.

\$15,216.

\$15,401.

\$15,572.

\$15,743.

\$15,907.

wood edge (PE)

veneer/wood edge

(AE, SE)

\$10,622.

\$11,518.

\$11,903.

\$12,399.

\$12,763.

\$13,135.

\$13,506.

\$14,673.

\$14,872.

\$15,063.

\$15,252.

\$15,448.

\$15,633.

\$15,832.

\$15,050.

\$15,239.

\$15,430.

\$15,625.

\$15,808.

\$16,004.

\$16,199.

\$15,976.

\$16,171.

\$16,351.

\$16,528.

\$16,705.

Emanuela Frattini Propeller® Conference Table Series Round/Rounded Tables with Standard Legs

clearance between no. of legs top weight between included legs d legs w (lbs.) P3-DL Round table, with legs 48" 59 28 1/2" 281/2" Designer(s): 54" 33 1/2" 28 1/2" 75 4 60" 281/2" 39" 92 4



P3-ML Rounded square table, with legs

P3-NL Rounded rectangular table, with legs

42''42''28 1/2" 201/2" 47 251/2" 48" 48''28 1/2" 4 62 54" 54''28 1/2" 301/2" 80 351/2" 60" 60''28 1/2" 4 99 60" 42" 281/2" 271/4" 25" 74 66" 42''281/2" 331/4" 25" 82 72" 42''28 1/2" 391/4" 25" 90 78" 451/4" 25" 98 281/2" 84" 281/2" 51 1/4" 25" 106 90" 571/4" 25''28 1/2" 115 96" $28^{1}/_{2}''$ 25" 123 60" 48''281/2" 281/4" 25" 83 66" 48''281/2" 341/4" 25" 92 72" 48''281/2" 40 1/4" 25" 102 78" 48''281/2" 461/4" 25" 111 84" 48" 281/2" 52 1/4" 25" 120 90" 48" 28 1/2" 581/4" 25" 130 96" 48" 28 1/2" 641/4" 25" 139 72" 60" 28 1/2" 41 1/4" 27" 126 78" 60" 28 1/2" 471/4" 27" 138 84''60" 28 1/2" 53 1/4" 27" 149

_	
	P3-ML42
	P3-ML48
	P3-ML54
	P3-ML60
_	
_	
	P3-NL44
_	P3-NL44 P3-NL46
_ _	
_ _ _	P3-NL46
	P3-NL46 P3-NL48
	P3-NL46 P3-NL48 P3-NL50
	P3-NL46 P3-NL48 P3-NL50 P3-NL52

pattern no.

P3-DL48

P3-DL54

P3-DL60

P3-NL66

P3-NL68

P3-NL70

P3-NL72

P3-NL74

P3-NL76

P3-NL88

P3-NL90

P3-NL92

P3-NL94

P3-NL96

Electrical

Order Code

Example:	P3-NL44-C-K-SE-AG-A
P3-NL44	60" x 42" rounded rectangle
	table
С	Locking casters
K	Maple veneer top
SE	Saarinen edge profile
AG	Left and right grommets, mid-depth
A	Anodized grommets

Specify:

- 1. Pattern number
- 2. Locking caster or glide selection
- 3. Top finish selection
- 4. Edgeband selection
- 5. Edge profile option (veneer/wood edge only)
- 6. Grommet/Plexus cutout option
- 7. Grommet/leg finish

Finishes

Α	Woodgrain laminate top finishes:
ngle	Light Ash (suffix 139)
0	Warm Ash (suffix 140)
	Whitened Ash (suffix 141)
	Grey Ash (suffix 142)
	Classic Oak (suffix 143)
	Graphite Pear (suffix 144)
s,	Zebra (suffix 145)
	Medium Cherry (suffix 124)
	Natural Maple (suffix 125)
	Natural Cherry (suffix 126)
	Walnut (suffix 127)

Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

90"

96"

60"

60"

281/2"

281/2"

591/4"

651/4"

27"

27"

161

173

Wood edge profiles: Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)

30

Flat edgeband finishes: Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118)

Grommet finishes: Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)



+ For more detailed information, consult Plexus Cutout Options: (\$51 per cutout) the Electrical section of the Propeller Tables can be hardwired using pre-wired or empty boxes, or plugged in with

Grommet options: (\$51 per cutout) Tables may be specified with zero, one or two grommets. All grommets are 31/4" in diameter. See page 28 for details. Optional grommet-mounted power receptacles available, see page 90.

Single grommet, center, mid-depth Two grommets, left & right, mid-depth Single grommet, left, mid-depth (BG)

*for rounded rectangular tables only

${\mathbf{Y}}$		\bigcup_Y
GM	AMD	GM

For no Plexus (Y) For medium Plexus, center, mid-depth For medium Plexus, left & right. $\operatorname{mid-depth}\left(\operatorname{AM}\right) \ast$ For medium double Plexus, center, mid-depth (GMD) For medium double Plexus, left and right, mid-depth (AMD) *

plexus boxes with cordset. Tables may be

specified with zero, one or two cutouts.

To specify plexus box and for more

information, see pages 82.

laminate/

flat edge

\$3,251

\$3,959

\$3,966.

\$3,923.

\$3,943.

\$4,133.

\$4,223.

\$4,128.

\$4,247

\$4,249.

\$4,256.

\$4,259.

\$4,277

\$4,241

\$4,249.

\$4,256.

\$4,259.

\$4,266

\$4,277

\$4,281.

\$4,558.

\$4,566.

\$4,570.

\$4,579.

\$4,586.

laminate/

wood edge

\$8,019.

\$8,706.

\$8,903.

\$8,606.

\$8,800.

\$8,992.

\$9,191.

\$10,024.

\$10,296.

\$10,572.

\$10.844.

\$11,116.

\$11,390.

\$11,664.

\$10,572.

\$10,844.

\$11,116.

\$11,390.

\$11,664.

\$11,938.

\$12,210.

\$11,938.

\$12,210.

\$12,466

\$12,729.

\$12,993.

veneer

flat edge

\$6,072.

\$6,962.

\$7,210.

\$8,035.

\$8,079.

\$8,403.

\$8,671.

\$9,078.

\$9,236.

\$9,252.

\$9,473.

\$9,497

\$9,785.

\$9,799.

\$9,112.

\$9,261

\$9,289

\$9,507.

\$9,536.

\$9,824.

\$9,847.

\$9,959.

\$9,991.

\$10,219.

\$10,252

\$10,407.

GMD $\widetilde{\text{GMD}}$

- Double Plexus AMD and GMD configurations not available on 42" deep tables
- Plexus box not available on 42" square tables.
- Configurations AM, AMD and GJ not available on 48", 54" and 60" square
- AM and AMD are not appropriate for stand alone tables or end seaments.

Features

Maintenance See pages 9.

Propeller tables are certified Clean Air GOLD

(AE, SE)

veneer/

wood edge (PE)

Emanuela Frattini Propeller® Conference Table Series Bullet Table with Standard Legs

Designer(s): Emanuela Frattini, 1994



P3-BL	Bullet tab	le, with le	gs
8		S	
	' '		

description

type	w	d	h		btwn. legs	no. of legs incl.	top wgt (lbs.)
	54"	42"	281/2"	251/2"	25"	4	70
	60"	42"	28 1/2"	31 1/2"	25"	4	78
	66"	42"	28 1/2"	371/2"	25"	4	86
	72"	42"	28 1/2"	43 1/2"	25"	4	94
	78"	42"	28 1/2"	491/2"	25"	4	102
	84"	42"	28 1/2"	551/2"	25"	4	111
	90"	42"	28 1/2"	611/2"	25"	4	119
	96"	42"	28 1/2"	71 1/4"	25"	4	127
	54"	48"	28 1/2"	251/2"	25"	4	79
	60"	48"	28 1/2"	311/2"	25"	4	88
	66"	48"	28 1/2"	371/2"	25"	4	98
	72"	48"	28 1/2"	43 1/2"	25"	4	107
	78"	48"	28 1/2"	491/2"	25"	4	116
	84"	48"	28 1/2"	551/2"	25"	4	126
	90"	48"	28 1/2"	61 1/2"	25"	4	135
	96"	48"	28 1/2"	71 1/2"	25"	4	145
	54"	60"	28 1/2"	251/2"	27"	4	98
	60"	60"	28 1/2"	311/2"	27"	4	110
	66"	60"	28 1/2"	371/2"	27"	4	122
	72"	60"	28 1/2"	43 1/2"	27"	4	133
	78"	60"	28 1/2"	491/2"	27"	4	145
	84"	60"	28 1/2"	551/2"	27"	4	157
	90"	60"	28 1/2"	611/2"	27"	4	168
	96"	60"	28 1/2"	721/4"	27"	4	180

clearance clearance

P3-BL42	\$4,127.	\$10,572.	\$8,377.	\$12,148.	\$12,754.
P3-BL44	\$4,130.	\$10,700.	\$8,401.	\$12,368.	\$12,987
P3-BL46	\$4,317.	\$10,834.	\$8,634.	\$12,591.	\$13,217
P3-BL48	\$4,322.	\$10,959.	\$8,660.	\$12,806.	\$13,447
P3-BL50	\$4,329.	\$11,091.	\$8,803.	\$13,031.	\$13,680
P3-BL52	\$4,340.	\$11,223.	\$8,831.	\$13,255.	\$13,911
P3-BL54	\$4,345.	\$11,352.	\$8,974.	\$13,472.	\$14,147
P3-BL56	\$4,352.	\$11,477.	\$9,002.	\$13,696.	\$14,383.
P3-BL62	\$4,129.	\$10,844.	\$8,711.	\$12,591.	\$13,217.
P3-BL64	\$4,135.	\$10,970.	\$8,741.	\$12,806.	\$13,447.
P3-BL66	\$4,322.	\$11,102.	\$8,976.	\$13,031.	\$13,680.
P3-BL68	\$4,329.	\$11,233.	\$9,005.	\$13,255.	\$13,911
P3-BL70	\$4,340.	\$11,363.	\$9,151.	\$13,472.	\$14,147
P3-BL72	\$4,342.	\$11,496.	\$9,179.	\$13,696.	\$14,383
P3-BL74	\$4,347.	\$11,624.	\$9,387.	\$13,911.	\$14,610
P3-BL76	\$4,357.	\$11,749.	\$9,415.	\$14,139.	\$14,844
P3-BL82	\$4,415.	\$11,664.	\$9,415.	\$13,904.	\$14,597
P3-BL84	\$4,424.	\$11,792.	\$9,445.	\$14,121.	\$14,829.
P3-BL86	\$4,659.	\$11,922.	\$9,745.	\$14,345.	\$15,063.
P3-BL88	\$4,664.	\$12,050.	\$9,962.	\$14,568.	\$15,294.
P3-BL90	\$4,671.	\$12,190.	\$9,998.	\$14,788.	\$15,528.
P3-BL92	\$4,678.	\$12,315.	\$10,150.	\$15,004.	\$15,757
P3-BL94	\$4,682.	\$12,448.	\$10,183.	\$15,233.	\$15,995
P3-BL96	\$4,695.	\$12,571.	\$10,216.	\$15,452.	\$16,225.

laminate/

wood edge

veneer/

flat edge

laminate/

flat edge

Order Code

Example: P3-BL42-C-DC-R5-GG-A P3-BL42 54" x 42" bullet table C Locking casters DC Deep Cherry laminate top R5 Black edgeband GG Single grommet, center A Aluminum grommet and leg finish

Specify:

- Pattern number
 Locking caster or glide selection
- 3. Top finish selection
 4. Edgeband selection
- 5. Edge profile option (veneer/wood
- 6. Grommet/Plexus cutout option7. Grommet/leg finish

Finishes

Woodgrain laminate top finishes: Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)

Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes:
Brown Oak (suffix V427)
Burnt Walnut (suffix V421)
Ebonized Walnut (suffix D)
Graphite Oak (suffix V513)
Light Oak (suffix V513)
Light Oak (suffix V423)
Maple (suffix K)
Natural Beech (suffix B)
Old English Walnut (suffix V417)
Warm Brown Walnut (suffix V417)
Warmerican Walnut (suffix AW)
Natural Oak (suffix ON)
Fumed Oak (suffix OF)
Ebonized Oak (suffix OE)

e top finishes: Wood edge profiles: 39) Autostrada edge (suffix AE) 40) Propeller edge (suffix PE)

Saarinen edge (suffix SE)

Flat edgeband finishes:
Black (suffix 111)
Mink (suffix 324)
Innertone (suffix 386)
Platinum (suffix 367)
Folkstone (suffix 004)
Bright White (suffix 118)

32

Grommet finishes: Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)

Electrical

+ For more detailed information, consult the Electrical section of the Propeller Manual.

Grommet options: (\$51 per cutout)
Tables may be specified with zero, one or two grommets. All grommets are 3 \(^1/4''\) in diameter, see page 28 for details.
Optional grommet-mounted power receptacles available, see page 90.

No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth (AG)

Single grommet, right, mid-depth (HG) Single grommet, left, mid-depth (BG)



Plexus Cutout Options: (\$51 per cutout)
Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Tables may be specified with zero, one or two cutouts.
To specify plexus box and for more information, see pages 82.

pattern no.

For no Plexus (Y)
For medium Plexus, center, mid-depth (GM)
For medium Plexus, left & right, mid-depth (AM)
For double medium Plexus, center, mid-depth (GMD)
For double medium Plexus, left & right, mid-depth (AMD)

Y AM
□ □ □ □
CM AMD
□ □ □ □
GMD

Note:

 Double Plexus AMD and GMD configurations not available on 42" deep tables.

 AM and AMD are not appropriate for stand alone tables or end segments.

Features

See pages 9.

1 0

Propeller tables are certified Clean Air

Emanuela Frattini Propeller® Conference Table Series Square/Rectangular Tables with Standard Legs

	description	W	d	h	clearance btwn. legs w	clearance btwn. legs d	no. of legs incl.	top wgt. (lbs.)
Designer(s):	P3-SL Square table, with legs	42"	42"	281/2"	25 1/4"	25"	4	57
Emanuela Frattini, 1994	∞ ⊘	48"	48"	281/2"	31 1/4"	25"	4	75
		54"	54"	281/2"	37 1/4"	25"	4	95
-	. 8	60"	60"	281/2"	43 1/4"	27"	4	117
	P3-RL Rectangular table, with legs	48"	42"	281/2"	31 1/4"	25"	4	66
II II U	% ⊘	54"	42"	281/2"	37 1/4"	25"	4	74
		60"	42"	281/2"	43 1/4"	25"	4	82
9	8	66"	42"	281/2"	49 1/4"	25"	4	90
	٥	72"	42"	281/2"	55 1/4"	25"	4	98
		78"	42"	281/2"	61 1/4"	25"	4	107
		84"	42"	281/2"	67 1/4"	25"	4	115
		90"	42"	281/2"	73 1/4"	25"	4	123
		96"	42"	281/2"	791/4"	25"	4	131
		54"	48"	28 1/2"	37 1/4"	25"	4	84
		60"	48"	28 1/2"	43 1/4"	25"	4	94
		66"	48"	281/2"	49 1/4"	25"	4	103
		72"	48"	281/2"	55 1/4"	25"	4	113
		78"	48"	281/2"	55 1/4"	25"	4	122
		84"	48"	28 1/2"	55 1/4"	25"	4	131
		90"	48"	28 1/2"	55 1/4"	25"	4	141
		96"	48"	28 1/2"	55 1/4"	25"	4	150
		48"	60"	281/2"	31 1/4"	27"	4	94
		54"	60"	281/2"	371/4"	27"	4	105
		66"	60"	281/2"	49 1/4"	27"	4	129
		72"	60"	281/2"	55 1/4"	27"	4	141
		78"	60"	281/2"	61 1/4"	27"	4	152
		84"	60"	281/2"	67 1/4"	27"	4	164
		90"	60"	281/2"	73 1/4"	27"	4	176
							_	

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-SL42	\$3,609.	\$6,690.	\$6,525.	\$9,075.	\$9,530
P3-SL48	\$3,628.	\$7,343.	\$6,571.	\$10,153.	\$10,665
P3-SL54	\$3,831.	\$7,990.	\$7,178.	\$11,597.	\$12,175
P3-SL60	\$3,849.	\$8,642.	\$7,367.	\$11,573.	\$12,152
P3-RL40	\$3,692.	\$7,051.	\$7,294.	\$9,799.	\$10,294
P3-RL42	\$3,748.	\$7,224.	\$7,380.	\$9,990.	\$10,485
P3-RL44	\$3,755.	\$7,397.	\$7,403.	\$10,167.	\$10,674
P3-RL46	\$3,935.	\$7,563.	\$7,630.	\$10,350.	\$10,864
P3-RL48	\$3,939.	\$7,734.	\$7,652.	\$10,531.	\$11,061
P3-RL50	\$3,945.	\$7,901.	\$7,676.	\$10,710.	\$11,246
P3-RL52	\$3,958.	\$8,074.	\$7,998.	\$10,895.	\$11,437
P3-RL54	\$3,962.	\$8,238.	\$8,016.	\$11,077.	\$11,632
P3-RL56	\$3,968.	\$8,410.	\$8,039.	\$11,263.	\$11,823
P3-RL62	\$3,755.	\$7,535.	\$7,713.	\$10,335.	\$10,853
P3-RL64	\$3,760.	\$7,703.	\$7,730.	\$10,522.	\$11,048
P3-RL66	\$3,941.	\$7,872.	\$7,961.	\$10,700.	\$11,236
P3-RL68	\$3,946.	\$8,043.	\$7,987.	\$10,883.	\$11,426
P3-RL70	\$3,959.	\$8,216.	\$8,011.	\$11,064.	\$11,618
P3-RL72	\$3,962.	\$8,384.	\$8,216.	\$11,248.	\$11,815
P3-RL74	\$3,968.	\$8,550.	\$8,240.	\$11,432.	\$12,006
P3-RL76	\$3,974.	\$8,722.	\$8,263.	\$11,611.	\$12,194
P3-RL80	\$3,760.	\$8,359.	\$7,737.	\$11,223.	\$11,784
P3-RL82	\$3,994.	\$8,530.	\$8,147.	\$11,403.	\$11,976
P3-RL86	\$4,223.	\$8,863.	\$8,461.	\$11,771.	\$12,357
P3-RL88	\$4,232.	\$9,029.	\$8,491.	\$11,951.	\$12,548
P3-RL90	\$4,241.	\$9,200.	\$8,518.	\$12,133.	\$12,738
P3-RL92	\$4,249.	\$9,371.	\$8,849.	\$12,315.	\$12,911
P3-RL94	\$4,256.	\$9,540.	\$8,880.	\$12,498.	\$13,123
P3-RL96	\$4,259.	\$9,713.	\$8,910.	\$12,678.	\$13,315

Order Code

Example:	P3-RL56-C-Z-SE-Y-A
P3-RL56	96" x 42" rectangular table
С	Locking casters
Z	Medium Red Mahogany top
SE	Saarinen edge profile
Υ	No grommets
A	Anodized Aluminum legs

Specify:

- 1. Pattern number
- 2. Locking castor or glide selection
- 3. Top finish selection 4. Edgeband selection
- 5. Edge profile option (veneer/wood edge only)
- 6. Grommet/Plexus cutout option
- 7. Grommet/leg finish

Finishes

·RL56-C-Z-SE-Y-A	Woodgrain laminate top finishes:
x 42" rectangular table	Light Ash (suffix 139)
king casters	Warm Ash (suffix 140) Whitened Ash (suffix 141)
dium Red Mahogany top	Grey Ash (suffix 142)
rinen edge profile	Classic Oak (suffix 143)
grommets	Graphite Pear (suffix 144)
odized Aluminum legs	Zebra (suffix 145)
	Medium Cherry (suffix 124)
	Natural Maple (suffix 125)
	Natural Cherry (suffix 126)
ner	Walnut (suffix 127)

Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

281/2"

791/4"

27"

288

Wood edge profiles: Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)

34

Flat edgeband finishes: Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118)

Grommet finishes: Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)

Electrical

+ For more detailed information, consult the Electical section of the Propeller

Grommet options: (\$51 per cutout) Tables may be specified with zero, one or two grommets. All grommets are 31/4" in diameter, see page 28 for details. Optional grommet-mounted power receptacles available, see page 90.

No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth Single grommet, left, mid-depth (BG)



Plexus Cutout Options: (\$51 per cutout) Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Tables may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 82.

For no Plexus (Y) For medium Plexus, center, mid-depth For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left & right, mid-depth (AMD)



Features Maintenance. See pages 9.

Propeller tables are certified Clean Air GOLD.

available on 48", 54" and 60" square - AM and AMD are not appropriate

for stand alone tables or end

- Configurations AM and AMD not

- Double Plexus AMD and GMD

tables and 48"x 42" tables.

35

configurations not available on 42" deep

- Plexus box not available on 42" square

(AE, SE)

\$24,468.

veneer/

\$23,304.

wood edge (PE)

Emanuela Frattini Propeller® Conference Table Series Rounded Two Segment Conference Table with Standard Legs

Wood edge profiles:

Autostrada edge (suffix AE)

Propeller edge (suffix PE)

Saarinen edge (suffix SE)

Flat edgeband finishes:

Innertone (suffix 386)

Platinum (suffix 367)

Folkstone (suffix 004)

Jet Black (suffix 111)

Bright White (suffix 118)

Bright White (suffix 118)

Anodized Aluminum (suffix A)

Medium Metallic Grev (suffix 612)

Black (suffix 111)

Mink (suffix 324)

Grommet finishes:

36

Designer(s): Emanuela Frattini, 1994 P3-CL Rounded rectangular table, 2 segments, with legs



description

overall w	d	h	A, B	included	top wgt (lbs.)
108"	42"	281/2"	54"	6	140
120"	42"	281/2"	60"	6	156
132"	42"	281/2"	66"	6	172
144"	42"	281/2"	72"	6	188
156"	42"	281/2"	78"	6	204
168"	42"	281/2"	84"	6	222
180"	42"	281/2"	90"	6	238
108"	48"	281/2"	54"	6	158
120"	48"	281/2"	60"	6	176
132"	48"	281/2"	66"	6	196
144"	48"	281/2"	72"	6	214
156"	48"	281/2"	78"	6	232
168"	48"	281/2"	84"	6	252
180"	48"	28 1/2"	90"	6	270
108"	60"	281/2"	54"	6	196
120"	60"	28 1/2"	60"	6	220
132"	60"	281/2"	66"	6	244
144"	60"	281/2"	72"	6	266
156"	60"	281/2"	78"	6	290
168"	60"	281/2"	84"	6	314
180"	60"	281/2"	90"	6	336

section width no. of legs

Note: Order 2 additional legs if tables will be seperated

Order Code P3-CL10-G-K-AE-HG-HG-

grommet and leg finish

A
108" x 42" rounded
rectangular table, 2
segments
Glides
Maple veneer top
Autostrada edge profile
Single grommet, outside,
segment A
Single grommet, outside,
segment B
Anodized Aluminum

Specify:

- 1. Pattern number
- 2. Locking caster or glide option
- 3. Top finish selection
- 4. Edgeband selection
- 5. Edge profile option (veneer/wood
- 6. Grommet/Plexus cutout option,
- segment A
- 7. Grommet/Plexus cutout option, segment B
- 8. Grommet/leg finish
- Specify additional legs: 9. Pattern number
- 10. Leg finish

Woodgrain laminate top finishes: Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)

 $Solid\ laminate\ top\ finishes:$ Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

Electrical

+ For more detailed information, consult the Electrical section of the Propeller

Grommet options: (\$51 per cutout) Individual table segments may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter, see page 28 for details. Optional grommet-mounted power receptacles available, see page 90.

No grommet (Y) Single grommet, center, mid-depth Two grommets, left & right, mid-depth Single grommet, right, mid-depth (HG)

Single grommet, left, mid-depth (BG)



P3-CL12	\$7,125.	\$20,412.	\$16,025.	\$23,739.	\$24,927.
P3-CL14	\$7,363.	\$20,672.	\$16,341.	\$24,183.	\$25,392.
P3-CL16	\$7,374.	\$20,931.	\$16,391.	\$24,631.	\$25,856.
P3-CL18	\$7,391.	\$21,187.	\$16,437.	\$25,071.	\$26,325.
P3-CL20	\$7,403.	\$21,452.	\$16,487.	\$25,516.	\$26,793.
P3-CL22	\$7,416.	\$21,711.	\$16,534.	\$25,954.	\$27,256.
P3-CL30	\$7,125.	\$20,696.	\$16,038.	\$24,183.	\$25,392.
P3-CL32	\$7,133.	\$20,956.	\$16,088.	\$24,631.	\$25,856.
P3-CL34	\$7,374.	\$21,222.	\$16,407.	\$25,071.	\$26,325.
P3-CL36	\$7,391.	\$21,480.	\$16,464.	\$25,516.	\$26,793.
P3-CL38	\$7,403.	\$21,740.	\$16,519.	\$25,954.	\$27,256.
P3-CL40	\$7,416.	\$21,999.	\$16,568.	\$26,399.	\$27,721.
P3-CL42	\$7,429.	\$22,260.	\$16,621.	\$26,843.	\$28,181.
P3-CL50	\$7,423.	\$22,337.	\$16,145.	\$26,816.	\$28,160.
P3-CL52	\$7,436.	\$22,597.	\$16,215.	\$27,257.	\$28,422.
P3-CL54	\$7,938.	\$22,858.	\$16,845.	\$27,703.	\$29,088.
P3-CL56	\$7,949.	\$23,116.	\$16,914.	\$28,143.	\$29,549.
P3-CL58	\$7,966.	\$23,376.	\$16,973.	\$28,586.	\$30,011.
P3-CL60	\$7,980.	\$23,637.	\$17,042.	\$29,035.	\$30,479.
P3-CL62	\$7,996.	\$23,898.	\$17,102.	\$29,467.	\$30,940.

laminate/

wood edge

\$20,151.

veneer/

flat edge

\$15,977.

laminate/

flat edge

\$7,111.

Plexus Cutout Options: (\$51 per cutout) Table can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 82.

pattern no.

P3-CL10

For no Plexus (Y) For medium Plexus, center, mid-depth For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD)

mid-depth (AMD)

For double medium Plexus, left & right,

AM (8 8

GM AMD

- Double Plexus AMD and GMD

- AM and AMD are not appropriate for stand alone tables or end

configurations not available on 42" deep

Features

Maintenance. See pages 9.

Propeller tables are certified Clean Air

(AE, SE)

\$34,731.

\$35,498.

\$35,881.

\$36,344. \$36,806.

\$37,276.

\$35,778.

\$36,708.

\$37,172.

\$37,642.

\$38,104.

\$38,571.

\$39,873.

\$40,663.

\$41,056.

\$41,523.

\$41,991.

\$42,450.

veneer/

\$33,075.

\$33,802.

\$34,171.

\$34,613.

\$35,052.

\$35,502.

\$34,077.

\$34,962.

\$35,404.

\$35,850.

\$36,291.

\$36,736.

\$37,972.

\$38,726.

\$39,105.


\$39,541.

\$39,991.

wood edge (PE)

Emanuela Frattini Propeller® Conference Table Series Rounded Three Segment Conference Tables with Standard Legs

Designer(s): Emanuela Frattini, 1994



P3-FL Rounded rectangular table, 3

segments	, with le	egs
8	ıþi	
Α	В	С

overall w	d	h	section width A,C	section width B	no. of legs incl.	top wgt (lbs.)
192"	42"	281/2"	60"	72"	8	248
204"	42"	281/2"	72"	60"	8	262
216"	42"	281/2"	72"	72"	8	286
228"	42"	281/2"	78"	72"	8	302
240"	42"	281/2"	84"	72"	8	320
252"	42"	281/2"	90"	72"	8	336
192"	48"	281/2"	60"	72"	8	289
204"	48"	281/2"	72"	60"	8	308
216"	48"	281/2"	72"	72"	8	327
228"	48"	281/2"	78"	72"	8	345
240"	48"	281/2"	84"	72"	8	365
252"	48"	281/2"	90"	72"	8	383
192"	60"	281/2"	60"	72"	8	359
204"	60"	281/2"	72"	60"	8	383
216"	60"	281/2"	72"	72"	8	407
228"	60"	281/2"	78"	72"	8	431
240"	60"	281/2"	84"	72"	8	455
252"	60"	281/2"	90"	72"	8	477

Note: Order 4 additional legs if table will be separated.

Order	aba

Order Code			
Example:	P3-FL10-G-SL-R6-Y-GMD- Y-GG-612		
P3-FL10	204" x 42" rounded rectangular table, 3 segments		
G	Glides		
SL	Slate laminate tops		
R6	Medium Grey edgeband		
Y	Single grommet, center, mid-depth, segment A		
GMD	Double medium plexus, center, segment B		
612	Medium Metallic Grey grommet and leg finish		

Specify:

- 1. Pattern number
- 2. Locking caster or glide option
- 3. Top finish selection
- 4. Edgeband selection
- 5. Edge profile option (veneer/wood edge only)
- 6. Grommet/Plexus cutout option, segment A
- 7. Grommet/Plexus option, segment B 8. Grommet/Plexus option, segment C
- Specify additional legs: 9. Pattern number

10. Leg finish

Finishes

Woodgrain laminate top finishes: Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)

Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

Wood edge profiles: Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)

Flat edgeband finishes: Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118)

Grommet finishes: Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118)

Electrical

+ For more detailed information. consult the Electrical section of the Propeller

Grommet options: (\$51 per cutout) Individual table segments may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter, see page 28 for details. Optional grommet-mounted power receptacles available, see page 90.

No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth

Single grommet, right, mid-depth (HG) Single grommet, left, mid-depth (BG)



Plexus Cutout Options: (\$51 per cutout)

Tables can be hardwired using pre-wired

or empty boxes, or plugged in with

plexus boxes with cordset. Individual

table segments may be specified with

plexus box and for more information, see

zero, one or two cutouts. To specify

pages 82.

pattern no.

P3-FL06

P3-FL10

P3-FL12

P3-FL14

P3-FL16

P3-FL18

P3-FL26

P3-FL30

P3-FL32

P3-FL34

P3-FL36

P3-FL38

P3-FL46

P3-FL50

P3-FL52

P3-FL54

P3-FL56

P3-FL58

For no Plexus (Y) For medium Plexus, center, mid-depth For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and

right, mid-depth (AMD)

AM 8 8 GM В GMD

Features

See pages 9.

Propeller tables are certified Clean Air

- Double Plexus AMD and GMD configurations not available on 42" deep
- AM and AMD are not appropriate for stand alone tables or end

laminate/

flat edge

\$10,786

\$11,133.

\$11,310.

\$11.353.

\$11.391

\$11.437.

\$11.096.

\$11,430.

\$11,472.

\$11,513.

\$11,559.

\$11,607.

\$11,561.

\$12,190.

\$12,236.

\$12,282.

\$12,332.

\$12,379.

laminate/

wood edge

\$26,661

\$27,335.

\$27,673.

\$27,938.

\$28,197

\$28,456.

\$27,753.

\$28,274.

\$28,529.

\$28,794.

\$29,054.

\$29,314.

\$30,382.

\$30,902.

\$31,164.

\$31,426.

\$31,686.

\$31,943.

veneer

flat edge

\$24,005.

\$24,111.

\$24,380.

\$24,516

\$24,652.

\$24,788.

\$24.213.

\$24,764.

\$24,906.

\$25,054.

\$25,196.

\$25,343.

\$24,821.

\$25,896.

\$26,061.

\$26,222.

\$26,389.

\$26,548.

veneer/

Emanuela Frattini Propeller® Conference Table Series Rounded Four Segment Conference Tables with Standard Legs

Wood edge profiles:

Autostrada edge (suffix AE)

Propeller edge (suffix PE)

Saarinen edge (suffix SE)

Flat edgeband finishes:

Innertone (suffix 386)

Platinum (suffix 367)

Folkstone (suffix 004)

Jet Black (suffix 111)

Bright White (suffix 118)

Bright White (suffix 118)

Anodized Aluminum (suffix A)

Medium Metallic Grey (suffix 612)

Black (suffix 111)

Mink (suffix 324)

Grommet finishes:

Designer(s): Emanuela Frattini, 1994



P3-EL Rounded rectangular table, 4

description

segments, with legs						
·	ψ.	1		8		
Α	В	С	D			

total w	d	h	width A,D	width B,C	incl.	(lbs.)
264"	42"	281/2"	72"	60"	10	352
276"	42"	281/2"	78"	60"	10	368
288"	42"	281/2"	78"	66"	10	384
300"	42"	281/2"	84"	66"	10	402
312"	42"	281/2"	84"	72"	10	418
324"	42"	281/2"	90"	72"	10	434
264"	48"	281/2"	72"	60"	10	402
276"	48"	281/2"	78"	60"	10	420
288"	48"	281/2"	78"	66"	10	438
300"	48"	281/2"	84"	66"	10	458
312"	48"	281/2"	84"	72"	10	478
324"	48"	281/2"	90"	72"	10	496
264"	60"	281/2"	72"	60"	10	500
276"	60"	281/2"	78"	60"	10	524
288"	60"	281/2"	78"	66"	10	548
300"	60"	281/2"	84"	66"	10	572
312"	60"	281/2"	84"	72"	10	596
324"	60"	281/2"	90"	72"	10	618

Note: Order 6 additional legs if tables will be separated.

Order Code			
Example:	P3-EL32-G-125-PE-Y-GM- GM-Y-A		
P3-EL32	276" x 48" rounded rectangular table, 4 segments		
G	Glides		
125	Natural Maple laminate top		
PE	Propeller edge		
Υ	No plexus, segment A		
GM	Single grommet, center, mid-depth, segment B		
GM	Single grommet, center, mid-depth, segment C		
Υ	No plexus, segment D		
A	Aluminum grommet and leg finish		

Specify:

- 1. Pattern number
- 2. Locking caster or glide option 3. Top finish selection
- 4. Edgeband selection
- 5. Edge profile option (veneer/wood edge only)
- segment A
- 7. Grommet/Plexus cutout option, segment B
- 8. Grommet/Plexus cutout option, segment C
- 9. Grommet/Plexus sutout option, segment D
- 10. Grommet.leg finish

Specify additional legs 11. Pattern number

- 12. Leg finish

Finishes

Woodgrain laminate top finishes: Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)

Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grev (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

Electrical

+ For more detailed information, consult the Electrical section of the Propeller

Grommet options: (\$51 per cutout) Individual table segments may be specified with zero, one or two grommets. All grommets are 3 ¼" in diameter, see page 28 for details. Optional grommet-mounted power receptacles available, see page 90.

No grommet (Y) Single grommet, center, mid-depth Two grommets, left & right, mid-depth



Single grommet, right, mid-depth (HG) Single grommet, left, mid-depth (BG)



pattern no.	flat edge	wood edge	flat edge	wood edge (PE)	(AE, SE)
P3-EL10	\$15,239.	\$26,268.	\$33,519.	\$37,330.	\$39,197.
P3-EL12	\$15,293.	\$26,608.	\$33,680.	\$37,697.	\$39,578.
P3-EL14	\$15,345.	\$26,948.	\$33,846.	\$38,061.	\$39,963.
P3-EL16	\$15,401.	\$27,281.	\$34,009.	\$38,421.	\$40,344.
P3-EL18	\$15,451.	\$27,617.	\$34,175.	\$38,793.	\$40,734.
P3-EL20	\$15,505.	\$27,959.	\$34,341.	\$39,155.	\$41,116.
P3-EL30	\$15,493.	\$27,520.	\$34,314.	\$38,738.	\$40,675.
P3-EL32	\$15,544.	\$27,862.	\$34,490.	\$39,105.	\$41,056.
P3-EL34	\$15,601.	\$28,197.	\$34,664.	\$39,468.	\$41,443.
P3-EL36	\$15,654.	\$28,529.	\$34,836.	\$39,834.	\$41,825.
P3-EL38	\$15,704.	\$28,874.	\$35,011.	\$40,197.	\$42,204.
P3-EL40	\$15,762.	\$29,210.	\$35,189.	\$40,560.	\$42,594.
P3-EL50	\$16,598.	\$31,373.	\$35,984.	\$42,980.	\$45,127.
P3-EL52	\$16,651.	\$31,601.	\$36,176.	\$43,324.	\$45,489.
P3-EL54	\$16,709.	\$32,048.	\$36,368.	\$43,714.	\$45,900.
P3-EL56	\$16,770.	\$32,493.	\$36,566.	\$44,098.	\$46,304.
P3-EL58	\$16,824.	\$32,824.	\$36,756.	\$44,468.	\$46,690.
P3-EL60	\$16,882.	\$33,173.	\$36,955.	\$44,832.	\$47,071.


laminate/

veneer/

laminate/

Plexus Cutout Options: (\$51 per cutout) Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 82.

For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)



Features See pages 9.

Propeller tables are certified Clean Air

- Double Plexus AMD and $\ensuremath{\mathsf{GMD}}$ configurations not available on 42" deep

- AM and AMD are not appropriate for stand alone tables or end

Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) 6. Grommet/Plexus cutout option, Natural Beech (suffix B) Old English Walnut (suffix V417)

(AE, SE)

\$19,927.

\$20,310.

\$20,696.

\$21,073.

\$20,665.

\$21.052.

\$21,432.

\$21.812.

\$22,900.

\$23,267.

\$23,667.

\$24,056.

veneer/

\$18,979.

\$19,341.

\$19,709.

\$20,072.

\$19,680.

\$20,049.

\$20,412.

\$20,775.

\$21,812.

\$22,152.

\$22,543.

\$22,911.

wood edge (PE)

Emanuela Frattini Propeller® Conference Table Series Rectangular Two Segment Conference Table with Standard Legs

section width, no. of legs top wgt. (lbs.) description overall w A,B incl. 42" 281/2" 148 P3-SL Rectangular table, 2 segments with 108" 54''Designer(s): 6 Emanuela Frattini, 1994 120" 42" 164 281/2" 60" 6 132" 42" 281/2" 180 66" 6 144" 42" 281/2" 72''196 6 108" 168 48" 281/2" 54''6 120" 48" 281/2" 188 60" 6 132" 48" 281/2" 66" 206 6 144" 48" 281/2" 72" 226 6 108" 210 60" 281/2" 54" 6 120" 281/2" 234 60" 60" 6 132" 281/2" 258 60" 66" 6

144"

60"

Wood edge profiles:

Autostrada edge (suffix AE)

Propeller edge (suffix PE)

Saarinen edge (suffix SE)

Flat edgeband finishes:

Innertone (suffix 386)

Platinum (suffix 367)

Folkstone (suffix 004)

Jet Black (suffix 111)

Bright White (suffix 118)

Bright White (suffix 118)

Anodized Aluminum (suffix A)

Medium Metallic Grey (suffix 612)

Black (suffix 111)

Mink (suffix 324)

Grommet finishes:

42

Note: Order 2 additional legs if tables will be seperated

Order Code			
Example:	P3-SL10-G-K-R5-BG-BG- A		
P3-SL10	108" x 42" rectangular table, 2 segments		
G	Glides		
K	Maple veneer top		
R5	Black edgeband		
BG	Single grommet, side, segment A		
BG	Single grommet, side, segment B		
Α	Anodized Aluminum grommet and leg finish		

Specify:

- 1. Pattern number
- 2. Locking caster or glide option
- 3. Top finish selection
- 4. Edgeband selection
- 5. Edge profile option (veneer/wood edge only)
- 6. Grommet/Plexus cutout option, segment A
- 7. Grommet/Plexus cutout option, segment B
- 8. Grommet/leg finish

Finishes

Woodgrain laminate top finishes: Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)

Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

281/2"

72"

6

Grommet options: (\$51 per cutout) Individual table segments may be All grommets are 3 1/4" in diameter, see page 28 for details. Optional grommet-mounted power receptacles available, see page 90.

> No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG)



Electrical

+ For more detailed information, consult the Electrical section of the Propeller

282

specified with zero, one or two grommets.

Single grommet, right (BG)

	٥	c
Y	A	G
۰	0	

AM 8 8 GM AMD В

GMD

For medium Plexus, center, mid-depth - Double Plexus AMD and GMD

Plexus Cutout Options: (\$51 per cutout)

Tables can be hardwired using pre-wired

or empty boxes, or plugged in with

plexus boxes with cordset. Individual

table segments may be specified with

plexus box and for more information, see

zero, one or two cutouts. To specify

For medium Plexus, left & right,

For double medium Plexus, center,

For double medium Plexus, left and

pages 82.

For no Plexus (Y)

mid-depth (AM)

mid-depth (GMD)

right, mid-depth (AMD)

configurations not available on 42" deep

- AM and AMD are not appropriate for stand alone tables or end

laminate/

flat edge

\$6,799.

\$6,928.

\$7,032.

\$7,102.

\$6,813.

\$6,942.

\$7,038.

\$7,113.

\$7,362.

\$7,992.

\$8,035.

\$8,125.

Features

laminate/

wood edge

\$13,459.

\$13,800.

\$14,139.

\$14,472.

\$14,082.

\$14,423.

\$14,761

\$15,102.

\$16,061.

\$16,300.

\$16,742.

\$17,077.

veneer

flat edge

\$13,861

\$13,904.

\$14,356.

\$14,434.

\$14,516.

\$14.566.

\$15,028.

\$15.071.

\$15,450.

\$16,020.

\$16,096.

\$16,218.

See pages 9.

Propeller tables are certified Clean Air

43

pattern no.

P3-SL10

P3-SL12

P3-SL14

P3-SL16

P3-SL30

P3-SL32

P3-SL34

P3-SL36

P3-SL50

P3-SL52

P3-SL53

P3-SL56

(AE, SE)

veneer/ wood edge (PE)

Emanuela Frattini Propeller® Conference Table Series Rectangular Three Segment Conference Table with Standard Legs

Wood edge profiles:

Autostrada edge (suffix AE)

Propeller edge (suffix PE)

Saarinen edge (suffix SE)

Flat edgeband finishes:

Innertone (suffix 386)

Platinum (suffix 367)

Folkstone (suffix 004)

Jet Black (suffix 111)

Bright White (suffix 118)

Bright White (suffix 118)

Anodized Aluminum (suffix A)

Medium Metallic Grev (suffix 612)

Black (suffix 111)

Mink (suffix 324)

Grommet finishes:

44

Designer(s): Emanuela Frattini, 1994 P3-TL Rectangular table, 3 segments, with

	Α		В		С	
0	ф		ψ		ψ	φ.
8		8		#		0
le	gs					

total w	d	h	section width A,C	section width B	no. of legs incl.	top wgt. (lbs.)
156"	42"	281/2"	54"	48"	8	214
168"	42"	281/2"	60"	48"	8	230
180"	42"	281/2"	60"	60"	8	246
192"	42"	281/2"	66"	60"	8	262
204"	42"	281/2"	72"	60"	8	278
216"	42"	281/2"	72"	72"	8	294
156"	48"	281/2"	54"	48"	8	243
168"	48"	28 1/2"	60"	48"	8	263
180"	48"	28 1/2"	60"	60"	8	282
192"	48"	28 1/2"	66"	60"	8	300
204"	48"	281/2"	72"	60"	8	320
216"	48"	281/2"	72"	72"	8	339
156"	60"	281/2"	54"	48"	8	304
168"	60"	281/2"	60"	48"	8	328
180"	60"	281/2"	60"	60"	8	351
192"	60"	281/2"	66"	60"	8	375
204"	60"	281/2"	72"	60"	8	399
216"	60"	281/2"	72"	72"	8	423

Note: Order 4 additional legs if tables will be seperated

1	-4	er	_	~	1~	

Order Code			
Example:	P3-TL10-G-SL-5-GG-AG- GG-612		
P3-TL10	156" x 42" rounded		
	rectangular table, 3		
	segments		
G	Glides		
SL	Slate laminate top		
5	Medium Grey edgeband		
GG	Single grommet, center,		
	segment A		
AG	Two grommets, left and		
	right, mid-depth, segment B		
GG	Single grommet, center,		
	segment C		
612	Medium Metallic Grey		
	grommet and leg finish		

Specify:

- 1. Pattern number
- 2. Locking caster or glide option
- 3. Top finish selection
- 4. Edgeband selection
- 5. Edge profile option (veneer/wood
- 6. Grommet/Plexus cutout option, segment A
- 7. Grommet/Plexus cutout option, segment B
- 8. Grommet/Plexus cutout option, segment C
- 9. Grommet/leg finish

Finishes

Woodgrain laminate top finishes: Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)

Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON)

Fumed Oak (suffix OF)

Ebonized Oak (suffix OE)

Electrical

+ For more detailed information, consult the Electrical section of the Propeller

Grommet options: (\$51 per cutout) Individual table segments may be specified with zero, one or two grommets. All grommets are 31/4" in diameter, see page 28 for details. Optional grommet-mounted power receptacles available, see page 90.

No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth Single grommet, side (BG)

P3-TL56	\$11,724.
P3-TL58	\$11,835.
P3-TL60	\$11,893.

Plexus Cutout Options: (\$51 per cutout) Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 82.

pattern no.

P3-TL10

P3-TL12

P3-TL14

P3-TL16

P3-TL18

P3-TL20

P3-TL30

P3-TL32

P3-TL34

P3-TL36

P3-TL38

P3-TL40

P3-TL50

P3-TL52

P3-TL54

For no Plexus (Y) For medium Plexus, center, mid-depth For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD)

For double medium Plexus, left and right, mid-depth (AMD)

AM GM 8 8 AMD

- Double Plexus AMD and GMD configurations not available on 42" deep

- AM and AMD are not appropriate for stand alone tables or end

\$9,610 \$19,525. \$29,178. \$20,354. \$27,789. \$19,863 \$20,399. \$29,566. \$9,739. \$28,155. \$9,936. \$20,198. \$20,429. \$28,519. \$29,945. \$20,888. \$10,035. \$20,538. \$28,886. \$30,331. \$10,108. \$20,880. \$20,962. \$29,252. \$30,713. \$10,192. \$21.222 \$21.227. \$29,614. \$31.097. \$9,758. \$20,435. \$21,367 \$28,845. \$30,288. \$9,894. \$20,775. \$21,430. \$29,210. \$30.671. \$29,574. \$31,051. \$9,969. \$21,139. \$21,478. \$10,074. \$21,480. \$21,957. \$29,937. \$31,433. \$10,157. \$21,812. \$22,027. \$30,307. \$31,818. \$10,252. \$22,152. \$22,300. \$30,664. \$32,198. \$10,671. \$23,428. \$23,004. \$32,048. \$33,650. \$11,330. \$23,664. \$23,623. \$32,388. \$34,009. \$23,953. \$23,981. \$32,735. \$34,372. \$11,675. \$24,399. \$24,096. \$33,132. \$34,789. \$24,731. \$24,260. \$33,491. \$35,166. \$25,123. \$24,341. \$35,560.

laminate/

wood edge

veneer

flat edge

laminate/

flat edge

Features

Maintenance. See pages 9.

Propeller tables are certified Clean Air

(AE, SE)

\$39,197.

veneer/

\$37,330.

wood edge (PE)

Emanuela Frattini Propeller® Conference Table Series Rectangular Four Segment Conference Table with Standard Legs

Wood edge profiles:

Autostrada edge (suffix AE)

Propeller edge (suffix PE)

Saarinen edge (suffix SE)

Flat edgeband finishes:

Innertone (suffix 386)

Platinum (suffix 367)

Folkstone (suffix 004)

Jet Black (suffix 111)

Bright White (suffix 118)

Bright White (suffix 118)

Anodized Aluminum (suffix A)

Medium Metallic Grey (suffix 612)


Black (suffix 111)

Mink (suffix 324)

Grommet finishes:

46

Designer(s): Emanuela Frattini, 1994



P3-VL	Recta	ıngular tal	ole, 4 seg	ments, with
legs				

description

total w	d	h	width A,D	width B,C	inel.	(lbs.)
228"	42"	281/2"	60"	54"	10	312
240"	42"	281/2"	60"	60"	10	328
252"	42"	281/2"	66"	60"	10	344
264"	42"	281/2"	66"	66"	10	360
276"	42"	281/2"	72"	66"	10	376
288"	42"	281/2"	72"	72"	10	392
228"	48"	281/2"	60"	54"	10	356
240"	48"	281/2"	60"	60"	10	376
252"	48"	281/2"	66"	60"	10	394
264"	48"	281/2"	66"	66"	10	412
276"	48"	281/2"	72"	66"	10	432
288"	48"	281/2"	72"	72"	10	452
228"	60"	281/2"	60"	54"	10	444
240"	60"	281/2"	60"	60"	10	468
252"	60"	281/2"	66"	60"	10	492
264"	60"	281/2"	66"	66"	10	516
276"	60"	281/2"	72"	66"	10	540
288"	60"	281/2"	72"	72"	10	564

section

Note: Order 6 additional legs if tables will be seperated

Example:	P3-VL32-G-125-R5-Y-BG-
	BG-Y-A
P3-VL32	276" x 48" rounded
	rectangular table, 4
	segments
G	Glides
125	Natural Maple laminate top
R5	Black edgeband
Y	No grommet, segment A
BG	Single grommet, right,
	segment B
BG	Single grommet, right,
	segment C
Y	No grommet, segment D
A	Aluminum grommet and leg
	finish

- 1. Pattern number
- 2. Locking caster or glide option
- 3. Top finish selection
- 4. Edgeband selection
- 5. Edge profile option (veneer/wood edge only)
- 6. Grommet/Plexus cutout option, segment A
- 7. Grommet/Plexus cutout option, segment B
- 8. Grommet/Plexus cutout option, segment C
- 9. Grommet/Plexus cutout option, segment D
- 10. Grommet/leg finish

 $Wood grain\ laminate\ top\ finishes:$ Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grev Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)

Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

Electrical

+ For more detailed information, consult the Electrical section of the Propeller

no. of legs top wgt.

section

Grommet options: (\$51 per cutout) Individual table segments may be specified with zero, one or two grommets. All grommets are 31/4" in diameter, see page 28 for details. Optional grommet-mounted power receptacles available, see page 90.

No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, right (BG)



P3-VL12 \$39,578. \$12,932. \$26,608. \$26,937 \$37,697. P3-VL14 \$13,059. \$26,948. \$27,486. \$38,061. \$39,839. P3-VL16 \$13,176. \$27,281 \$27,982. \$38,421. \$40,344. P3-VL18 \$13,266. \$28,107 \$38,793. \$40,734. \$27,617 P3-VL20 \$13,360. \$27,959. \$28,222. \$39,155. \$41,116. P3-VL30 \$12,942. \$27,520. \$28,584. \$38,738. \$40,675. P3-VL32 \$13.093. \$27.862. \$28,682. \$39,105. \$41.056. P3-VL34 \$39,468. \$13,210. \$28,197. \$29,201. \$41,443. P3-VL36 \$13,328. \$28,529. \$39,834. \$41,825. \$29,714. P3-VL38 \$13,413. \$28,874. \$29,812. \$40,197. \$42,204. P3-VL40 \$13,511. \$29,210. \$29,913. \$40,560. \$42,594. P3-VL50 \$14,757. \$31,373. \$31,518. \$42,980. \$45,127. P3-VL52 \$15,431 \$31,601. \$32,165. \$43,324. \$45,489. P3-VL54 \$15,491 \$32,048. \$32,294. \$43,714. \$45,900. P3-VL56 \$15,544. \$32,493. \$32,425. \$44,098. \$46,304. P3-VL58 \$15,665. \$32,824. \$32,607. \$44,468. \$46,690. P3-VL60 \$15,788. \$33,173. \$32,786. \$44,832. \$47,071.

laminate/

wood edge

\$26,268.

veneer

flat edge

\$26,846.

laminate/

flat edge

\$12,786

Plexus Cutout Options: (\$51 per cutout) Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 82.

pattern no.

P3-VL10

For no Plexus (Y) For medium Plexus, center, mid-depth For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)

GM 8 8 AMD В

GMD

Propeller tables are certified Clean Air GOLD.

Features

Maintenance. See pages 9.

- Double Plexus AMD and GMD configurations not available on 42" deep

- AM and AMD are not appropriate for stand alone tables or end


Emanuela Frattini Propeller® Conference Table Series Conference Tables with Drum and Peanut Base Product Information


Below are only a few examples of suggested configurations using Propeller Conference tables with Drum and Peanut base.

The inherent flexibility of Propeller tables allows for applications Ideal for conference rooms and break-out areas.

Table types and configurations






















Ordering Information

Specify:

1. Pattern number

2. 2. Top finish selection

3. 3. Edgeband selection

4. 4. Grommet option 5. 5. Base finish

*D/P, D= Drum base, P= Peanut base

Rectangular table P3-RD/P P3-BD/P Bullet conference table P3-ND/P Rounded rectangular table P3-DD/P Round conference table P3-SD/P Square conference table P3-BD/P Rounded square table P3-SD/P Rectangular table, 2 segments Rectangular table, 3 segments Rectangular table, 4 segments Rounded rectangular table, 2 P3-FD/P Rounded rectangular table, 3

segments

Rounded rectangular table, 4

Contruction

13/16" thick, 3-ply, solid medium density fiberboard core with balanced backer sheet on bottom. Wood veneer or plastic laminate. Threaded inserts are die-cast zinc.

Edges:

All table edges are finished, allowing ganged tables to be separated and used individually; ABS flat edgeband and solid wood edge are available. On rectangular tables with wood edges, short sides have rectilinear edges for ganging, long side edges are chamferred.

Long side edge detail: Solid wood



Short side edge detail: Solid wood


48

Flat edgeband: ABS flat edgeband, with integral color.

Wood Edge Profiles:

AutoStrada and Saarinen edge profiles are available as long side edge details. On rectangular tables with wood edges, short sides have rectilinear edges for ganging, long side edges are chamferred. Please contact your Knoll representative for pricing.

Long side edge detail: AutoStrada profile = AE



Long side edge detail: Saarinen profile = SE




Table with drum base

Three sizes available.

Conference tables with Drum and Peanut bases offer enhanced wire

shared between two segments.

management capability and unobstructed kneespace. On most tables drum

and peanut bases will be located at the center of the table or segment, some


exceptions arise on tables with three and four segments, where a base is

Small: an 18" round drum with a 25" round footplate Medium: an 18" round drum with a 30" round

footplate Large: a 23" round drum with a 30" round footplate

Please refer to base size when ordering a drum base

Drum base side panels are available as perforated metal with silver powder coat finish or matching



Three sizes available.

Small: a 13" square drum with a 25" square footplate Medium: a 13" square drum with a 30" square

Large: a 16½" square drum with a 30" square

Please refer to base size when ordering a square drum base table.

Square drum base side panels are available in a perforated solid metal with silver powder coat finish or matching veneer side panels.

Three different Drum bases are offered, to suit varying top shapes and size of tables. Certain larger tables may require support frames under the table top. A Peanut base suits all table sizes.



Table with rectangular drum base

Four sizes available.

Small: a 24" x 13" rectangular base with a 36" x 30" rectangular footplate

Medium: a 24" x 13" rectangular base with a 48" x 30" rectangular footplate

Large: a 31" x 16" rectangular base with a 36" x 36" rectangular footplate

X-Large: a 16" x 31" rectangular base with a 48" x 36" rectangular footplate

Please refer to base size when ordering a rectangular drum base table

Rectangular drum base side panels are available as solid metal with silver powder coat finish or matching veneer side panels.

All 42", 48", and 60" tables feature the 27" x 8" Peanut base.



Side panels:

The side panels of the Drum are available in 18-gauge perforated metal with a silver powder coat finish or solid veneer (same finishes as veneer tops). Veneer panels interior finish, black powder coat sheet metal.

Panels feature black nylon fastners and are easily removable without tools, providing immediate access to wiring, in compliance with UL guidelines.




Field attachment of Drum and Peanut base to table top is necessary. Some larger configurations require attachment of support frame. Tops ship with pre-drilled holes for frame attachment.

Connecting plate:

For configurations using more than one segment, tops must connected using connector plates (included in box), inserted in pre-drilled holes.



Leveling: Drum base All Drums have leveling nuts to allow for irregularities in the floor.



Leveling: Peanut base All peanut bases have leveling glides to allow for irregularities in the floor.



Electrical options:

Compatible with shallow Plexus Boxes. All Drum/Peanut bases feature internal wire managment hooks. All tables with frames ship with wire management C-clips.





Tops, Drum/Peanut bases and frames are shipped separately. Drum and Peanut bases ship fully-assembled. Support frames, required for some larger tables are shipped in a box. Tops are predrilled for frame or base.

Emanuela Frattini Propeller® Conference Table Series Round/Rounded, Square/Rectangular and Bullet Tables with Drum Base

	Drum Base description	w	d	h	base size	no. of drums	frame	table weight (lbs.)
Designer(s):	P3-DD Round table with drum base		48"	281/2"	S	1	N	142
Emanuela Frattini, 2004			54"	281/2"	M	1	N	173
			60"	281/2"	L	1	N	202
	P3-MD Rounded square table with drum		48"	281/2"	M	1	N	160
	base		54"	281/2"	M	1	N	178
			60"	28½″	L	1	N	209
	P3-ND Rounded rectangular table, with drum base	60"	48"	281/2"	M	1	N	181
	P3-BD Bullet table, with drum base	54"	48"	281/2"	M	1	N	177
		60"	48"	281/2"	M	1	N	186
		54"	60"	281/2"	L	1	N	208
		60"	60"	281/2"	L	1	N	220
		66"	60"	281/2"	L	1	N	232

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge	veneer/wood edge (AE, SE)
P3-DD48	\$5,995.	\$9,337.	\$8,561.	\$11,742.	\$12,332.
P3-DD54	\$6,525.	\$10,112.	\$9,260.	\$12,572.	\$13,206.
P3-DD60	\$6,694.	\$10,266.	\$9,659.	\$12,973.	\$13,624.
P3-MD48	\$6,517.	\$9,912.	\$10,354.	\$13,409.	\$14,082.
P3-MD54	\$6,705.	\$10,319.	\$10,667.	\$13,816.	\$14,508.
P3-MD60	\$6,876.	\$10,522.	\$11,197.	\$14,401.	\$15,118.
P3-ND64	\$6,811.	\$10,882.	\$11,352.	\$15,214.	\$15,975.
P3-BD62	\$6,699.	\$11,564.	\$10,964.	\$13,900.	\$14,593.
P3-BD64	\$6,706.	\$11,612.	\$10,995.	\$14,023.	\$14,723.
P3-BD82	\$7,145.	\$12,329.	\$11,797.	\$14,605.	\$15,335.
P3-BD84	\$7,151.	\$12,374.	\$11,830.	\$14,969.	\$15,718.
P3-BD86	\$7,388.	\$12,842.	\$12,118.	\$15,315.	\$16,077.

Order Code

Example:	P3-ND64-K-PE-GM-WK
P3-ND64	60" x 48" Rounded
	rectangular table
K	Maple veneer top
PE	Propeller edge profile
GM	Center plexus
WK	Maple veneer drum finish
	(\$979 upcharge)

Specify:

- 1. Pattern number
- 2. Top finish selection3. Edgeband selection
- Edge profile option (veneer/wood edge only)
- 5. Grommet/Plexus cutout option
- 6. Drum base finish (upcharge for veneer drum)

Finishes

Woodgrain laminate top finishes: Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144) Zebra (suffix 145) Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)

Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes:
Brown Oak (suffix V427)
Burnt Walnut (suffix V313)
Chalk Oak (suffix V421)
Ebonized Walnut (suffix D)
Graphite Oak (suffix V513)
Light Oak (suffix V423)
Maple (suffix K)
Natural Beech (suffix B)
Old English Walnut (suffix V417)
Ebonized Oak (suffix OE)

Wood edge profiles: Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)

Flat edgeband finishes: Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118)

Grommet finishes: Anodized Aluminum (suffix A)

50

Drum Base Finishes: Perforated Aluminum (suffix A)

 ${\it Veneer \, Drum \, Base \, Finishes \, (upcharge \, applies)}$

For veneer drum base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple drum finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder coat finish.

1 base (small and medium) \$971 1 base (large) \$1,166


Electrical

+ For more detailed information, consult the Electrical section of the Propeller Manual.

Grommet Option: (\$51 per cutout)
Tables may be specified with zero, one or two grommets. All grommets are 3 \(\frac{4}{9} \) in diameter, see page 48 for details.

Optional grommet-mounted power receptacles available, see page 90.


For no grommet: (suffix Y)
For center grommet: (GG)
For mid depth grommet, left and right: (AG)



Plexus Option: (\$51 per cutout)
Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. Tables may be

specified with zero, one or two cutouts.
All drum base can accommodate shallow medium plexus boxes, 60" tables can also accommodate double wide shallow medium plexus boxes. To specify plexus box and for more information, see pages

For no plexus: (suffix Y)
For center plexus: (GM)
For center double plexus: (GMD)



Features

Maintenance: See pages 9.

Frame:

Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion shipped with c-clips for wire management. For tables without a frame, please see page 78 to specify C-clips seperately.

Base Location:

In most cases Drum bases will be located at the center of the table or segment - some exceptions arise on the multi-segment tables, where some drums are shared between two segments.

Note:

51

Propeller tables are certified Clean Air GOLD.

AM and AMD are not appropriate for stand alone tables or end segments.

veneer/

\$25,849.

\$25,991.

\$26,399.

\$28,565.

\$29,090.

\$33,578.

\$26,940.

\$27,089.

\$27,818.

\$29,989.

\$29,593.

\$29,912.

\$40,760.

\$42,099.

\$42,721.

\$43,493.

\$43,754.

\$44,785.

\$42,580.

\$44,844.

\$45,487.

\$46,281.

\$46,562.

\$47,611.

wood edge (PE)

veneer/wood edge

(AE, SE)

\$27,142.

\$27,289.

\$27,722.

\$29,992.

\$30,544.

\$35,256.

\$28,286.

\$28,443.

\$29,209.

\$31,489.

\$31,071.

\$31,406.

\$42,799.

\$44,207.

\$44.859

\$45,668.

\$45,942.

\$47.018.

\$44,703.

\$47,090.

\$47,761.

\$48,596.

\$48,892.

\$49,994.

Emanuela Frattini Propeller® Conference Table Series Rounded Two, Three and Four Segment Conference Tables with Drum Base

	description	total w	d	h	section width, outside	section width, inside	base size	no. of drums	frame	table wgt. (lbs.)
Designer(s):	P3-CD Rounded rectangular table, 2	108"	48"	281/2"	54"		S	2	N	324
Emanuela Frattini, 2004	segments, with drum base	120"	48"	281/2"	60"		S	2	N	342
		132"	48"	281/2"	66"		S	2	N	362
		144"	48"	281/2"	72"		S	2	Y	380
	А В	156"	48"	281/2"	78"		S	2	Y	398
		168"	48"	281/2"	84"		S	2	Y	501
		108"	60"	281/2"	54"		L	2	N	416
		120"	60"	281/2"	60"		L	2	N	440
		132"	60"	281/2"	66"		L	2	N	464
		144"	60"	281/2"	72"		L	2	Y	486
		156"	60"	281/2"	78"		L	2	Y	510
_		168"	60"	281/2"	84"		L	2	Y	534
	P3-FD Rounded rectangular table, 3 segments, with drum base	192"	48"	281/2"	60"	72"	S	3	Y	538
		204"	48"	281/2"	72"	60"	S	3	Y	557
		216"	48"	281/2"	72"	72"	S	3	Y	576
		228"	48"	281/2"	78"	72"	S	3	Y	594
	A B C	240"	48"	281/2"	84"	72"	S	3	Y	614
		252"	48"	281/2"	90"	72"	S	3	Y	632
		192"	60"	281/2"	60"	72"	L	3	Y	689
		204"	60"	281/2"	72"	60"	L	3	Y	632
		216"	60"	281/2"	72"	72"	L	3	Y	737
		228"	60"	281/2"	78"	72"	L	3	Y	761
		240"	60"	281/2"	84"	72"	L	3	Y	785
		252"	60"	281/2"	90"	72"	L	3	Y	807

Finishes

Example:	P3-ED34-117-R5-AM-AM- A
P3-ED34	48" x 288" Rounded rectangular table
117	Soft Grey laminate top
R5	Black edgeband
AM	Medium plexus, left and right, segment A
AM	Medium plexus, left and right, segment B
A	Perforated drum anodized finish

Specify:

Order Code

- 1. Pattern number
- 2. Top finish selection
- 3. Edgeband selection
- 4. Edge profile option (veneer/wood edge only)
- Grommet/Plexus cutout option, segment A
- 6. Grommet/Plexus cutout option, segment B
- 7. Grommet/Plexus cutout option, segment C
- 8. Grommet/Plexus cutout option, segment D
- 9. Drum base finish (upcharge for veneer drum)

Woodgrain laminate top finish	he
Light Ash (suffix 139)	
Warm Ash (suffix 140)	
Whitened Ash (suffix 141)	
Grey Ash (suffix 142)	
Classic Oak (suffix 143)	
Graphite Pear (suffix 144)	
Zebra (suffix 145)	
Medium Cherry (suffix 124)	
Natural Maple (suffix 125)	
Natural Cherry (suffix 126)	
Walnut (suffix 127)	

Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON)

Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

Wood edge profiles: Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)

Flat edgeband finishes: Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118)

52

Grommet finishes: Anodized Aluminum (suffix A) Drum Base finishes: Perforated Aluminum (suffix A)

Veneer Drum Base finishes: (upcharge applies) For veneer drum base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple drum finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder

2 bases (small) \$2,022 2 bases (large) \$2,422 3 bases (small) \$2,245 3 bases (large) \$3,032 4 bases (small) \$4.043 4 bases (large) \$4,848

coat finish.

Εl	ec	tri	ca	l
----	----	-----	----	---

pattern no.

P3-CD30

P3-CD32

P3-CD34

P3-CD36

P3-CD38

P3-CD40

P3-CD50

P3-CD52

P3-CD54

P3-CD56

P3-CD58

P3-CD60

P3-FD26

P3-FD30

P3-FD32

P3-FD34

P3-FD36

P3-FD38

P3-FD46

P3-FD50

P3-FD52

P3-FD54

P3-FD56

P3-FD58

+ For more detailed information. consult the Electrical section of the Propeller Manual.

Grommet options: (\$51 per cutout) Individual table segments may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 48 for details. Optional grommet-mounted power receptacles available, see page 90.

No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth Single grommet, right, mid-depth (HG) Single grommet, left, mid-depth (BG)



Plexus cutout options: (\$51 per cutout) Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base can accomodate shallow medium plexus

laminate/

flat edge

\$12,660.

\$12,670

\$12,911.

\$14,936.

\$15,339.

\$19,696.

\$13,895.

\$13,905.

\$14,404.

\$16,437.

\$15,901

\$16,077

\$23,052.

\$23,384.

\$23,793.

\$24,348.

\$24,395.

\$25,202.

\$24,918.

\$25,549.

\$25,953.

\$26,514.

\$26,567.

\$27,375.

laminate/

wood edge

\$23,017

\$23,119.

\$23,634.

\$25,643

\$26 103

\$30,295.

\$24,290.

\$24,402.

\$25,390.

\$27,392.

\$26,982.

\$27,239.

\$35,301

\$37,411

\$37 904

\$38 561

\$38 683

\$39,544.

\$36,706.

\$41,108.

\$41,602.

\$42,270.

\$42,391.

\$43,273.

veneer

flat edge

\$20,958.

\$21,005

\$21,323.

\$23,327

\$23,747.

\$28,010.

\$21.973.

\$22,033.

\$22,653.

\$24,672.

\$24,202.

\$24,418

\$35,132

\$35,670

\$36,157

\$36,800

\$36,940.

\$37,820

\$37.074.

\$38,124.

\$38,633.

\$39,292.

\$39,449.

\$40,349.

boxes, 60" tables can also accomodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more nformation, see pages 82.

> For no Plexus (Y) For medium Plexus, center, mid-depth For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)

AM 8 8

GM

Features

Maintenance:

See pages 9.

under the table. Frame is an aluminum extrusion and is shipped with C-clips for wire management. For tables without a frame, please see page 78 to specify clips seperately.

Larger tables will incorporate a frame

Base Location:

In most cases Drum bases will be located at the center of the table or segment some exceptions arise on the multi-segment tables, where some drums are shared between two segments.

Propeller tables are certified Clean Air

AM and AMD are not appropriate for stand alone tables or end segments

veneer/ wood edge (PE)

\$52,659.

\$53,281.

\$53,517.

\$58,883.

\$59,280.

\$60,344.

\$55,121.

\$55,765.

\$56,087.

\$60,863.

\$61,283.

\$62,365.

veneer/wood edge

(AE, SE)

\$55,290.

\$55,942.

\$56,197.

\$61.830.

\$62,245.

\$63,361.

\$57,881.

\$58,557.

\$58,891.

\$63,903.

\$64,346.

\$65,490.

Emanuela Frattini Propeller® Conference Table Series Rounded Two, Three and Four Segment Conference Tables with Drum Base section section

Designer(s): Emanuela Frattini, 2004




P3-ED R	ounded r	ectangula	ar table, 4
segments	, with dru	ım base	
			_

description

Α	В	С	D
	0	0	
-			

total w	d	h	width, outside	width, inside	base size	no. of drums	frame	wgt. (lbs.)
264"	48"	281/2"	72"	60"	S	3	Y	651
276"	48"	281/2"	78"	60"	S	3	Y	669
288"	48"	281/2"	78"	66"	S	3	Y	687
300"	48"	281/2"	84"	66"	S	4	Y	790
312"	48"	281/2"	84"	72"	S	4	Y	810
324"	48"	281/2"	90"	72"	S	4	Y	828
264"	60"	281/2"	72"	60"	L	3	Y	830
276"	60"	281/2"	78"	60"	L	3	Y	854
288"	60"	281/2"	78"	66"	L	3	Y	878
300"	60"	281/2"	84"	66"	L	4	Y	1012
312"	60"	281/2"	84"	72"	L	4	Y	1036
324"	60"	281/2"	90"	72"	L	4	Y	1058





O	dei	 \sim d	

Example:	P3-ED34-117-R5-AM-AM- A
P3-ED34	48" x 288" Rounded
	rectangular table
117	Soft Grey laminate top
R5	Black edgeband
AM	Medium plexus, left and
	right, segment A
AM	Medium plexus, left and
	right, segment B
A	Perforated drum anodized
	finish

Specify:

- $1. \ \ Pattern\ number$
- 2. Top finish selection
- 3. Edgeband selection
- 4. Edge profile option (veneer/wood edge only)
- Grommet/Plexus cutout option, segment A
- 6. Grommet/Plexus cutout option, segment B
- 7. Grommet/Plexus cutout option, segment C
- 8. Grommet/Plexus cutout option, segment D
- 9. Drum base finish (upcharge for veneer drum)

Finishes

P3-ED34-117-R5-AM-AM- A	Woodgrain laminate top fini Light Ash (suffix 139)
48" x 288" Rounded rectangular table	Warm Ash (suffix 140) Whitened Ash (suffix 141)
Soft Grey laminate top Black edgeband	Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
Medium plexus, left and right, segment A	Zebra (suffix 145) Medium Cherry (suffix 124)
Medium plexus, left and right, segment B	Natural Maple (suffix 125) Natural Cherry (suffix 126)
Perforated drum anodized	Walnut (suffix 127)

 $Solid\ laminate\ top\ finishes:$ Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON)

Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

Wood edge profiles: Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)

Flat edgeband finishes: Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118)

Grommet finishes: Anodized Aluminum (suffix A) Drum Base finishes: Perforated Aluminum (suffix A)

Veneer Drum Base finishes: (upcharge applies) For veneer drum base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple drum finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder

2 bases (small) \$2,022 2 bases (large) \$2,422 3 bases (small) \$2,245 3 bases (large) \$3,032 4 bases (small) \$4.043 4 bases (large) \$4,848

coat finish.

Electrical

pattern no.

P3-ED30

P3-ED32

P3-ED34

P3-ED36

P3-ED38

P3-ED40

P3-ED50

P3-ED52

P3-ED54

P3-ED56

P3-ED58

P3-ED60

+ For more detailed information. consult the Electrical section of the Propeller Manual.

Grommet options: (\$51 per cutout) Individual table segments may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 48 for details. Optional grommet-mounted power receptacles available, see page 90.

No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth Single grommet, right, mid-depth (HG) Single grommet, left, mid-depth (BG)



Plexus cutout options: (\$51 per cutout) Tables can be hardwired using pre-wired or empty boxes, or plugged in with

plexus boxes with cordset. All drum base can accomodate shallow medium plexus boxes, 60" tables can also accomodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 82. For no Plexus (Y)

For medium Plexus, center, mid-depth For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)

laminate/

flat edge

\$28,183.

\$28,564.

\$28,616.

\$33,119.

\$33,271.

\$34.091.

\$29,287.

\$29,670.

\$29,726.

\$34,239.

\$34,390.

\$35,210.

laminate/

wood edge

\$41,549.

\$42,009.

\$42,114.

\$51.349.

\$51.349.

\$52,485.

\$44,430.

\$44.895.

\$45,004.

\$54,305.

\$54,564.

\$55,462.

veneer/

flat edge

\$45,674.

\$46,154.

\$46,325.

\$50,802.

\$51,068.

\$51.985.

\$47.291.

\$47,794.

\$47,985.

\$52,482.

\$52,770.

\$53,700.

AM

GM

55

Features Maintenance: See pages 9 .

Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion and is shipped with C-clips for wire management. For tables without a frame, please see page 78 to specify clips seperately.

Base Location:

In most cases Drum bases will be located at the center of the table or segment some exceptions arise on the multi-segment tables, where some drums are shared between two segments.

Propeller tables are certified Clean Air

AM and AMD are not appropriate for stand alone tables or end segments.

veneer/

veneer/wood edge

Emanuela Frattini Propeller® Conference Table Series Square/Rectangular Conference Tables with Square/Rectangular Drum Base

	description	overall width	d	h	base size	no. of drums	frame	weight (lbs.)
Designer(s):	P3-SS Square table, with square drum base	48"	48"	281/2"	M	1	N	173
Emanuela Frattini		54"	54"	281/2"	M	1	N	193
		60"	60"	281/2"	L	1	N	227
	P3-RS Rectangular table, with square drum		48"	281/2"	M	1	N	182
	base	60"	48"	281/2"	M	1	N	192
		48"	60"	281/2"	L	1	N	204
		54"	60"	281/2"	L	1	N	215
	P3-RR Rectangular table, with rectangular	72"	48"	281/2"	S	1	Y	226
	drum base	84"	48"	281/2"	M	1	Y	267
		72"	60"	281/2"	L	1	Y	270
		84"	60"	281/2"	XL	1	Y	319

pattern no.	flat edge	wood edge	wood edge flat edge wood		(AE/SE
P3-SS48	\$5,653.	\$8,078.	\$8,401.	\$10,035.	\$10,336.
P3-SS54	\$5,851.	\$8,572.	\$8,960.	\$10,739.	\$11,075.
P3-SS60	\$6,071.	\$8,872.	\$9,359.	\$11,201.	\$11,547.
P3-RS62	\$5,769.	\$8,711.	\$9,449.	\$11,032.	\$11,382.
P3-RS64	\$5,779.	\$8,749.	\$9,486.	\$11,096.	\$11,439.
P3-RS80	\$5,982.	\$8,960.	\$9,710.	\$11,308.	\$11,655.
P3-RS82	\$6,200.	\$9,421.	\$10,072.	\$11,719.	\$12,088.
P3-RR68	\$6,203.	\$9,448.	\$9,977.	\$11,684.	\$12,048.
P3-RR72	\$8,758.	\$12,088.	\$12,737.	\$14,546.	\$14,932.
P3-RR88	\$6,970.	\$10,532.	\$10,940.	\$12,728.	\$13,121.
P3-RR92	\$9,635.	\$13,275.	\$13,927.	\$15,820.	\$16,234.

laminate/

veneer/

laminate/

Example:	P3-SS54-V417-SE-Y- WV417
P3-SS54	54" x 54" Square table
	square drum base

Order Code

Square table with um base V417 Old English Walnut veneer top Saarinen edge detail No grommet/plexus cutout Old English Walnut veneer WV417

drum finish

Example:

- 1. Pattern number
- 2. Top finish selection 3. Edgeband profile
- 4. Edge profile option (veneer/wood edge only)
- 5. Grommet/Plexus cutout option, segment A
- 6. Drum base finish (upcharge for veneer drum)

Finishes

Woodgrain laminate top finishes
Light Ash (suffix 139)
Warm Ash (suffix 140)
Whitened Ash (suffix 141)
Grey Ash (suffix 142)
Classic Oak (suffix 143)
Graphite Pear (suffix 144)
Zebra (suffix 145)
Medium Cherry (suffix 124)
Natural Maple (suffix 125)
Natural Cherry (suffix 126)
Walnut (suffix 127)
, ,

 $Solid\ laminate\ top\ finishes:$ Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

Wood edge profiles: Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)

Flat edgeband finishes: Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118)

Grommet finishes: $Anodize\check{d}\ Aluminum\ (suffix\ A)$ Drum Base finishes. Aluminum (suffix A)

 ${\it Veneer \, Drum \, Base \, finishes: (upcharge}$ applies)

For veneer drum base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple drum finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder coat finish.

table

Square Drum Base: 1 base (medium) \$1,187 1 base (large) \$1,371

Rectangular Drum Base: 1 base (small) \$1,552 1 base (medium) \$1,579 1 base (large) \$1,630 1 base (x-large) \$1,733

Electrical

+ For more detailed information. consult the Electrical section of the Propeller Manual.

Grommet options: (\$51 per cutout) Individual table segments may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 48 for details. Optional grommet-mounted power receptacles available, see page 90.

No grommet (Y) Single grommet, center, mid-depth (GG) Two grommets, left & right, mid-depth Single grommet, right, mid-depth (HG) Single grommet, left, mid-depth (BG)



Plexus cutout options: (\$51 per cutout) Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base can accomodate shallow medium plexus boxes, 60" tables can also accomodate double wide shallow medium plexus

boxes. Individual table segments may be

specified with zero, one or two cutouts.

To specify plexus box and for more

information, see pages 82.

For no Plexus (Y) For medium Plexus, center, mid-depth For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)



Features Maintenance:

See pages 9 .

Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion and is shipped with C-clips for wire management. For tables without a frame, please see page 78 to specify clips separately.

Base Location:

In most cases Drum bases will be located at the center of the table or segment some exceptions arise on the multi-segment tables, where some drums are shared between two segments.

Propeller tables are certified Clean Air

AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini Propeller® Conference Table Series Rectangular Two, Three and Four Segment Conference Tables with Square Drum Base

	description	overall width	d	h	section width, outside	section width, inside	base size	no. of	frame	table weight (lbs.)
Designer(s):	P3-SS Rectangular table, 2 segments, with	108"	48"	281/2"	54"		S	2	N	334
Emanuela Frattini, 2004	square drum base	120"	48"	281/2"	60"		S	2	N	354
		132"	48"	281/2"	66"		S	2	N	372
		144"	48"	281/2"	72"		S	2	Y	392
		108"	60"	281/2"	54"		L	2	N	430
		120"	60"	281/2"	60"		L	2	N	454
		132"	60"	281/2"	66"		L	2	N	478
		144"	60"	281/2"	72"		L	2	Y	502
	P3-TS Rectangular table, 3 segments, with	156"	48"	281/2"	54"	48"	S	2	Y	409
	square drum base	168"	48"	281/2"	60"	48"	S	2	Y	494
		180"	48"	281/2"	60"	60"	S	3	N	549
		192"	48"	281/2"	66"	60"	S	3	N	549
		204"	48"	281/2"	72"	60"	S	3	Y	569
		216"	48"	281/2"	72"	72"	S	3	Y	588
		156"	60"	281/2"	54"	48"	L	2	Y	524
		168"	60"	281/2"	60"	48"	L	2	Y	548
		180"	60"	281/2"	60"	60"	L	3	N	705
		192"	60"	281/2"	66"	60"	L	3	N	705
-		204"	60"	281/2"	72"	60"	L	3	Y	669
		216"	60"	281/2"	72"	72"	L	3	Y	753
	P3-VS Rectangular table, 4 segments, with	228"	48"	281/2"	60"	54"	S	3	Y	605
	square drum base	240"	48"	281/2"	60"	60"	S	3	Y	625
		252"	48"	281/2"	66"	60"	S	3	Y	643
		264"	48"	281/2"	66"	66"	S	3	Y	765
		276"	48"	281/2"	72"	66"	S	3	Y	681
		288"	48"	281/2"	72"	72"	S	3	Y	701
		228"	60"	281/2"	60"	54"	L	3	Y	774
		240"	60"	281/2"	60"	60"	L	3	Y	798
		252"	60"	281/2"	66"	60"	L	3	Y	822
		264"	60"	281/2"	66"	66"	L	3	Y	846
		276"	60"	281/2"	72"	66"	L	3	Y	870
		288"	60"	28 1/2"	72"	72"	L	3	Y	894

Order Code	Finishes

Example:	P3-SS30-V421-R5-GM- GM-WV421
P3-SS30	48" x 108" rect. table
V421	Chalk Oak veneer top
R5	Black edgeband
GM	Medium plexus, left and right, mid-depth, segment A
GM	Medium plexus, left and right, mid-depth, segment B
WV421	Chalk Oak veneer drum finish (upchg. applies)

Specify:

- 1. Pattern number
- 2. Top finish selection3. Edgeband selection
- 4. Edge profile option (veneer/wood edge only)
- 5. Grommet/Plexus cutout option,
- segment A
 6. Grommet/Plexus cutout option,
- segment B
 7. Drum base finish (upcharge for veneer drum)

Micro Grey (suffix 121)
Veneer top/edge finishes:
Brown Oak (suffix V427) Burnt Walnut (suffix V313)
Chalk Oak (suffix V421)
Ebonized Walnut (suffix D)
Graphite Oak (suffix V513) Light Oak (suffix V423)
Maple (suffix K)
Natural Beech (suffix B)

Woodgrain laminate top finishes:

Light Ash (suffix 139)

Warm Ash (suffix 140)

Grey Ash (suffix 142)

Zebra (suffix 145)

Walnut (suffix 127)

Classic Oak (suffix 143)

Graphite Pear (suffix 144)

Medium Cherry (suffix 124)

Natural Maple (suffix 125)

Natural Cherry (suffix 126)

Solid laminate top finishes:

Bright White (suffix 118)

Brushed Sand (suffix 122)

Folkstone Grey (suffix 114)

Jet Black (suffix 111)

Whitened Ash (suffix 141)

Veneer top/edge finishes continued: Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

Wood edge profiles: Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)

Flat edgeband finishes: Black (suffix 111T) Mink (suffix 324T) Innertone (suffix 386T) Platinum (suffix 367T) Folkstone (suffix 004T) Bright White (suffix 118T)

58

Molded edgeband finishes continued: Folkstone (suffix 004) Light Grey (suffix 4) Medium Grey (suffix 5)

Grommet finishes: Anodized Aluminum (suffix A) Drum Base finishes: Aluminum (suffix A)

Veneer Drum Base finishes: (upcharge

applies)
For veneer drum base finish, add letter
W to the veneer finish code at the end of
the pattern number (e.g. W-K for maple
drum finish) and add appropriate
upcharge as listed below. Interior:
fabricated sheet metal with black powder
coat finish.

2 bases (small) \$2,448 2 bases (large) \$2,825 3 bases (small) \$3,671 3 bases (large) \$4,235

veneer/wood edge (AE, SE)	veneer/ wood edge (PE)	veneer/ flat edge	laminate/ wood edge	laminate/ flat edge	pattern no.
\$22,304.	\$21,611.	\$18,474.	\$16,963.	\$11,102.	P3-SS30
\$22,447.	\$21,752.	\$18,516.	\$17,058.	\$11,102.	P3-SS32
\$23,005.	\$22,286.	\$18,944.	\$17,824.	\$11,434.	P3-SS34
\$25,262.	\$24,535.	\$21,121.	\$20,075.	\$13,573.	P3-SS36
\$24,189.	\$23,461.	\$20,152.	\$18,846.	\$12,400.	P3-SS50
\$23,087.	\$22,405.	\$18,714.	\$17,753.	\$12,125.	P3-SS52
\$25,017.	\$24,241.	\$20,740.	\$19,875.	\$12,827.	P3-SS53
\$27,289.	\$26,508.	\$22,944.	\$22,135.	\$14,988.	P3-SS56
\$30,865.	\$29,886.	\$25,104.	\$23,272.	\$14,997.	P3-TS30
\$31,213.	\$30,224.	\$25,352.	\$23,575.	\$15,193.	P3-TS32
\$33,666.	\$32,625.	\$27,781.	\$25,585.	\$16,649.	P3-TS34
\$34,224.	\$33,156.	\$28,209.	\$26,358.	\$16,980.	P3-TS36
\$37,703.	\$36,632.	\$31,611.	\$29,815.	\$20,340.	P3-TS38
\$38,325.	\$37,239.	\$32,121.	\$30,537.	\$20,785.	P3-TS40
\$33,858.	\$32,785.	\$27,886.	\$25,833.	\$16,400.	P3-TS50
\$32,963.	\$31,932.	\$26,652.	\$24,935.	\$16,330.	P3-TS52
\$34,626.	\$33,603.	\$28,085.	\$26,615.	\$18,189.	P3-TS54
\$36,556.	\$35,443.	\$30,100.	\$28,749.	\$18,889.	P3-TS56
\$40,049.	\$38,936.	\$33,518.	\$32,227.	\$22,279.	P3-TS58
\$41,362.	\$40,200.	\$34,848.	\$33,628.	\$22,910.	P3-TS60
\$45,169.	\$43,790.	\$37,404.	\$34,436.	\$22,624.	P3-VS30
\$45,312.	\$43,923.	\$37,452.	\$34,535.	\$22,632.	P3-VS32
\$46,215.	\$44,803.	\$38,226.	\$35,647.	\$23,307.	P3-VS34
\$46,776.	\$45,338.	\$38,653.	\$36,419.	\$23,635.	P3-VS36
\$47,302.	\$45,863.	\$39,100.	\$36,926.	\$24,046.	P3-VS38
\$47,442.	\$45,993.	\$39,141.	\$37,032.	\$24,056.	P3-VS40
\$46,145.	\$44,790.	\$37,426.	\$35,487.	\$24,241.	P3-VS50
\$47,255.	\$45,845.	\$38,855.	\$36,579.	\$24,516.	P3-VS52
\$48,429.	\$46,975.	\$39,789.	\$37,963.	\$25,291.	P3-VS54
\$50,360.	\$48,813.	\$41,808.	\$40,094.	\$25,994.	P3-VS56
\$50,903.	\$49,349.	\$42,276.	\$40,609.	\$26,424.	P3-VS58
\$51,037.	\$49,479.	\$42,339.	\$40,722.	\$26,437.	P3-VS60

Electrical

+ For more detailed information, consult the Electrical section of the Propeller Manual.

Grommet options: (\$51 per cutout)
Individual table segments may be specified with zero, one or two grommets.
All grommets are 3 '/4" in diameter.
Grommet cover finish will always be Anodized Aluminum, see page 48 for details. Optional grommet-mounted power receptacles available, see page 90.

No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, side (BG)



Plexus cutout options: (\$51 per cutout)
Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base can accomodate shallow medium plexus boxes, 60" tables can also accomodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 82.

For no Plexus (Y)
For medium Plexus, center, mid-depth (GM)
For medium Plexus, left & right, mid-depth (AM)
For double medium Plexus, center, mid-depth (GMD)
For double medium Plexus, left and right, mid-depth (AMD)



Features Maintenance:

Maintenance: See pages 9.

Frame:

Larger tables will incorporate a frame under the table. Frame ships with C-clips for wire mangement. For tables without a frame, please see page 78 to specify clips seperately.

Base Location:

In most cases Drum bases will be located at the center of the table or segment - some exceptions arise on the multi-segment tables, where some drums are shared between two segments.

Note:

Propeller tables are certified Clean Air GOLD.

AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini Propeller® Conference Table Series Bullet, Rounded and Rectangular Conference Tables with Peanut Base

78"

42''

Designer(s): Emanuela Frattini, 2004



P3-BP Bullet table, with peanut base

P3-NP Rounded rectangular table, with

description

peanut base

84"	42"	28 1/2"	N	2
90"	42"	281/2"	N	2
96"	42"	281/2"	N	2
78"	48"	281/2"	N	2
84"	48"	281/2"	N	2
90"	48"	281/2"	N	2
96"	48"	281/2"	N	2
96"	60"	281/2"	N	2
78"	42"	281/2"	N	2
84"	42"	281/2"	N	2
90"	42"	281/2"	N	2
96"	42"	281/2"	N	2
78"	48"	281/2"	N	2
84"	48"	281/2"	N	2
90"	48"	281/2"	N	2
96"	48"	281/2"	N	2
96"	60"	281/2"	N	2

28 1/2"

N

P3-RP Rectangular table, with peanut base



90"	48"	281/2"	N	2
96"	48"	28 1/2"	N	2
96"	60"	28 1/2"	N	2
78"	42"	281/2"	N	2
84"	42"	281/2"	N	2
90"	42"	281/2"	N	2
96"	42"	281/2"	N	2
78"	48"	281/2"	N	2
84"	48"	281/2"	N	2
90"	48"	281/2"	N	2
96"	48"	281/2"	N	2
96"	60"	281/2"	N	2

Finishes

Example:	P3-BP52-118-118-Y-A
P3-BP52	84" x 42" Rectangular table
118	Bright White laminate top
118	Bright White edgeband
Υ	No grommet
A	Anodized aluminum base

Specify:

1. Pattern number

Order Code

- 2. Top finish selection 3. Edgeband selection
- 4. Edge profile option (veneer/wood edge only) 5. Grommet/Plexus cutout option
- 6. Peanut base selection

Woodgrain laminate top finishes:
Light Ash (suffix 139)
Warm Ash (suffix 140)
Whitened Ash (suffix 141)
Grey Ash (suffix 142)
Classic Oak (suffix 143)
Graphite Pear (suffix 144)
Zebra (suffix 145)
Medium Cherry (suffix 124)
V 1 M 1. (

Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127)

 $Solid\ laminate\ top\ finishes:$ Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J)

Veneer top/edge finishes continued: American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

Wood edge profiles: Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)

Flat edgeband finishes: Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118) Grommet finishes: Anodized Aluminum (suffix A)

no. of bases

Peanut Base finishes: Perforated Aluminum (suffix A)

Veneer Peanut Base finishes: (upcharge applies)

For veneer peanut base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple peanut base finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder coat finish

2 bases \$4,802


pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-BP50	\$7,699.	\$12,806.	\$11,830.	\$14,991.	\$15,743.
P3-BP52	\$7,703.	\$12,852.	\$11,851.	\$15,058.	\$15,807.
P3-BP54	\$7,716.	\$12,898.	\$11,991.	\$15,243.	\$16,006.
P3-BP56	\$7,722.	\$12,949.	\$12,013.	\$15,311.	\$16,075.
P3-BP70	\$7,703.	\$12,835.	\$12,162.	\$15,362.	\$16,129.
P3-BP72	\$7,716.	\$12,883.	\$12,193.	\$15,422.	\$16,197.
P3-BP74	\$7,722.	\$12,932.	\$12,397.	\$15,679.	\$16,467.
P3-BP76	\$7,727.	\$12,982.	\$12,424.	\$15,747.	\$16,530.
P3-BP96	\$8,065.	\$13,693.	\$13,203.	\$16,633.	\$17,465.
P3-NP50	\$7,627.	\$11,980.	\$12,484.	\$16,514.	\$17,342.
P3-NP52	\$7,632.	\$12,025.	\$12,501.	\$16,580.	\$17,407.
P3-NP54	\$7,635.	\$12,076.	\$12,781.	\$16,907.	\$17,753.
P3-NP56	\$7,642.	\$12,121.	\$12,800.	\$16,969.	\$17,820.
P3-NP70	\$7,631.	\$11,983.	\$12,516.	\$16,544.	\$17,374.
P3-NP72	\$7,637.	\$12,030.	\$12,538.	\$16,612.	\$17,442.
P3-NP74	\$7,642.	\$12,080.	\$12,821.	\$16,944.	\$17,787.
P3-NP76	\$7,652.	\$12,126.	\$12,846.	\$17,011.	\$17,861.
P3-NP96	\$7,955.	\$12,678.	\$13,391.	\$17,560.	\$18,438.
P3-RP50	\$7,315.	\$10,187.	\$10,731.	\$12,917.	\$13,560.
P3-RP52	\$7,325.	\$10,234.	\$11,044.	\$13,311.	\$13,974.
P3-RP54	\$7,336.	\$10,284.	\$11,063.	\$13,371.	\$14,042.
P3-RP56	\$7,339.	\$10,333.	\$11,088.	\$13,437.	\$14,114.
P3-RP70	\$7,325.	\$10,224.	\$11,058.	\$13,300.	\$13,968.
P3-RP72	\$7,336.	\$10,270.	\$11,256.	\$13,568.	\$14,246.
P3-RP74	\$7,341.	\$10,322.	\$11,276.	\$13,640.	\$14,320.
P3-RP76	\$7,345.	\$10,369.	\$11,305.	\$13,708.	\$14,392.
P3-RP96	\$7,631.	\$10,981.	\$11,926.	\$14,455.	\$15,180.

Electrical

+ For more detailed information, consult the Electrical section of the Propeller

Grommet options: (\$51 per cutout) Tables may be specified with zero, one or two grommets. All grommets are 3 1/4" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 48 for details. Optional grommet-mounted power receptacles available, see page 90.

No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, side (BG) Single grommet, right, mid-depth (HG)



Plexus cutout options: (\$51 per cutout) Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base and peanut tables can accomodate shallow medium plexus boxes, 60" tables can also accomodate double wide shallow medium plexus boxes. Tables may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 82.

For no Plexus (Y) For medium Plexus, center, mid-depth (GM) For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)



- Double Plexus AMD and GMD configurations not available on 42'' deep

Features

Maintenance: See pages 9

Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion that includes C-clips for wire management. For tables without a frame, please see page 78 to specify C-clips separately.

Base Location:

For stand alone tables, two peanut bases will be located 20" from the edge of the table. On multi-segment tables, the peanut base is located at the center of each segment except on certain four segment tables, where some peanut bases are shared between two segments.

Please note that on 42" deep tables with peanut base, the knee space dimension immediately in front of the base is 71/2" from the edge.

Propeller tables are certified Clean Air

AM and AMD are not appropriate for stand alone tables or end segments.

veneer/

\$24,278.

\$24,415.

\$25,257.

\$25,396.

\$25,920.

\$29,453.

\$29,779.

\$24,354.

\$24,501.

\$25,347.

\$25,493.

\$26,018.

\$29,557.

\$29,891.

\$24,513.

\$24,669.

\$25,833.

\$25,986.

\$26,526.

\$30,074.

\$30,415.

\$36,240.

\$37,236.

\$37,847.

\$38,605.

wood edge (PE)

veneer/wood edge

(AE, SE)

\$25,493.

\$25,637.

\$26,528.

\$26,666.

\$27,213.

\$30,927.

\$31.270.

\$25,576.

\$25,721.

\$26,616.

\$26,766.

\$27,319.

\$31,036.

\$31,386.

\$25,738.

\$25,899.

\$27,126.

\$27,281.

\$27,846.

\$31,578.

\$31,938.

\$38,049.

\$39,099.

\$39,736.

\$40,538.

\$40,797.

Emanuela Frattini Propeller® Conference Table Series Rounded Two, Three and Four Segment Conference Tables with Peanut Base

	description	overall w	d	h	section width, outside	section width, inside	frame	no. of bases
Designer(s):	P3-CP Rounded rectangular table, 2	108"	42"	281/2"	54"		Y	2
Emanuela Frattini, 2004	segments, with peanut base	120"	42"	281/2"	60"		Y	2
		132"	42"	281/2"	66"		Y	2
	0 0	144"	42"	281/2"	72"		Y	2
	А В	156"	42"	281/2"	78"		Y	2
		168"	42"	281/2"	84"		Y	3
		180"	42"	281/2"	90"		Y	3
		108"	48"	281/2"	54"		Y	2
		120"	48"	281/2"	60"		Y	2
		132"	48"	281/2"	66"		Y	2
		144"	48"	281/2"	72"		Y	2
		156"	48"	281/2"	78"		Y	2
		168"	48"	281/2"	84"		Y	3
		180"	48"	281/2"	90"		Y	3
		108"	60"	281/2"	54''		Y	2
		120"	60"	281/2"	60"		Y	2
		132"	60"	281/2"	66"		Y	2
		144"	60"	281/2"	72"		Y	2
		156"	60"	281/2"	78"		Y	2
		168"	60"	281/2"	84"		Y	3
		180"	60"	281/2"	90"		Y	3
	P3-FP Rounded rectangular table, 3	192"	42"	281/2"	60"	72"	Y	3
	segments, with peanut base	204"	42"	281/2"	72"	60"	Y	3
	8 8 8	216"	42"	281/2"	72"	72"	Y	3
	0 0 0	228"	42"	281/2"	78"	72"	Y	3
	а в с	240"	42"	281/2"	84"	72"	Y	3

Example:	P3-CP10-K-SE-GM-GM- WK
P3-CP10	108" x 42" rounded rect. table
K	Maple veneer top
SE	Saarinen edge detail
GM	Medium plexus, center, mid-depth, segment A
GM	Medium plexus, center, mid-depth, segment B
WK	Maple veneer base (upcharge applies)

Specify:

- 1. Pattern number
- 2. Top finish selection
- 3. Edgeband selection
- 4. Edge profile option (veneer/wood edge only)
- 5. Grommet/Plexus cutout option, segment A
- 6. Grommet/Plexus cutout option, segment B
- 7. Grommet/Plexus cutout option, ${\rm segment}\; C$
- 8. Grommet/Plexus cutout option, segment D
- 9. Peanut base selection

Ordering Information

	Woodgrain laminate top finish Light Ash (suffix 139)
-	Warm Ash (suffix 140)
	Whitened Ash (suffix 141)
-	Grey Ash (suffix 142)
	Classic Oak (suffix 143)
	Graphite Pear (suffix 144)
	Zebra (suffix 145)
	Medium Cherry (suffix 124)
	Natural Maple (suffix 125)
	Natural Cherry (suffix 126)
	Walnut (suffix 127)

Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF)

Ebonized Oak (suffix OE)

Wood edge profiles: Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)

Flat edgeband finishes: Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118)

62

Grommet finishes: Anodized Aluminum (suffix A)

Peanut Base finishes: Perforated Aluminum (suffix A)

Veneer Peanut Base finishes: (upcharge applies) For veneer peanut base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple peanut base finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder

2 bases \$4,802 3 bases \$7.208 4 bases \$9,605

coat finish

Electrical

pattern no.

P3-CP10

P3-CP12

P3-CP14

P3-CP16

P3-CP18

P3-CP20

P3-CP22

P3-CP30

P3-CP32

P3-CP34

P3-CP36

P3-CP38

P3-CP40

P3-CP42

P3-CP50

P3-CP52

P3-CP54

P3-CP56

P3-CP58

P3-CP60

P3-CP62

P3-FP06

P3-FP10

P3-FP12

P3-FP14

P3-FP16

+ For more detailed information, consult the Electrical section of the Propeller

 $Grommet\ options: (\$51\ per\ cutout)$ Individual table segments may be specified with zero, one or two grommets. All grommets are 31/4" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 48 for details. Optional grommet-mounted power receptacles available, see page 90.

No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, side (BG)



Plexus cutout options: (\$51 per cutout) Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base and peanut base tables can accommodate shallow medium plexus boxes, 60" tables can also accommodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see

laminate/

flat edge

\$11,152.

\$11,163.

\$11.842.

\$11.855

\$12,252.

\$15,665.

\$15,870.

\$11.163.

\$11,177.

\$11,854.

\$11,870.

\$12,263.

\$15,678.

\$15,881

\$11,466.

\$11,476.

\$12,414.

\$12,430.

\$12,829.

\$16,241.

\$16,446.

\$18,558.

\$18,902.

\$19,445.

\$19,998.

\$20,042.

laminate/

wood edge

\$21,575

\$21,680.

\$22,604.

\$22,707

\$23 170

\$26,469.

\$26,750.

\$21.614.

\$21,717.

\$22,645.

\$22,749.

\$23,213.

\$26,512.

\$26,799.

\$22,012.

\$22,114.

\$23,521.

\$23,623.

\$24,091.

\$27,392.

\$27,677.

\$31,276.

\$33,181.

\$33,669.

\$34,324.

\$34,440.

veneer

flat edge

\$19,455.

\$19,507

\$20,233.

\$20,284

\$20,699

\$24,039

\$24,270

\$19,511.

\$19,564.

\$20,299

\$20,352.

\$20,776.

\$24,121.

\$24,351

\$19,625.

\$19,689.

\$20,728

\$20,793

\$21,225.

\$24,578.

\$24,822

\$30,880.

\$30,978.

\$31,595.

\$32,224.

\$32,355.

For no Plexus (Y) For medium Plexus, center, mid-depth For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)

AM 8 8 GM

63

- Double Plexus AMD and GMD configurations not available on 42" and 48" deep tables.

Features

Maintenance. See pages 9.

Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion that includes c-clips for wire management. For tables without a frame, please see page 78 to specify C-clips seperately.

Base Location:

For stand alone tables, two peanut bases will be located 20" from the edge of the table. On multi-segment tables, the peanut base is located at the center of each segment except on certain four segment tables, where some peanut bases are shared between two segments.

Please note on 42" deep tables with peanut base, the knee space dimension immediately in front of the base is 71/2 from the edge.

Propeller tables are certified Clean Air

AM and AMD are not appropriate for stand alone tables or end segments.

veneer/

\$39,873.

\$36,571.

\$37,909.

\$38,530.

\$39,304.

\$39,571.

\$40,595.

\$36,993.

\$39,261.

\$39,901.

\$40,697.

\$40,975.

\$42,026.

\$47,495.

\$48,108.

\$48,337.

\$51,112.

\$51,441.

\$51,726.

\$48,472.

\$49,090.

\$49,329.

\$52,736.

\$53,130.

\$53,432.

\$50,934.

wood edge (PE)

veneer/wood edge

(AE, SE)

\$41,867.

\$38,400.

\$39,802.

\$40,461.

\$41.267.

\$41.547.

\$42,622.

\$38,842.

\$41,224.

\$41,893.

\$42,730.

\$43,027.

\$44,130.

\$49,865.

\$50,509.

\$50,749.

\$53,669

\$54,010.

\$54.310.

\$50,896.

\$51,545.

\$51,797.

\$55,372.

\$55,790.

\$56,108.

\$53,481.

Emanuela Frattini Propeller® Conference Table Series Rounded Two, Three and Four Segment Conference Tables with Peanut Base

	description	overall w	d	h	section width, outside	section width, inside	frame	no. of bases
Designer(s):	P3-FP Rounded rectangular table, 3	252"	42"	281/2"	90"	72"	Y	3
Emanuela Frattini, 2004	segments, with peanut base	192"	48"	281/2"	60"	72"	Y	3
	8 8 8	204"	48"	281/2"	72"	60"	Y	3
		216"	48"	281/2"	72"	72"	Y	3
	A В С	228"	48"	281/2"	78"	72"	Y	3
		240"	48"	281/2"	84"	72"	Y	3
		252"	48"	281/2"	90"	72"	Y	3
		192"	60"	281/2"	60"	72"	Y	3
		204"	60"	281/2"	72"	60"	Y	3
		216"	60"	281/2"	72"	72"	Y	3
		228"	60"	281/2"	78"	72"	Y	3
		240"	60"	281/2"	84"	72"	Y	3
		252"	60"	281/2"	90"	72"	Y	3
	P3-EP Rounded rectangular table, 4	264"	42"	281/2"	72"	60"	Y	3
	segments, with peanut base	276"	42"	281/2"	78"	60"	Y	3
	8 8 8 8	288"	42"	281/2"	78"	66"	Y	3
	8 8 8 8	300"	42"	281/2"	84"	66"	Y	3
	A B C D	312"	42"	281/2"	84"	72"	Y	4
		324"	42"	281/2"	90"	72"	Y	4
		264"	48"	281/2"	72"	60"	Y	3
		276"	48"	281/2"	78"	60"	Y	3
		288"	48"	281/2"	78"	66"	Y	3
		300"	48"	281/2"	84"	66"	Y	4
		312"	48"	281/2"	84"	72"	Y	4
		324"	48"	281/2"	90"	72"	Y	4
		264"	60"	281/2"	72"	60"	Y	3

Order Code

Example:	P3-CP10-K-SE-GM-GM- WK
P3-CP10	108" x 42" rounded rect. table
K	Maple veneer top
SE	Saarinen edge detail
GM	Medium plexus, center, mid-depth, segment A
GM	Medium plexus, center, mid-depth, segment B
WK	Maple veneer base (upcharge applies)

Specify:

- 1. Pattern number
- 2. Top finish selection
- 3. Edgeband selection
- 4. Edge profile option (veneer/wood edge only)
- 5. Grommet/Plexus cutout option, segment A
- 6. Grommet/Plexus cutout option, segment B
- 7. Grommet/Plexus cutout option, segment C
- 8. Grommet/Plexus cutout option, segment D
- 9. Peanut base selection

Ordering Information

Woodgrain laminate top finishe
Light Ash (suffix 139)
Warm Ash (suffix 140)
Whitened Ash (suffix 141)
Grey Ash (suffix 142)
Classic Oak (suffix 143)
Graphite Pear (suffix 144)
Zebra (suffix 145)
Medium Cherry (suffix 124)
Natural Maple (suffix 125)
Natural Cherry (suffix 126)
Walnut (suffix 127)
` /

Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes:
Brown Oak (suffix V427)
Burnt Walnut (suffix V421)
Chalk Oak (suffix V421)
Ebonized Walnut (suffix D)
Graphite Oak (suffix V513)
Light Oak (suffix V423)
Maple (suffix K)
Natural Beech (suffix B)
Old English Walnut (suffix V417)
Warm Brown Walnut (suffix J)
American Walnut (suffix AW)
Natural Oak (suffix ON)
Fumed Oak (suffix OF)

Ebonized Oak (suffix OE)

Wood edge profiles: Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)

Flat edgeband finishes: Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118)

64

Grommet finishes: Anodized Aluminum (suffix A)

Peanut Base finishes:
Perforated Aluminum (suffix A)

Veneer Peanut Base finishes: (upcharge applies)
For veneer peanut base finish, add letter
W to the veneer finish code at the end of
the pattern number (e.g. W-K for maple
peanut base finish) and add appropriate
upcharge as listed below. Interior:
fabricated sheet metal with black powder

2 bases \$4,802 3 bases \$7,208

4 bases \$9,605

coat finish

Electrical

pattern no.

P3-FP18

P3-FP26

P3-FP30

P3-FP32

P3-FP34

P3-FP36

P3-FP38

P3-FP46

P3-FP50

P3-FP52

P3-FP54

P3-FP56

P3-FP58

P3-EP10

P3-EP12

P3-EP14

P3-EP16

P3-EP18

P3-EP20

P3-EP30

P3-EP32

P3-EP34

P3-EP36

P3-EP38


P3-EP40

P3-EP50

+ For more detailed information, consult the Electrical section of the Propeller Manual.

Grommet options: (\$51 per cutout)
Individual table segments may be specified with zero, one or two grommets. All grommets are 3 '/4" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 48 for details. Optional grommet-mounted power receptacles available, see page 90.

No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, side (BG)



Plexus cutout options: (\$51 per cutout)
Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base and peanut base tables can accommodate shallow medium plexus boxes, 60" tables can also accommodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see

laminate/

flat edge

\$20,851

\$18,864.

\$19,198.

\$19 603

\$20,159.

\$20,201.

\$21.016.

\$19,333.

\$19,962.

\$20,369.

\$20,929.

\$20,977.

\$21,789.

\$23,742.

\$24,123.

\$24,174.

\$26,718.

\$26,869.

\$26,919.

\$23,997

\$24,376.

\$24,427.

\$26,975.

\$27,126.

\$27,178.

\$25,101

laminate/

wood edge

\$35,307

\$31,358.

\$33,477

\$33,960.

\$34.622.

\$34,743.

\$35,608.

\$31.457.

\$35,850.

\$36,350.

\$37,018.

\$37,139.

\$38,014.

\$37,243.

\$37,704.

\$37.810

\$45,142.

\$45,393.

\$45,563.

\$37,610.

\$38,073.

\$38,173.

\$45,567.

\$45,820.

\$45,984.

\$40,485.

veneer

flat edge

\$33,235.

\$31,077

\$31,613

\$32,108.

\$32,746.

\$32,886

\$33,765

\$31.669.

\$32,719

\$33,231.

\$33,884.

\$34,039.

\$34,946

\$40,836

\$41.312

\$41,474.

\$44,049

\$44,305

\$44,468.

\$41,616

\$42,101.

\$42,270.

\$44,854.

\$45,119.

\$45,288.

\$43,241

For no Plexus (Y)
For medium Plexus, center, mid-depth (GM)
For medium Plexus, left & right, mid-depth (AM)
For double medium Plexus, center, mid-depth (GMD)
For double medium Plexus, left and right, mid-depth (AMD)

Y AM GM AMD

AMD '

- Double Plexus AMD and GMD configurations not available on 42" and

48" deep tables.

Features

Maintenance. See pages 9.

rame:

Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion that includes c-clips for wire management. For tables without a frame, please see page 78 to specify C-clips seperately.

Base Location:

For stand alone tables, two peanut bases will be located 20" from the edge of the table. On multi-segment tables, the peanut base is located at the center of each segment except on certain four segment tables, where some peanut bases are shared between two segments.

Please note on 42" deep tables with peanut base, the knee space dimension immediately in front of the base is 7 ½" from the edge.


Note

Propeller tables are certified Clean Air GOLD.

AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini Propeller® Conference Table Series Rounded Two, Three and Four Segment Conference Tables with Peanut Base

Designer(s): Emanuela Frattini, 2004



description

overall w	d	h	section width, outside	section width, inside	frame	no. of bases
276"	60"	281/2"	78"	60"	Y	3
288"	60"	281/2"	78"	66"	Y	3
300"	60"	281/2"	84"	66"	Y	4
312"	60"	281/2"	84"	72"	Y	4
324"	60"	281/2"	90"	72"	Y	4

pattern no.	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-EP52	\$25,479.	\$40,952.	\$43,743.	\$51,576.	\$54,158.
P3-EP54	\$25,540.	\$41,064.	\$43,927.	\$51,900.	\$54,496.
P3-EP56	\$28,089.	\$48,520.	\$46,531.	\$54,718.	\$57,450.
P3-EP58	\$28,243.	\$48,780.	\$46,816.	\$55,139.	\$57,893.
P3-EP60	\$28,297.	\$48,953.	\$47,005.	\$55,462.	\$58,235.

Order Code

P3-CP10-K-SE-GM-GM-P3-CP10 108" x 42" rounded rect. Maple veneer top SE Saarinen edge detail GM Medium plexus, center, mid-depth, segment A Medium plexus, center, mid-depth, segment B Maple veneer base (upcharge applies)

Specify:

- 1. Pattern number
- 2. Top finish selection
- 3. Edgeband selection
- 4. Edge profile option (veneer/wood edge only)
- 5. Grommet/Plexus cutout option, segment A
- 6. Grommet/Plexus cutout option, segment B
- 7. Grommet/Plexus cutout option, segment C
- 8. Grommet/Plexus cutout option, segment D
- 9. Peanut base selection

Ordering Information

-	Woodgrain laminate top finish
	Light Ash (suffix 139)
	Warm Ash (suffix 140)
	Whitened Ash (suffix 141)
	Grey Ash (suffix 142)
	Classic Oak (suffix 143)
	Graphite Pear (suffix 144)
	Zebra (suffix 145)
	Medium Cherry (suffix 124)
	Natural Maple (suffix 125)
	Natural Cherry (suffix 126)
	Walnut (suffix 127)

 $Solid\ laminate\ top\ finishes:$ Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

Wood edge profiles: Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)

Flat edgeband finishes: Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118) Grommet finishes: Anodized Aluminum (suffix A)

Peanut Base finishes: Perforated Aluminum (suffix A)

Veneer Peanut Base finishes: (upcharge applies) For veneer peanut base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple

peanut base finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder coat finish.

2 bases \$4,802 3 bases \$7.208 4 bases \$9,605

Electrical

+ For more detailed information, consult the Electrical section of the Propeller

Grommet options: (\$51 per cutout) Individual table segments may be specified with zero, one or two grommets. All grommets are 31/4" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 48 for details. Optional grommet-mounted power receptacles available, see page 90.


No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, side (BG)



Plexus cutout options: (\$51 per cutout)

Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base and peanut base tables can accommodate shallow medium plexus boxes, 60" tables can also accommodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see

For no Plexus (Y) For medium Plexus, center, mid-depth For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)



67

- Double Plexus AMD and GMD configurations not available on 42" and 48" deep tables.

Features

Maintenance: See pages 9.

Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion that includes c-clips for wire management. For tables without a frame, please see page 78 to specify C-clips seperately.

Base Location:

For stand alone tables, two peanut bases will be located 20" from the edge of the table. On multi-segment tables, the peanut base is located at the center of each segment except on certain four segment tables, where some peanut bases are shared between two segments.

Please note on 42" deep tables with peanut base, the knee space dimension immediately in front of the base is 71/2" from the edge.

Propeller tables are certified Clean Air

AM and AMD are not appropriate for stand alone tables or end segments.

Emanuela Frattini Propeller® Conference Table Series Rectangular Two, Three and Four Segment Conference Tables with Peanut Base

	description	W	d	h	width, outside	width, inside	frame	no. of bases
Designer(s):	P3-SP Rectangular table, 2 segments, with	108"	42"	281/2"	54"		Y	2
Emanuela Frattini	peanut base	120"	42"	281/2"	60"		Y	2
	8 8	132"	42"	281/2"	66"		Y	2
	8 8	144"	42"	281/2"	72"		Y	2
	А В	108"	48"	281/2"	54"		Y	2
7		120"	48"	281/2"	60"		Y	2
		132"	48"	281/2"	66"		Y	2
		144"	48"	281/2"	72"		Y	2
		108"	60"	281/2"	54"		Y	2
		120"	60"	281/2"	60"		Y	2
		132"	60"	281/2"	66"		Y	2
		144"	60"	281/2"	72"		Y	2
	P3-TP Rectangular table, 3 segments, with	156"	42"	281/2"	54"	48"	Y	2
	peanut base	168"	42"	281/2"	60"	48"	Y	2
	8 8 8	180"	42"	281/2"	60"	60"	Y	3
		192"	42"	281/2"	66"	60"	Y	3
	A B C	204"	42"	281/2"	72"	60"	Y	3
		216"	42"	281/2"	72"	72"	Y	3
		156"	48"	281/2"	54"	48"	Y	2
		168"	48"	281/2"	60"	48"	Y	2
		180"	48"	281/2"	60"	60"	Y	3
		192"	48"	281/2"	66"	60"	Y	3
		204"	48"	281/2"	72"	60"	Y	3
		216"	48"	281/2"	72"	72"	Y	3
		156"	60"	281/2"	54"	48"	Y	2
		168"	60"	281/2"	60"	48"	Y	2
		180"	60"	281/2"	60"	60"	Y	3
		192"	60"	281/2"	66"	60"	Y	3
		204"	60"	281/2"	72"	60"	Y	3
		216"	60"	281/2"	72"	72"	Y	3

വ	rder	Code	
_	uei	Coue	

Example:	P3-TP10-K-AE-GM-GM- WK
P3-TP10	156 x 42" rounded rect. table
K	Maple veneer top
AE	Autostrada edge detail
GM	Medium plexus, center, mid-depth, segment A
AM	Medium plexus, left and right, mid-depth, segment B
GM	Medium plexus, center, mid-depth, segment C
WK	Maple veneer base (upcharge applies)

Specify:

- 1. Pattern number
- 2. Top finish selection
- 3. Edgeband selection
- 4. Edge profile option (veneer/wood edge only)
- 5. Grommet/Plexus cutout option, segment A
- Grommet/Plexus cutout option, segment B
 Grommet/Plexus cutout option,
- segment C
 8. Grommet/Plexus cutout option,
- 8. Grommet/Plexus cutout optior segment D
- 9. Peanut base selection

Finishes

W 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Woodgrain laminate top finishes
Light Ash (suffix 139)
Warm Ash (suffix 140)
Whitened Ash (suffix 141)
Grey Ash (suffix 142)
Classic Oak (suffix 143)
Graphite Pear (suffix 144)
Zebra (suffix 145)
Medium Cherry (suffix 124)
Natural Maple (suffix 125)
Natural Cherry (suffix 126)
Walnut (suffix 127)

Solid laminate top finishes: Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes:
Brown Oak (suffix V427)
Burnt Walnut (suffix V313)
Chalk Oak (suffix V421)
Ebonized Walnut (suffix D)
Graphite Oak (suffix V513)
Light Oak (suffix V423)
Maple (suffix K)
Natural Beech (suffix B)
Old English Walnut (suffix V417)
Warm Brown Walnut (suffix J)
American Walnut (suffix AW)

Veneer top/edge finishes continued: Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

Wood edge profiles: Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)

Flat edgeband finishes: Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118) Grommet finishes: Anodized Aluminum (suffix A)

Peanut Base finishes: Perforated Aluminum (suffix A)

Veneer Peanut Base finishes: (upcharge applies)

For veneer peanut base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple peanut base finish) and add appropriate upcharge as listed below. Interiorfabricated sheet metal with black powder coat finish.

2 bases \$4,802 3 bases \$7,208

pattern no	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-SP10	\$10,844.	\$16,391.	\$17,394.	\$21,265.	\$22,332.
P3-SP12	\$10,970.	\$16,489.	\$17,438.	\$21,401.	\$22,472.
P3-SP14	\$11,510.	\$17,978.	\$18,303.	\$22,420.	\$23,536.
P3-SP16	\$11,746.	\$18,513.	\$18,830.	\$23,199.	\$24,357.
P3-SP30	\$10,853.	\$16,455.	\$18,036.	\$22,035.	\$23,137.
P3-SP32	\$10,985.	\$16,555.	\$18,084.	\$22,173.	\$23,279.
P3-SP34	\$11,515.	\$18,041.	\$18,954.	\$23,191.	\$24,349.
P3-SP36	\$11,598.	\$18,149.	\$19,002.	\$23,328.	\$24,496.
P3-SP50	\$11,401.	\$17,719.	\$18,944.	\$23,235.	\$24,397.
P3-SP52	\$12,036.	\$19,036.	\$19,495.	\$23,943.	\$25,137.
P3-SP54	\$12,510.	\$19,511.	\$19,994.	\$24,464.	\$25,683.
P3-SP56	\$12,606.	\$19,678.	\$20,114.	\$24,695.	\$25,932.
P3-TP10	\$13,568.	\$21,951.	\$23,631.	\$29,385.	\$30,857.
P3-TP12	\$13,856.	\$22,205.	\$23,833.	\$29,686.	\$31,166.
P3-TP14	\$17,055.	\$25,328.	\$26,768.	\$32,757.	\$34,393.
P3-TP16	\$17,379.	\$26,618.	\$27,438.	\$33,563.	\$35,241.
P3-TP18	\$17,461.	\$26,703.	\$27,505.	\$33,719.	\$35,408.
P3-TP20	\$17,904.	\$27,617.	\$28,119.	\$34,452.	\$36,176.
P3-TP30	\$13,711.	\$22,313.	\$24,611.	\$30,559.	\$32,088.
P3-TP32	\$14,009.	\$22,579.	\$24,832.	\$30,881.	\$32,425.
P3-TP34	\$17,089.	\$25,469.	\$27,789.	\$33,981.	\$35,678.
P3-TP36	\$17,423.	\$26,790.	\$28,477.	\$34,820.	\$36,561.
P3-TP38	\$17,506.	\$26,907.	\$28,546.	\$34,980.	\$36,729.
P3-TP40	\$17,956.	\$27,860.	\$29,162.	\$35,730.	\$37,514.
P3-TP50	\$14,626.	\$24,396.	\$26,205.	\$32,643.	\$34,270.
P3-TP52	\$15,446.	\$25,932.	\$26,964.	\$33,566.	\$35,244.
P3-TP54	\$18,795.	\$29,524.	\$30,224.	\$37,060.	\$38,910.
P3-TP56	\$19,071.	\$29,836.	\$30,557.	\$37,418.	\$39,287.
P3-TP58	\$19,184.	\$30,047.	\$30,718.	\$37,712.	\$39,600.
P3-TP60	\$19,602.	\$30,476.	\$31,142.	\$38,205.	\$40,115.

Electrical

+ For more detailed information, consult the Electrical section of the Propeller Manual.

Grommet options: (\$51 per cutout) Individual table segments may be specified with zero, one or two grommets. All grommets are 3 '/'' in diameter. Grommet cover finish will always be Anodized Aluminum, see page 48 for details. Optional grommet-mounted power receptacles available, see page 90.

No grommet (Y)
Single grommet, center (GG)
Two grommets, left & right (AG)
Single grommet, side (BG)



Plexus cutout options: (\$51 per cutout)
Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base and peanut tables can accomodate shallow medium plexus boxes, 60" tables can also accomodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see pages 82.

For no Plexus (Y)
For medium Plexus, center, mid-depth (GM)
For medium Plexus, left & right, mid-depth (AM)
For double medium Plexus, center, mid-depth (GMD)
For double medium Plexus, left and right, mid-depth (AMD)



Note:

- Double Plexus AMD and GMD configurations not available on 42" deep

Features

Maintenance: See pages 9.

Frame:

Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion that includes C-clips for wire management. For tables without a frame, please see page 78 to specify clips seperately.

${\it Base Location:}$

For stand alone tables, two peanut bases will be located 20" from the edge of the table. On multi-segment tables, the peanut base is located at the center of each segment except on certain four segment tables, where some peanut bases are shared between two segments.

Please note on 42'' deep tables with peanut base, the knee space dimension immediately in front of the base is $7 \frac{1}{2}''$ from the edge.

Note:

Propeller tables are certified Clean Air GOLD.

AM and AMD are not appropriate for stand alone tables or end segments.

68

Emanuela Frattini Propeller® Conference Table Series Rectangular Two, Three and Four Segment Conference Tables with Peanut Base

60"

60"

60"

60"

252"

264"

276"

288"

section

width,

outside

60"

60"

66"

66"

72"

72"

60"

60"

66"

66"

72"

72"

60"

60"

66"

66"

72"

72"

281/2

281/2"

281/2"

281/2

section

width,

inside

54"

60"

60"

66"

66"

72"

54"

60"

60"

66"

66"

72''

54''

60"

60''

66"

66"

frame

no. of

bases

description $\textbf{P3-VP} \ Rectangular \ table, 4 \ segments, with$ 42" 281/2 228" Designer(s): Emanuela Frattini peanut base 240''42''281/2 252" 42''281/2 264" 42''281/2 276" 42''281/2 288" 42" 281/2 228" 48" 281/2 240" 48" 281/2 252" 48" 281/2 264" 48" 281/2 276" 48" 281/2 288" 48" 281/2 228" 60" 281/2" 240" 281/2"

pattern no	laminate/ flat edge	laminate/ wood edge	veneer/ flat edge	veneer/ wood edge (PE)	veneer/wood edge (AE, SE)
P3-VP10	\$20,095.	\$31,292.	\$33,199.	\$41,002.	\$43,052.
P3-VP12	\$20,245.	\$31,427.	\$33,290.	\$41,193.	\$43,250.
P3-VP14	\$21,140.	\$33,311.	\$34,561.	\$42,655.	\$44,793.
P3-VP16	\$21,257.	\$34,440.	\$35,046.	\$43,298.	\$45,466.
P3-VP18	\$21,672.	\$34,911.	\$35,480.	\$43,848.	\$46,037.
P3-VP20	\$21,761.	\$34,991.	\$35,602.	\$44,069.	\$46,272.
P3-VP30	\$20,262.	\$31,780.	\$34,894.	\$43,082.	\$45,239.
P3-VP32	\$20,403.	\$31,925.	\$34,983.	\$43,281.	\$45,445.
P3-VP34	\$21,289.	\$33,790.	\$36,228.	\$44,702.	\$46,939.
P3-VP36	\$21,406.	\$34,939.	\$36,730.	\$45,365.	\$47,632.
P3-VP38	\$21,821.	\$35,390.	\$37,139.	\$45,897.	\$48,193.
P3-VP40	\$21,912.	\$35,541.	\$37,239.	\$46,103.	\$48,409.
P3-VP50	\$22,070.	\$36,079.	\$37,748.	\$46,778.	\$49,122.
P3-VP52	\$22,749.	\$37,501.	\$38,374.	\$47,578.	\$49,957.
P3-VP54	\$23,572.	\$38,340.	\$39,240.	\$48,500.	\$50,926.
P3-VP56	\$23,628.	\$38,455.	\$39,368.	\$48,660.	\$51,089.
P3-VP58	\$24,072.	\$38,988.	\$39,860.	\$49,292.	\$51,760.
P3-VP60	\$24,189.	\$39,211.	\$40,034.	\$49,613.	\$52,094.

Order	Code

P3-TP10-K-AE-GM-GM-P3-TP10 156 x 42" rounded rect. Maple veneer top AE Autostrada edge detail Medium plexus, center, mid-depth, segment A Medium plexus, left and right, mid-depth, segment B Medium plexus, center, mid-depth, segment C Maple veneer base (upcharge applies)

Specify:

- 1. Pattern number
- 2. Top finish selection
- 3. Edgeband selection
- 4. Edge profile option (veneer/wood edge only)
- 5. Grommet/Plexus cutout option, segment A
- 6. Grommet/Plexus cutout option, segment B
- 7. Grommet/Plexus cutout option, segment C 8. Grommet/Plexus cutout option,
- segment D
- 9. Peanut base selection

Finishes

Woodgrain laminate top finishes
Light Ash (suffix 139)
Warm Ash (suffix 140)
Whitened Ash (suffix 141)
Grey Ash (suffix 142)
Classic Oak (suffix 143)
Graphite Pear (suffix 144)
Zebra (suffix 145)
Medium Cherry (suffix 124)
Natural Maple (suffix 125)
Natural Cherry (suffix 126)
Walnut (suffix 127)

 $Solid\ laminate\ top\ finishes:$ Bright White (suffix 118) Brushed Sand (suffix 122) Folkstone Grey (suffix 114) Jet Black (suffix 111) Micro Grey (suffix 121)

Veneer top/edge finishes: Brown Oak (suffix V427) Burnt Walnut (suffix V313) Chalk Oak (suffix V421) Ebonized Walnut (suffix D) Graphite Oak (suffix V513) Light Oak (suffix V423) Maple (suffix K) Natural Beech (suffix B) Old English Walnut (suffix V417) Warm Brown Walnut (suffix J) American Walnut (suffix AW)

 ${\it Veneer\ top/edge\ finishes\ continued:}$ Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)

Wood edge profiles: Autostrada edge (suffix AE) Propeller edge (suffix PE) Saarinen edge (suffix SE)

Flat edgeband finishes: Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) Bright White (suffix 118) Grommet finishes: Anodized Aluminum (suffix A)

Peanut Base finishes: Perforated Aluminum (suffix A)

applies) For veneer peanut base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple

Veneer Peanut Base finishes: (upcharge

peanut base finish) and add appropriate upcharge as listed below. Interiorfabricated sheet metal with black powder coat finish

2 bases \$4,802 3 bases \$7.208

Electrical

+ For more detailed information, consult the Electrical section of the Propeller

Grommet options: (\$51 per cutout) Individual table segments may be specified with zero, one or two grommets. All grommets are 31/4" in diameter. Grommet cover finish will always be Anodized Aluminum, see page 48 for details. Optional grommet-mounted power receptacles available, see page 90.

No grommet (Y) Single grommet, center (GG) Two grommets, left & right (AG) Single grommet, side (BG)



Plexus cutout options: (\$51 per cutout) Tables can be hardwired using pre-wired or empty boxes, or plugged in with plexus boxes with cordset. All drum base and peanut tables can accomodate shallow medium plexus boxes, 60" tables can also accomodate double wide shallow medium plexus boxes. Individual table segments may be specified with zero, one or two cutouts. To specify plexus box and for more information, see

For no Plexus (Y) For medium Plexus, center, mid-depth For medium Plexus, left & right, mid-depth (AM) For double medium Plexus, center, mid-depth (GMD) For double medium Plexus, left and right, mid-depth (AMD)



- Double Plexus AMD and GMD configurations not available on 42'' deep

Features

Maintenance: See pages 9.

Larger tables will incorporate a frame under the table. Frame is an aluminum extrusion that includes C-clips for wire management. For tables without a frame, please see page 78 to specify clips seperately.

Base Location:

For stand alone tables, two peanut bases will be located 20" from the edge of the table. On multi-segment tables, the peanut base is located at the center of each segment except on certain four segment tables, where some peanut bases are shared between two segments.

Please note on 42" deep tables with peanut base, the knee space dimension immediately in front of the base is 71/2" from the edge.

Propeller tables are certified Clean Air

AM and AMD are not appropriate for stand alone tables or end segments.

70

Emanuela Frattini Propeller® Accessories Replacement Parts, Training and Conference Tables

	description	type	W	d	h
Designer(s):	P2-TLEG Replacement leg kit, trapezoid	Set of 2	3 3/4"	1 5/8"	27 1/4"
Emanuela Frattini, 1994	tables	Set of 4	33/4"	1 5/8"	27 1/4"
	P2-RLEG Replacement leg kit for	Set of 2	33/4"	1 5/8"	27 1/4"
-	rectangular table, aluminum leg	Set of 4			
	P2-TCLEG2 Replacement C-Leg kit	Set of 2, 18" table			
		Set of 2, 24" and 30"			
		tables			
	P2-TTLEG Replacement T-Leg kit	Set of 2, 30" tables			
	2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	Set of 2, 36" tables			
	P3-CLEG Single conference table leg	caster		2 1/4"	271/2"
	ongo onno on	glide		2 1/4"	27 1/2"
	P2-CASTER4 Replacement casters, aluminum training leg	Set of 4	2"	1 1/2"	1 3/4"
	P2-GLIDE4 Aluminum leg replacement glides	Set of 4	1 1/2"	1 1/2"	1 1/2"
	P3-KNOB8 Tool-free hand screws for conference table leg				8 for 2 legs
	P2-C-2 Replacement connector bars	Set of 2, temporary connection	43/8"	³/ ₄ "	³/ ₄ "
	P4-RW-C2 Replacement connectors	Set of 2, permanent			

Order Co	de	Finishes		Features
Example: P2- RLEGKIT G A Example: P3-CLEG-	P2-RLEG2KIT-G-A 2 replacement legs, training table, aluminum leg Glides Anodized Aluminum finish P3-CLEG-C-111 C Replacement leg, conference table, aluminum leg	Specify: 1. Caster or glide option (Training table legs only) 2. Leg finish	Grommet and Leg finishes: Anodized aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) Bright White (suffix 118) Glides/Casters: Glides (suffix G) Locking Casters (suffix C)	Legs are for replacement of standard conference and training legs. For hardwired applications specify empty plexus boxes and empty legs. See page 100 or Propeller manual for more information. For pre-wired applications, specify with pre-wired plexus boxes and pre-wired legs. See page 98 or the Propeller manual for more information.
111	Jet Black finish			manaar for more information.


72


pattern no.	list
P2-TLEG2-()-()	\$1,209
P2-TLEG4-()-()	\$2,117
P2-RLEG2KIT-()-()	\$1,209
P2-RLEG4KIT-()-()	\$2,117
P2-TCLEG218-()	\$2,891
P2-TCLEG2-()	\$2,891
Po TTI F000 ()	ĉa con
P2-TTLEG30-() P2-TTLEG2-()	\$2,891 \$2,891
P3-CLEG-C-()	\$634
P3-CLEG-F-()	\$634
P2-CASTER4	\$62
P2-GLIDE4	\$62
P3-KNOB8	\$314
P2-C-2	\$72
P4-RW-C2	\$73

Maintenance: See pages 9.

Emanuela Frattini Propeller® Accessories Replacement Parts, Drum and Square Drum Base Conference Tables

Designer(s):	
Emanuela Frattini, 2004	





lables		panel dimensions	footplate dimensions		
description	base finish	(w x d)	(w x d)	h	weight
P3-DBASES Small Drum Base Only	Perforated Aluminum	$18'' \times 18''$	25" x 25"	271/4"	83
	Veneer	18" x 18"	25" x 25"	271/4"	83
P3-DBASEM Medium Drum Base Only	Perforated Aluminum	18" x 18"	30" x 30"	271/4"	98
	Veneer	18" x 18"	30" x 30"	271/4"	98
P3-DBASEL Large Drum Base Only	Perforated Aluminum	23" x 23"	30" x 30"	271/4"	110
	Veneer	23" x 23"	30" x 30"	271/4"	110
P3-SBASES Small Square Drum Base with	Aluminum	13" x 13"	25" x 25"	271/4"	

P3-SBASEM Medium Square Drum Base	Aluminum	13" x 13"	$30'' \times 30''$	271/4"	
Only	Veneer	13" x 13"	$30'' \times 30''$	271/4"	

13" x 13"

25" x 25"

271/4"



Square Plate

P3-SBASEL Large Square Drum Base with Aluminum 16¹/₂" x 16¹/₂" 30" x 30" 271/4" Square Plate 30" x 30" Veneer 16¹/₂" x 16¹/₂" 271/4"

Veneer



P4-WM4 Wire management C-clips



Order Code

Example: P3-DBASES-W(X)		
P3- DBASES	Small drum base only	
W	Veneer Option	
X	American Cherry finish	

Specify:

- 1. Drum or Peanut base size
- 2. Veneer or Aluminum option
- 3. Veneer finish

FInishes

Peanut and Drum Base Finishes:	Maint
Aluminum (suffix A)	See pa
Veneer top/edge finishes:	
Brown Oak (suffix V427)	
Burnt Walnut (suffix V313)	Jumpe
Chalk Oak (suffix V421)	applic
Ebonized Walnut (suffix D)	1.1
Graphite Oak (suffix V513)	
Light Oak (suffix V423)	
Maple (suffix K)	
Natural Beech (suffix B)	
Old English Walnut (suffix V417)	
Warm Brown Walnut (suffix J)	
American Walnut (suffix AW)	
Natural Oak (suffix ON)	
Fumed Oak (suffix OF)	
Ebonized Oak (suffix OE)	
American Cherry (suffix X)	
Bronzed Cherry (suffix V312)	
Light Cherry (suffix V315)	
Medium Red Mahogany (suffix Z)	

Features

74

ntenance: pages 9.

> per cables available for hardwired ications, see page 96.

list pattern no. P3-DBASES-(A) \$7,683. P3-DBASES-W() \$8,816. P3-DBASEM-(A) \$7,840. P3-DBASEM-W() \$8,974. P3-DBASEL-(A) \$8,305. P3-DBASEL-W() \$9,439. P3-SBASES-(A) \$3,858. P3-SBASES-W() \$5,245. P3-SBASEM-(A) \$4,082. P3-SBASEM-W() \$5,467. P3-SBASEL-(A) \$4,293. P3-SBASEL-W() \$5,894. P4-WM4 \$58.

list

Emanuela Frattini Propeller® Accessories Replacement Parts, Rectangular Drum and Peanut Base Conference Tables footplate

panel

 $(w \times d)$

24" x 13"

24" x 13"

dimensions

Designer(s): Emanuela Frattini, 2004






description







P3-RBASES Small Rectangular Drum Base Aluminum



Aluminum	24" x 13"	48" x 30"	271/4"	
Veneer	24" x 13"	48" x 30"	271/4"	

dimensions

weight

pattern no.

 $(w \times d)$


36" x 30"

36" x 30"

271/4"

271/4"






		Veneer	31" x 16"
Ī			

Aluminum	31" x 16"	36" x 36"	271/4"
Veneer	31" x 16"	36" x 36"	271/4"







Aluminum	31" x 16"	48" x 36"	271/4"
Veneer	31" x 16"	48" x 36"	271/4"





Perforated Aluminum	27" x 8"	27 1/4"	40	
Veneer	27" x 8"	271/4"	40	

P4-WM4 Wire management C-clips

P3-PBASE Peanut Base Only	Perforated Aluminum	27" x 8"	271/4"	40
	Veneer	27" x 8"	271/4"	40

Order Code

Example:	P3-SRBASEL-A			
P3-	Large Rectangular Drum			
SRBASEL	Base only			
٨	Dayforated Aluminum finish			

Specify:

- 1. Pattern number
- 2. Veneer or Perforated Aluminum option 3. Veneer finish

Finishes

Aluminum (suffix A)
Veneer top/edge finishes:
Brown Oak (suffix V427)
Burnt Walnut (suffix V313)
Chalk Oak (suffix V421)
Ebonized Walnut (suffix D)
Graphite Oak (suffix V513)
Light Oak (suffix V423)
Maple (suffix K)
Natural Beech (suffix B)
Old English Walnut (suffix V417)
Warm Brown Walnut (suffix J)
American Walnut (suffix AW)
Natural Oak (suffix ON)
Fumed Oak (suffix OF)
Ebonized Oak (suffix OE)
American Cherry (suffix X)
Bronzed Cherry (suffix V312)
Light Cherry (suffix V315)

Medium Red Mahogany (suffix Z)

76

Peanut and Drum Base Finishes:

Veneer Drum Base finishes: (upcharge applies)For veneer drum base finish, add letter W to the veneer finish code at the end of the pattern number (e.g. W-K for maple drum finish) and add appropriate upcharge as listed below. Interior: fabricated sheet metal with black powder coat finish.

Features

Maintenance: See pages 9.

Jumper cables available for hardwired applications, see page 96.

P3-RBASES-(A) \$4,340. P3-RBASES-W() \$6,032. P3-RBASEM-(A) \$4,706. P3-RBASEM-W() \$6,519. P3-RBASEL-(A) \$4,827. P3-RBASEL-W() \$6,727. P3-RBASEXL-(A) \$5,309. P3-RBASEXL-W() \$7,331. P3-PBASE-(A) \$5,509. P3-PBASE-W() \$6,873. P4-WM4 \$58.

Emanuela Frattini Propeller® Electrical Plexus Box and Connectivity Options

Plexus Boxes for Training and Conference Tables are covered power and communications units mounted flush into the table top, offering a clean aesthetic. Plexus Boxes are installed in the field and fit in pre-configured cutout locations in Propeller table tops. Various cutout locations are available, see specific products pages for more information.

Plexus Box types and sizes:

Plexus Boxes are available in two lengths, small and medium. Medium boxes are also available in a double width format.

Small Box (Training tables only)



Offers one duplex power outlet with surge protector, one communication outlet and one additional data plate.

P4S-BOXS-()





Offers room for two duplex power outlets with surge protector, one quadruple communication outlet and two additional data plates.

P4S-BOXM-()





protector, two quadruple communications outlets and four additional data plates.





Medium Box (Conference and training tables)



Double Medium Box (Conference tables only)

Offers room for four duplex power outlets with surge





Pre-wired Plexus Box

Empty Plexus Box



Plexus Box Connectivity options:

Plexus Box with Cordset

For permanent power and communications access. Compatible with legs shown below. P4()-BOX()-PR

P4-RWIN4-TE

For hard-wired power and communications access. Compatible with legs shown below.



P4-RWIN4-L (left)

Plexus Boxes are available with three connectivity options for either temporary or permanent installation.

P4-RWIN4-RE (right) P3-CLEG-PE

P4()-BOX()-PP

Use existing leg.

P4()-BOX()-E

P4-RWIN4-LE (left)

For temporary power and communications access.



79





P4-RWIN4-CRE (right) P3-TLEGU-PE

P4-RWIN4-CLE (left)

P4-RWIN4-CR (right) P4-RWIN4-CL (left)



T-Leg P3-TLEGU-PR

Ordering Information

To specify Plexus Boxes: 1. Determine power and data

- requirements and suitable box size 2. Specify table type with required cutout option. (see chart on table product page)
- 3. Specify box(es).
- 4. Specify data outlets.
- 5. Specify infeed legs and finish (empty and pre-wired versions only). 6. Specify jumper cables (pre-wired version only).

Performance

Power options:

The Plexus Box is available in three electric power options: a cordset unit, comprised of a 15 amp single circuit with 3-prong plug; a pre-wired unit, comprised of an eight wire power distribution system for two 20 amp convenience circuits (A,B) and two 20 amp protected circuits (X,Y) with separate neutral and ground; an empty unit, comprised of an empty box to be field installed by a licensed electrician. All power and communication wiring is completely separated by a metal septum to avoid interference.

Data/Communication Options:

The Plexus Box is available with standardized cutouts for communication and data faceplates, which are available as blank or preconfigured with data and communication jacks. The small Plexus Box can accommodate two faceplates, the medium Plexus Box can accommodate three faceplates and the double medium Plexus box can accommodate six face plates. Cordset boxes are sold with one preconfigured data faceplate, please see product details for specifics.

Power outlets and data/communication faceplates are positioned under a hinged lid to allow access. The extruded aluminum lid features a brush seal allowing wires to pass when lid is closed. Inside the box, power receptacles and one data/communication cutout are positioned on a 60° angle wall. while additional data/communication cutouts are located on the floor of the box.

Standard data/communications cutouts will accommodate common faceplates by AMP, CommScope, Nordex and Panduit

Connectivity

Plexus Box with cordset: The Plexus Box with cordset offers temporary power and communications access, comprising a single 15 amp electrical circuit with a 3-prong plug. The 15' cable can simply be channeled through the Propeller leg to connect to a standard floor or wall outlet. The standard Propeller leg is used with this option. Plexus Boxes with cordset simply rest in the table cutout. Do not attach permanently to the table to comply with UL requirements. Option not available for Chicago or New York.

Pre-wired Plexus Box: The pre-wired Plexus Box offers four permanent 20 amp electrical circuits for power distribution and data access. An additional special pre-wired infeed leg (R) must specified to bring wires from building power to supply power the table. Jumper cables connect power infeed legs to first box and are used to link multiple boxes. Suitable for most regions if connected to building power by a licensed electrician.

The pre-wired Plexus box uses an eight wire, four circuit power distribution system.

The empty Plexus Box for hardwiring offers permanent power and data/communication access and has room for wiring up to four circuits. An additional special empty infeed leg (E) must be specified to bring wires from building power supply to the first empty Plexus Box. Suitable for all

Empty Plexus Box for hardwiring:

Construction

The Plexus box is constructed of an extruded aluminum lid and bezel in anodized finish. Sides and body are fabricated of stamped steel with aluminum powder-coat finish. Plexus boxes attach via clamps from underneath the table top. Accommodates table thickness from 1" to 1 ½".

Cutout options

Plexus Box cutout locations: For cutout locations see chart on specific product pages. Boxes ship with actual cutout template for field cutting tables, when necessary.

Cutout dimensions (w x d): Small Plexus Box: 6.875" x 6.25" Medium Plexus Box: 6.5" x 10.25" Double Medium 10.25" x 11.875"

\$1,286.

\$1,920.

\$2,494.

\$2,522.

\$2,510.

\$3,868.

\$3,878.

\$4,060.

Emanuela Frattini Propeller® Electrical One-Circuit Plexus Boxes with Cordset

Designer(s): Emanuela Frattini



P4S-BOXS-PP small plexus box

description

2.8" one electical duplex, 7.5" 6.75" room for two data faceplates one electrical duplex, 7.5" 6.75''2.8''two RJ45 jacks with category 6 transition cables

P4S-BOXM-PP medium shallow box with cordset and surge protector



two duplex, four RJ11 jacks, room for 2 additional data plates	10.5"	7"	2.8"
two duplex, four RJ45 jacks, room for 2 additional data plates	10.5"	7"	2.8"
two duplex, two RJ11 jacks, two RJ45 jacks, room for 2 additional data plates	10.5"	7"	2.8"

P4SD-BOXM-PP medium shallow double wide box with cordset and surge protector



four duplex, eight RJ11 jacks, room for 4 additional data plates	10.5"	12.5"	2.8"
four duplex, eight RJ45 jacks, room for 4 additional data plates	10.5"	12.5"	2.8"
four duplex, four RJ11 jacks, four RJ45 jacks, room for 4 additional data plates	10.5"	12.5"	2.8"

Order Code

Example:	P4SD-BOXM-PP-5-B-A
P4SD- BOXM-PP	Medium shallow Plexus Box
5	Four category 5 transition cables
В	ATT/Lucent transition cables (non-EIA)
A	Aluminum finish

- 1. Plexus Box for cutout size
- 2. Desired data configuration
- 3. Select B for (ATT/Lucent) or A for (EIA) wiring in building
- 4. Plexus Box lid finish

Finishes

Plexus Box lid finishes: Aluminum (suffix A)

Features

Plexus Box with Cordset: The Plexus Box with cordset offers temporary power and data access at the table top. The height of each box is only 2.8" and accommodates table thickness up to 11/2" allowing for complete knee clearance. Inside the box, power receptacles and one data/communication cutout are positioned on a angled wall, while additional data/communication cutouts are located on the floor of the box. All power and communication wiring is completely separated by a metal septum to avoid interference. The extruded aluminum lid features a brush seal, allowing for wires to pass through when the lid is closed. The box feature a black circuit reset button.

The Plexus with cordset is comprised of a single 15 amp electrical circuit with a 3-prong plug. The 15' cord can simply be channeled through the Propeller leg to connect to a standard floor or wall outlet. The standard Propeller leg is used with this option. For horizontal wire management, use wire management trough on page 90. Please note, the double medium box features two 15'

UL listed product. Cordset Plexus Boxes simply rest in the table cutout. Do not attach permanently to the table to comply with UL requirements. This option is not available for Chicago or New York.

80

Three box sizes are available:

 $Small\ Plexus\ Box\ with\ cordset:$ The small Plexus Box offers a single electrical duplex and a data/communication cutout positioned on the interior angled wall, with an additional data/communication cutout in the floor of the box. Available in two configurations: one with preconfigured data faceplate with two RJ45 jacks and two 20' Category 6 transition cables (2), or without data/communication faceplates (X).

P4S-BOXM-PP-5-(A,B)-(A) P4S-BOXM-PP-4511-(A,B)-(A) P4SD-BOXM-PP-11(A) P4SD-BOXM-PP-5-(A,B)-(A) P4SD-BOXM-PP-4511-(A,B)-(A)

Medium Plexus Box with cordset:

the interior angled wall, with two

(11), with one preconfigured data

electrical duplexes and a

P4S-BOXS-PP-X

P4S-BOXS-PP-2

P4S-BOXM-PP-11(A)

Double Medium Plexus Box with cordset: The medium Plexus Box offers two The double medium Plexus Box with cordset offers the same features as the medium box, but two sided; a total of four data/communication cutout positioned on electrical duplexes (two per side) and two additional data/communication cutouts data/communication cutouts position on in the floor of the box. Available in three the angled wall (one per side), with four configurations: with one preconfigured additional data/communication cutouts data faceplate with four RJ11 jacks and in the floor of the box (two per side). four 20' Category 3 transition cables Available in three configurations: with two preconfigured data faceplates, each faceplate with four RJ45 jacks and four with four RJ11 jacks and four 20' Category 3 transition cables (11), with 20' Category 6 transition cables (5), or two preconfigured data faceplates, each with one preconfigured data faceplate with two RJ11 jacks and two RJ45 jacks with four RJ45 jacks and four 20' with two 20' Category 3 transition cables Category 6 transition cables (5), or with and two 20' Category 6 transition cables. two preconfigured data faceplates, each with two RJ11 jacks and two RJ45 jacks with two 20' Category 3 transition cables

and two 20' Category 6 transition cables.

For preconfigured data options and transition cables, select (A) for EIA wiring, or (B) for ATT/Lucent wiring.

To specify individual data/communication plates, please see page 102.

Construction

The Plexus Box is constructed of an extruded aluminum lid and bezel in anodized finish. Sides and body are fabricated of stamped steel with aluminum powder-coat finish. Plexus boxes attach via clamps from underneath the table top. Accommodates table thickness from 1" to 11/2".

Cut-out Dimensions (w x d): Small Plexus Box 6.875" x 6.25" Medium Plexus Box 10.25" x 6.5" Double Medium Plexus Box 10.25" x 11.875''

\$1,331.

Emanuela Frattini Propeller® Electrical Empty Plexus Boxes for Hardwiring

description accommodates w d h

Designer(s):
Emanuela Frattini

P4S-BOXM-E medium shallow box, empty two duplex, room for three additional data plates

Take a ditional data plates

P4SD-BOXM-E double shallow medium box, empty

Figure duplex, room for six additional data plates

Time additional data plates

10.875"

12.5"

2.8"

P4SD-BOXM-E-(A)		\$2,
` ,		

Order Code

Example: P4S-BOXM-E-A P4S- Medium shallow plexus box, BOXM-E empty A Aluminum finish

Specify: Propeller table with desired cutout size and location

- 1. Plexus box size
- 2. Anodized finish

Can also specify:

- 1. Empty leg, refer to page 92.
- 2. Electrical outlets, refer to page 92.
- 3. Communication outlets, refer to page 92.
- 4. Jumper cable to connect empty leg to 1st plexus (female-male), refer to page 92.
- 5. Jumper cable to connect plexus boxes (male-male), refer to page 92.

Power outlets to be installed by electrical contractor; communication outlets to be installed by licensed communications contractor.

Finishes

Plexus Box Ind/infeed leg finishes: Aluminum (suffix A)

Plexus Box lid/infeed leg finishes:

The empty Plexus Box for hardwiring offers permanent power and data/communication access and has room for wiring up to four circuits. An additional special empty infeed leg (E) must be specified to bring wires from building power supply to the first empty Plexus Box. Suitable for all regions.

Empty Shallow Plexus for hardwiring

Empty Medium Plexus Box:
The medium Plexus Box offers room for two electrical duplexes and a data/communication cutout positioned on the interior angled wall, with two additional data/communication cutouts in the floor of the box.

Empty Double Medium Plexus Box:
the empty double medium Plexus Box
offers the same features as the medium
box, but two sided; room for four
electrical duplexes (two each side) and
two data/communication cutouts position
on the interior angled wall (one per side),
with four additional data/communication
cutouts in the floor of the box (two per
side).

82

Cities:
Electrical duplexes are included with
each empty box; to be field installed by a
licensed electrician.

Eagle Cooper, Black: 4270-5BK Orange: IG5262-RN

To specify individual data/communication plates, please see page 102.

Construction

P4S-BOXM-E-(A)

The Plexus Box is constructed of an extruded aluminum lid and bezel in andonized finish. Sides and body are fabricated of stamped steel with aluminum powder-coat finish. Plexus boxes attach via clamps from underneath the table top. Accomodates table thickness from 1" to 11/z".

Cut-out Dimensions (w x d):
Small Plexus Box: 6.875" x 6.25"
Medium Plexus Box: 10.25" x 6.5"
Double Medium Plexus Box: 10.25" x
11.875"

Infeed leg:
For Training or Conference tables with standard legs an additional special empty infeed leg (E) must be specified to bring wires from building power supply to the first empty Plexus Box. Suitable for all regions.

Emanuela Frattini Propeller® Electrical Pre-Wired Plexus Boxes

	description	type	W	d	h
Designer(s): Emanuela Frattini	P4S-BOXM-PR medium shallow box, pre-wired	one duplex A, one duplex X, room for 3 data plates	10.5"	7"	2.8"
		one duplex B, one duplex Y, room for 3 data plates	10.5"	7"	2.8"
	P4SD-BOXM-PR double medium shallow box, pre-wired	2 duplex A, 2 duplex X, room for 6 data plates	10.5"	12.5"	2.8"
		2 duplex B, 2 duplex Y, room for 6 data plates	10.5"	12.5"	2.8"
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				

pattern no.	list price
P4S-BOXM-PRA-(A)	\$2,374
P4S-BOXM-PRB-(A)	\$2,374
P4SD-BOXM-PRA-(A)	\$4,150
P4SD-BOXM-PRB-(A)	\$4,150.

\circ	rdai	r Code	_

Example: P4S-BOXM-PRA-A P4S-BOXMBOXMPRA A Aluminum finish

Specify:

- 1. Plexus box size
- 2. Specify Duplex A and X or B and Y
- 3. Andonized finish

Can also specify:

- 1. Communication outlets, refer to page
- 2. Prewired leg, refer to page 92.
- 3. Jumper to connect plexus boxes (male/male), refer to page 92.
- 4. Jumper to connect 1st plexus box to leg (female/male), refer to page 92.

Finishes

Plexus Box lid/infeed leg finishes:

Aluminum (suffix A)

The pre-wired Plexus Box offers
permanent electrical power and data
access at the table top. The data and
electrical receptacles are angled at 60
degrees for easier access. Additional

84

Features

The extruded aluminum hinge lid features a brush seal, allowing wires to pass when lid is closed.

data faceplates are located on box floor.

All power and communication wiring is completely separated by a metal septum to avoid interference.

The Plexus Box is a four-circuit, eight-wire power distribution system that includes two 20-amp convenience circuits (A,B), with neutral and ground and two protected 20-amp circuits (X,Y) with separate neutral and ground. All power outlets are pre-configured to avoid circuit overload. If several Plexus Boxes are connected together, alternate configurations A & B for optimal load distribution. The pre-wired system consists of three components:

Plexus boxes with outlets.

- A special pre-wired infeed leg for connection to the building power. All conference and training leg versions are available.
- Jumper cables to connect individual Plexus Boxes and to connect the first Plexus Box to pre-wired infeed leg.

UL listed product. Suitable for most regions if connected to building electric by licensed electrician.

Electrical Components: Eagle Cooper (included in all shallow plexus boxes) Black: 4270-5BK Orange: IG5262-RN

Data Plates:

Data Plates can fit up to four Cat 6/RJ45 cables. To specify please see page 102.

**Jumper cables:*

Jumper cables ensure power connection between infeed legs and first Plexus Box and between each consecutive box.

Length calculated for maximum distance.

Jumper cables ship with clamps for attachment underneath table top.

extruded aluminum in anodized or powder-coat finish.

Construction

Plexus Box:

Accomodates tables up to 11/4" thick.

Extruded aluminum body in anodized

finish. Sides are stamped steel with

aluminum powder-coat finish. Lid is

Cut-out Dimensions: Small 6.875" x 6.25" Medium 6.5" x 10.25" Double Medium 10.25" x 11.875"

Infeed leg:

Leg: extruded aluminum with anodized or powder-coat finish. One section of leg is completely enclosed for electrical wiring, other section has clear flexible PVC strips to lay in communication wiring. Stamped steel mounting plates with powder-coat finish. Black nylon glides. Please specify 'PR' version of leg i.e., specify P3-CLEG-PR for a conference leg to match a pre-wired Plexus box.

Pre-wired infeed leg has 6' open wire cord for attachment to building power via junction box.

\$502.

\$57.

\$61.

Emanuela Frattini Propeller® Electrical Quadruplex and Wire Management

Designer(s): Emanuela Frattini, 1994



P4-PP 360° quadruplex desktop monument	4 power outlets			
for use in grommet				
P4-WMT Double wire management trough		18"	5"	1"
		32"	5"	1"
		44"	5"	1"
		56"	5"	1"
		96"	5"	1"
P4-MRI Wire management clips (10)				
^				

3 1/4"

 P4-WMT-18
 \$44.

 P4-WMT-32
 \$60.

 P4-WMT-44
 \$76.

 P4-WMT-56
 \$100.

 P4-WMT-96
 \$154.

-	•	٠.
1	-	_
('	=	_

P4-GR Grommet replacement sleeve and

description

0	rder	Code	

Example:	P4-PP-A
P4-PP	Quadruplex monument, 4
	power outlets
Α	Aluminum

Specify:

1. Pattern number

2. Finish

Finishes

Quadruplex finishes: Black (suffix BK) Aluminum (suffix A)

Note:

Aluminum finish is powder coat, not anodized.

Grommet Finishes: Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612) **Features**

86

Quadruplex monument:
Four power outlets in one single desktop monument. The power hemisphere has two 15 amp, single circuit, 10' power cords; one cord per two outlets. Fits in standard size Propeller grommet with adapter shipped with unit. Composed of two 180° black or aluminum powder-coat ABS plastic dome segments. UL listed.

Morrison wire management clips:
Plastic clips with fastener can be drilled on the underside of the table in desired location to hold up wires and cables.
Simply drill a pilot hole in the desired location .7" deep (use 15/82" drill).

1 1/4"

Wire management troughs:
Rigid black PVC plastic.

Maintenance: See pages 9.

pattern no.

P4-MRI


P4-GR-()

Emanuela Frattini Propeller® Electrical 2+2 Raceway Kit Electrical options for Training and Conference tables

The Propeller raceway kit is used when a permanent configuration with rectangular and trapezoid training tables is specified. Typical examples for such situations are desk configurations, cluster desk configurations, computer training room setups. The raceway kit offers permanent power and communication outlets accessible from underneath the top. Access to these outlets is provided through grommets in the table. Quadruplex or transact outlets may also bring the wiring up to the table top.

Raceway kit components

The Propeller Raceway kit is comprised of three components: Infeed leg, Raceway, Jumper cable and the power and communications outlets.



Raceways are available in various different lengths. All raceways offer room for two duplex power outlets with surge protection. The 20", 26", 38" long raceway also has pre-cut holes for installation of two double communication outlets. Raceways are compatible with training and trapezoid tables and can be located in the front of mid-depth positions of all tables, and also at the back of the trapezoid table.



Jumper cables:

There are two types of jumper cables. Male-Female jumper cables are used to connect power infeed legs to the first plexus box or first raceway. Male-male jumper cables are used to connect between plexus boxes or between raceways.

Power infeed legs:

Provides permanent power and communications access. Alternatively empty infeed legs can also be specified Raceway compatible with legs shown below.



Training leg P4-RWIN4-R (right) P4-RWIN4-L (left) **Ordering Information**

- 1. Suitable raceway for every table
- 2. Jumper cables for every table-to-table connection.
- 3. Power infeed leg
- 4. Power infeed leg finish
- 5. Power and communications outlets



Trapezoid leg P4-RWIN4-T

Description

Raceway kit:

The 2 + 2 Raceway kit is a four-circuit, eight-wire modular power distribution system available for all Knoll systems. Raceway components distribute two 20 amp convenience circuits (A,B) with shared neutral and ground and two surge protected 20 amp circuits (X, Y) with separate neutral and ground. Each raceway has four connectors for jumper cables, two on left and two on the right. This allows for configurations with branching side connections from the overall circuit.



C-Leg P4-RWIN4-CR (right) P4-RWIN4-CL (left)

- Pre-assembled Raceway mounted inside metal trough. One raceway per table required.
- Jumper cables for bridging power between raceways on ganged tables.
- Power infeed legs bring power from building power to raceway.

A complete Raceway Kit consists of:

P3-TLEGU-PR

Construction

Bent sheet metal trough with dark grey finish. Raceway is fully enclosed in metal trough.

Jumper cables: Electrical conduit encased in a flexible metal tube with electrical connectors on both ends.

Power infeed leg:


Extruded aluminum leg with glide and cast aluminum end plate or cast aluminum foot for C-legs or T-legs Wiring is shielded inside fully enclosed leg section. 6' conduit emanating from bottom of leg for connection to building power. 91/4" long jumper cable emanating from top of leg is used to connect power infeed leg to raceway.

Typical Raceway configurations:

Virtually any electrical layout can be realized by utilizing the power infeed leg, proper lengths of raceway and jumper cables. Raceways provide combinations of duplex power outlets and duplex communications outlets. The length of the table top defines the length of the raceway.


90° Desking configuration:

Consists of a power infeed leg, a long and short raceway and 2 jumper cables



Linear computer training configuration:

Consists of a power infeed leg, 2 raceways of equal length mounted at front of desk, and 2 jumper cables. This configuration may be extended to incorporate any number of desks.




Component Glossary




Cluster configuration:

Consists of a power infeed leg of 4 short and long raceways connected by 8



Curved training configuration:

Consists of a power infeed leg, 3 raceways of equal length mounted at mid-depth of desk, and 3 jumper cables.



Specifications

Raceway:

All raceways include a pre-installed power rail that fits 2 duplex outlets. The 20", 26", 38" long raceway also has pre-cut holes for installation of two double communication outlets. Raceways ship with special locking connectors for permanently ganging

Communication wiring has to be field installed by communication contractor

Raceway kits do not include wire management trough for surplus wires. Specify P4-WMT or P4-AWB for storage of surplus wires.

Note: all tables must be ganged permanently with electrical connectors when Raceway Kit is used.

Duplex outlets:

Duplex outlet circuits are designated by white letters on black background. Two duplex outlets marked for a specific circuit can be specified. Choose none, one or two duplex outlets per raceway. Each raceway kit can receive two duplex outlets of the same or of different circuits.

Communications modules: AMP outlet faceplates have black textured finish. A maximum of two double communications outlets can be specified for different wiring and standards. AMP RJ45 outlets are available with EIA-T568B (ATT wiring) or EIA-T568A (all other EIA wiring) configurations. All RJ45 communications outlets are specially configured and rated for

Category 5 high speed data cabling, except those with couplers (Cat 3). For more communications module options, consult the Currents pricelist.

Jumper cables:

89

Jumper cables connect power from raceway to raceway, bridging between tables. They consist of electrical conduit encased in a flexible metal tube with electrical connectors on both ends. Different length jumper cables are required depending on the configuration.

Pre-wired, power infeed leg: Pre-wired, power infeed leg supplies raceway with power from building power source. Extruded aluminum with anodized or powder coat finish. One section of the leg is fully enclosed for electrical wiring, the other has a clear, flexible PVC strip to lav in data cables.

A 91/4" long cable emanating from top of leg is used to connect power infeed leg to raceway. 6' conduit emanating from bottom of leg is used for hard-wiring leg to building power. This can be cut to length during installation.


Specify left leg if infeed is located left of raceway, right leg if infeed is located right of raceway. Installation by licensed electrician only.

Emanuela Frattini Propeller® Electrical 2+2 Raceway Components

Designer(s): Emanuela Frattini, 1994



P4-RWR Power Raceway Kit for rectangular 48" w rect this table 60" w rect this



 48" w rect tbls
 14"
 2½"
 3¼"

 60" w rect tbls
 26"
 2½"
 3¼"

 66" w rect tbls
 26"
 2½"
 3¼"

 72" w rect tbls
 38"
 2½"
 3¼"

P4-RWT Power Raceway Kit for trapezoid table

Trapezoid table, long	20"	2 1/2"	3 1/4"
side			



Two RJ11 AMP (box of 10)	Two RJ11, 110
	termination
	Two RJ11, couplers
Two RJ45 AMP (box of 10)	Two RJ45, couplers
RJ11/RJ45 AMP (box of 10)	RJ11, RJ45, 110,
	EIA-T568A/6+5
	RJ11, RJ45, 110,
	EIA-T568B/6+5
	RJ11, RJ45, couplers
P4-RW-D Duplex outlets, black	Circuit A
	Circuit B
المائة	Circuit X
•	Circuit Y
P4-RW-DO Duplex outlets, orange	Circuit X
	Circuit Y

pattern no.	list price
P4-RWR48	\$791.
P4-RWR60	\$841.
P4-RWR66	\$841.
P4-RWR72	\$891.
P4-RWT	\$841.

\$892.
\$892.
\$892.
\$957.
\$957.
\$892.
\$61.
\$61.
\$61.
\$61.
\$72.
\$72.

Order Code

Example:	P4-RWR60
P4	Propeller accessory
RW	Raceway
R	For rectangular table
60	For 60" wide table

Specify:

- 1. Suitable raceway kit for every table
- 2. Jumper cables for every table-to-table connection
- 3. Power infeed leg (one per raceway)
- 4. Power infeed leg finish
- 5. Power and communication outlets

Ordering Information

Infeed leg finishes:

Anodized Aluminum (suffix A)

Jet Black (suffix 111)

Medium Metallic Grey (suffix 612)

Propeller raceway:
Propeller 2 + 2 Raceway is a four-circuit, eight-wire modular power distribution system available for all Knoll Systems. 2 + 2 Raceway components distribute two 20-amp convenience circuits (A, B), with neutral and ground, and two protected 20-amp circuits (X, Y) with separate neutral and ground. UL183 listed for use

A complete Propeller Raceway consists of pre-assembled raceway kits mounted inside metal troughs, jumper cables and infeed legs, ordered individually.

- One raceway kit per table required.Jumper cables bridge power between
- Power infeed legs bring power from building power to raceway.

The raceway circuit is connected to the building power via a junction box. Installation by licensed electrician only.

Maintenance: See pages 9.

Specification Information

Note: All tables must be ganged permanently with electrical connectors when used with raceway.

Raceway:

All raceways include a pre-installed power rail that fits 2 duplex outlets. The 20", 26", 38" long raceway also has pre-cut holes for installation of two double communication outlets. The 14" raceway can fit either 2 duplex outlets or one duplex outlet and one double communications outlet. Raceways ship with special locking connectors for permanently ganging tables.

Communication wiring has to be field installed by communication contractor.

Raceway kits do not include wire management trough for surplus wires. Use **P4-WMT/P4-WMTR** on page 88 for storage of surplus wires.

Jumper cables:

Jumper cables ensure power connection in a straight line configuration, or for tables joined perpendicularly, or for configurations with bridges or segments between tables. Jumper cables ship with clamps for attachment underneath table top.

Power infeed leg:

Supplies raceway with power from building power source. Complete leg assembly hard- wired inside, fully enclosed wiring. Use junction box to connect raceway to building power.

Specify left leg if infeed is located left of raceway, right leg if infeed is located right of raceway. Power infeed has 6' cord for hard wiring that can be cut to length during installation of raceway. Cord must be cut to 18" length or less for application in New York City.

Duplex outlets:

91

Duplex outlet circuits are designated by white letters on black background.

Communication modules: AMP outlet faceplates are black textured

AMP RJ45 outlets are available with EIA-T568B (ATT wiring) or EIA-T568A (all other EIA wiring) configurations.

All RJ45 data/communication outlets are specially configured and rated for Category 5 high speed data cabling, except those with couplers (Cat 3).

Construction

Power infeed leg:
Extruded aluminum leg with glide and cast aluminum end plate or cast aluminum foot for C-legs or T-legs.
Wiring is shielded inside fully enclosed leg section. 6' open lines to attach junction box on bottom of leg. 9 ½" long jumper infeed end at top of infeed leg connects to raceway kit.

Raceway Kits: Bent sheet metal trough with dark metallic grey finish (suffix V).


Raceway is fully enclosed in metal trough.

Refer to page 96 for jumper cables.

\$505.

Emanuela Frattini Propeller® Electrical Jumper Cables for Raceway Kit and Pre-Wired Plexus Boxes

Designer(s): Emanuela Frattini, 1994 P4-RWJ Male-male jumper cable- to connect between plexus boxes or between




10"
17"
27"
37"
47"
57"
67"

P4-RWMF Female-male jumper cable- to connect power infeed leg to first plexus box or first raceway



10"
17"
27"
37"



Prewired power connection for drum/peanut	30"
rewired power connection for drum/peanut	96"

Order Code

Example:	P4-RWMFJ17
P4RWMF	Female-male jumper cable
	to connect power infeed leg
	to first plexus box or first
	raceway
J17	17" female/male jumper
	cable

Specify:

- 1. Male-male or male-female jumper cable connection
- 2. Length of jumper cable needed

Specification Information

Note: All tables must be ganged permanently with electrical connectors when used with raceway. Building power must be turned off before reconfiguration.

Jumper cables:
Jumper cables ensure power connection
in a straight line configuration, or for
tables joined perpendicularly, or for
configurations with bridges or segments
between tables.

Jumper cables ship with clamps for attachment underneath table top.

Jumper cables: Training
Jumper cables ensure power connection
between legs and raceway kits under
each table.

Raceway jumper connections:

Male-male jumper cables for connection between raceway kits.

Female-male jumper cables for connection between power infeed leg and raceway kit.

Plexus jumper connections:

Male-male jumper cables for connection between Plexus boxes.

Female-male jumper cables for connection between power infeed leg and Plexus box.

pattern no.	list price
P4-RWJ10	\$161.
P4-RWJ17	\$169.
P4-RWJ27	\$194.
P4-RWJ37	\$208.
P4-RWJ47	\$222.
P4-RWJ57	\$241.
P4-RWJ67	\$259.
P4-RWMFJ10 P4-RWMFJ17	\$161. \$169.
P4-RWMFJ27	\$194.
P4-RWMFJ37	\$208.
P4-RWM30	\$288.

93

P4-RWM96

Emanuela Frattini Propeller® Electrical Leg Options for Training and Conference Tables Leg Options for Prewired Plexus Boxes

description P3-CLEG-PR Conference Std. leg, Prewired (Universal) Designer(s): Emanuela Frattini, 1994 P3-TLEGU-PR T-Leg, Prewired (Universal) T-Leg, Prewired (Universal) for 30" Tables P4-RWIN4-CL C-Leg, Prewired (Left) P4-RWIN4-CR C-Leg, Prewired (Right) P4-RWIN4-T Trapezoid Std. leg, Prewired (Universal) P4-RWIN4-RR Training Std. leg, Prewired (Right) P4-RWIN4-RL Training Std. leg, Prewired (Left)

P3-CLEG-PR-()	\$1,27
P3-TLEGU-PR-()	\$1,92
P3-TLEGU-PR30-()	\$1,84
P4-RWIN4-CL-()	\$1,92
P4-RWIN4-CR-()	\$1,92
P4-RWIN4-T-()	\$83
	ψ.Oo
DA DIVINA DD ()	***
P4-RWIN4-RR-()	\$83
P4-RWIN4-RL-()	\$83

Order	Code

Example: P4-RWIN4-L(A) P4-RWIN4- Infeed leg for rectangular table,

left Anodized finish

- Power infeed leg
 Power infeed leg finish

Finishes

Infeed leg finishes: Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612)

Specification Information

Note: All tables must be ganged permanently with electrical connectors when used with raceway. Building power must be turned off before reconfiguration. Infeed leg: Standard leg: extruded aluminum with anodized or powder-coat finish. One section of leg is completely enclosed for electrical wiring, other section has clear flexible PVC strips to lay in communication wiring. Stamped steel mounting plates with powder-coat finish. Black nylon glides.

Standard conference, trapezoid and T-Legs are universal and can be used on either side of the table. For C-Legs and training specify right or left.

pattern no.

C-Leg & T-Leg: Extruded aluminum with anodized or powder-coat finish. One section of leg is completely enclosed for electrical wiring, other section has clear flexible PVC strips to lay in communication wiring. Cast aluminum foot plate with textured surface with powder-coat finish matching the leg finish. Steel mounting plates with powder-coat finish.

Cast aluminum foot plate with textured surface with powder-coat finish matching the leg finish. Steel mounting plates with powder-coat finish. Black nylon glides.

\$1,186.

\$1,139.

\$632.

\$632.

\$1,603.

\$632.

\$889.

Emanuela Frattini Propeller® Electrical Leg Options for Training and Conference Tables Leg Options for Empty Plexus Boxes

description P3-CLEG-PE Conference Std. leg, Empty (Universal) Designer(s): Emanuela Frattini, 1994 P3-TLEGU-PE T-Leg, Empty (Universal) T-Leg, Empty (Universal) for 30" tables P4-RWIN4-RER Training Std. leg, Empty (Right) P4-RWIN4-REL Training Std. leg, Empty (Left) P4-RWIN4-CRE C-Leg, Empty (Right) P4-RWIN4-CLE C-Leg, Empty (Left) P4-RWIN4-TE Trapezoid Std. Leg, Empty

P3-TLEGU-PE-()		
P3-TLEGU-PE30-()		
P4-RWIN4-RER-()		
P4-RWIN4-REL-()		
P4-RWIN4-CRE-()		
· · · · · · · · · · · · · · · · · · ·		
P4-RWIN4-CLE-()		
P4-RWIN4-TE-()		

Order Code

Example: P4-RWIN4-RE(A)

P4-RWIN4- infeed leg for rectangular table, right

Anodized finish

Specify:

1. Power infeed leg 2. Power infeed leg finish **Finishes**

Infeed leg finishes: Anodized Aluminum (suffix A) Jet Black (suffix 111) Medium Metallic Grey (suffix 612)

Note: All tables must be ganged permanently with electrical connectors when used with raceway. Building power must be turned off before reconfiguration.

Specification Information

Standard leg: extruded aluminum with anodized or powder-coat finish. One section of leg is completely enclosed for electrical wiring, other section has clear flexible PVC strips to lay in communication wiring. Stamped steel mounting plates with powder-coat finish. Black nylon glides.

Standard conference, trapezoid and T-Legs are universal and can be used on either side of the table. For C-Legs and training, specify right or left.

C-Leg & T-Leg: Extruded aluminum with anodized or powder-coat finish. One section of leg is completely enclosed for electrical wiring, other section has clear flexible PVC strips to lay in communication wiring. Cast aluminum foot plate with textured surface with powder-coat finish matching the leg finish. Steel mounting plates with powder-coat finish.

P3-CLEG-PE-()

Cast aluminum foot plate with textured surface with powder-coat finish matching the leg finish. Steel mounting plates with powder-coat finish. Black nylon glides.

\$92.

\$107.

Emanuela Frattini Propeller® Electrical Plexus Communication and Data Faceplates

description	accomodates	W	d	h	color
P7-C3 data faceplate, one RJ-11 communication jack	one RJ-11 Cat. 3 jack*	3.2"	1.9"	.4"	black
	one RJ-11 Cat. 3 jack*	3.2"	1.9"	.4"	grey
P7-C6 data faceplate, one RJ-45 data jack	one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black
	one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey
P7-C3-C6 data faceplate, one RJ-11 communication jack, one RJ-45 data jack	one RJ-11 Cat. 3 jack, one RJ-45 Cat.6 jack*	3.2"	1.9"	.4"	black
	one RJ-11 Cat. 3 jack, one RJ-45 Cat.6 jack*	3.2"	1.9"	.4"	grey
P7-C3-C6-C6 data faceplate, one RJ-11 communication jack, two RJ-45 data jacks	one RJ-11 Cat. 3 jack, two RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black
	one RJ-11 Cat. 3 jack, two RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey
P7-C6-C6 data faceplate,	two RJ-45	3.2"	1.9"	.4"	black
two RJ-45 data jacks	Cat. 6 jack*	3.2"	1.9"	.4"	grey
	Cat. 6 jack*				0 -7

P7-C6	\$145
P7GR-C6	\$163
P7-C3-C6	\$210
P7GR-C3-C6	\$228
P7-C3-C6-C6	\$350
P7GR-C3-C6-C6	\$368
	4000
P7-C6-C6	\$277
P7GR-C6-C6	\$292

Order Code

Example:	P7-C3-C6-C6
P7	Black data faceplate
C3	RJ11 Cat. 3 jack
C6	RJ45 Cat. 6 jack
C6	RJ45 Cat. 6 jack

Specify: Faceplate with desired communication or data jacks.

- 1. Faceplate
- 2. Communication/data jack
- 3. Communication/data jack
- 4. Communication/data jack

On-site wiring to be installed by communications/data contractor.

Finishes

 $Face plate\ finishes:$ Black (suffix P7) Grey (suffix P7GR)

 $Communication \ data \ options:$ RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) * Fiber optic (suffix LC)

Data cables are not supplied.

* requires on-site wiring RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.

A/V and data options: 15 pin VGA (suffix VGA) Mini Stereo jack (suffix MS) * Mini Stereo coupler (suffix MSI) HDMI coupler (suffix HDMI) 3 pin XLR female (suffix 3X) * 3 pin mini XLR female (suffix 3M) *

Cord minders (suffix CM)

Blank plate (suffix X)

RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3) Configured for Amp cables.(suffix C3I)

RJ-45 Data Connection:

Communication, data jacks:

RJ-11 Telephone Connection:

Features

RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E) RJ-45 Category 6 data jack, requires site

wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)

A/V and data jacks:

DB Connection:

pattern no. P7-C3

P7GR-C3

15 pin High density VGA female/female coupler. (suffix VGA)

DVI Connection:

DVI in-line female/female coupler. (suffix DVI)

RCA Connection:

White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)

Stereo Connection:

Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

Construction

USB Connection: USB A/A inline in XLR body. (suffix USB)

Video Connection:

S-Video (SVHS) female/female coupler. (suffix SV)

XLR Connection:

3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).

HDMI Connection:

HDMI in-line female/female coupler (suffix HDMI).

* requires on-site wiring.

ABS fire retardant faceplate with integral

color. Fits shallow Plexus box openings.

A/V Cables are not included.

Emanuela Frattini Propeller® Electrical Plexus Communication and Data Faceplates

description	accomodates	W	d	h	color
P7-C6-C6-C6 data faceplate, three RJ-45 data jacks	three RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black
	three RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey
P7-C6-C6-C6-C6 data faceplate,	four RJ-45	3.2"	1.9"	.4"	black
Four RJ-45 data jacks	Cat. 6 jack*	3.2	1.9	.4	DIACK
	four RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey
P7-C3-C3-C6-C6 data faceplate, wo RJ-11 communication jacks, wo RJ-45 data jacks	two RJ-11 Cat. 3 jack, two RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black
	two RJ-11 Cat. 3 jack, two RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey
P7-C5-C5 data faceplate, wo RJ-45 data jacks	two RJ-45 Cat. 5e couplers,	3.2"	1.9"	.4"	black
	female/female two RJ-45 Cat. 5e couplers, female/female	3.2"	1.9"	.4"	grey
P7-C5-C5 d ata faceplate, hree RJ-45 data jacks	three RJ-45 Cat. 5e couplers, female/female	3.2"	1.9"	.4"	black
	three RJ-45 Cat. 5e couplers, female/female	3.2"	1.9"	.4"	grey

P7-C6-C6-C6	\$407
P7GR-C6-C6	\$425
P7-C6-C6-C6	\$537
P7GR-C6-C6-C6	\$552
P7-C3-C3-C6-C6	\$424
P7GR-C3-C3-C6-C6	\$441
P7-C5-C5	\$277
F7-03-03	9211
P7GR-C5-C5	\$292
P7-C5-C5	\$407
P7GR-C5-C5-C5	\$425

Order Code

Example: **P7-C3-C6-C6** P7 Black data faceplate C3 RJ11 Cat. 3 jack C6 RJ45 Cat. 6 jack C6 RJ45 Cat. 6 jack

Specify: Faceplate with desired communication or data jacks.

- 1. Faceplate
- 2. Communication/data jack 3. Communication/data jack
- 4. Communication/data jack
- On-site wiring to be installed by communications/data contractor.

Finishes

Faceplate finishes: Black (suffix P7) Grey (suffix P7GR)

Communication data options: RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) *

Data cables are not supplied.

Fiber optic (suffix LC)

RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.

Features

Communication, data jacks: **RJ-11 Telephone Connection:**

RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3) Configured for Amp cables.(suffix C3I)

RJ-45 Data Connection:

RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)

A/V and data jacks: DB Connection:

pattern no.

15 pin High density VGA female/female coupler. (suffix VGA)

DVI Connection: DVI in-line female/female coupler.

(suffix DVI) RCA Connection:

White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)

Stereo Connection:

Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

USB Connection:

USB A/A inline in XLR body. (suffix USB)

Video Connection:

S-Video (SVHS) female/female coupler. (suffix SV)

XLR Connection:

3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).

HDMI Connection:

HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring.

A/V Cables are not included.

100

A/V and data options:

15 pin VGA (suffix VGA)

Mini Stereo jack (suffix MS) *

HDMI coupler (suffix HDMI)

3 pin XLR female (suffix 3X) *

Cord minders (suffix CM)

Blank plate (suffix X)

3 pin mini XLR female (suffix 3M) *

Mini Stereo coupler (suffix MSI)

Construction

ABS fire retardant faceplate with integral

color. Fits shallow Plexus box openings.

Emanuela Frattini Propeller® Electrical Plexus Communication and Data Faceplates

description	accomodates	W	d	h	color
P7-C3I-C3I data faceplate, two RJ-11 communication jacks	two RJ-11 Cat. 3 couplers, female/female	3.2"	1.9"	.4"	black
	two RJ-11 Cat. 3 couplers, female/female	3.2"	1.9"	.4"	grey
P7-LC-LC data faceplate, two fiber optic connectors	two LC fiber optic duplex connectors female/female	3.2"	1.9"	.4"	black
	two LC fiber optic duplex connectors female/female	3.2"	1.9"	.4"	grey
P71010 00 00 1 1 1 1 1 1		2.0//	1.0"	411	
P7-LC-LC-C6-C6 data faceplate, two fiber optic connectors, two RJ45 Cat. 6 jacks	two fiber optic duplex connectors, two RJ45 Cat. 6 jacks	3.2"	1.9″	.4"	black
	two fiber optic duplex connectors, two RJ45 Cat. 6 jacks	3.2"	1.9"	.4"	grey

one 15 pin VGA 60" patch cord, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black
one 15 pin VGA 60" patch cord, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey

pattern no.	nst price
P7-C3I-C3I	\$124.
P7GR-C3I-C3I	\$141.
P7-LC-LC	\$599.
P7GR-LC-LC	\$617.
P7-LC-LC-C6-C6	\$862.
P7GR-LC-LC-C6-C6	\$881.
P7-VGA-C6	\$370.
P7GR-VGA-C6	\$387.

\sim	rdar	Code
_	uei	Coue

Example:	P7-C3-C6-C6
P7	Black data faceplate
C3	RJ11 Cat. 3 jack
C6	RJ45 Cat. 6 jack
C6	RJ45 Cat. 6 jack

Specify: Faceplate with desired communication or data jacks.

- 1. Faceplate
- 2. Communication/data jack 3. Communication/data jack
- 4. Communication/data jack
- On-site wiring to be installed by communications/data contractor.

Finishes

Faceplate finishes: Black (suffix P7) Grey (suffix P7GR)

P7-VGA-C6 data faceplate, one 15 pin VGA 60" patch cord, one RJ-45 data jack

o‱o 💍

Communication data options: RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) * Fiber optic (suffix LC)

Data cables are not supplied.

RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.

A/V and data options: 15 pin VGA (suffix VGA) Mini Stereo jack (suffix MS) *

Mini Stereo coupler (suffix MSI) HDMI coupler (suffix HDMI) 3 pin XLR female (suffix 3X) * 3 pin mini XLR female (suffix 3M) * Cord minders (suffix CM) Blank plate (suffix X)

Features

RJ-11 Telephone Connection: RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons

cables. (suffix C3) Configured for Amp cables.(suffix C3I) RJ-45 Data Connection:

Communication, data jacks:

RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons

cables. (suffix C6)

Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

15 pin High density VGA female/female

White (left audio), Red (right audio) and

Yellow (composite video) female/female

DVI in-line female/female coupler.

A/V and data jacks:

DB Connection:

DVI Connection:

RCA Connection:

coupler. (suffix RCA)

Stereo Connection:

(suffix DVI)

coupler. (suffix VGA)

pattern no.

USB Connection:

USB A/A inline in XLR body. (suffix USB) Video Connection:

S-Video (SVHS) female/female coupler.

(suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring

(suffix 3X). 3 pin mini XLR jack,

requires site wiring (suffix 3M). HDMI Connection:

HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring.

A/V Cables are not included.

Construction

\$502.

\$518.

Emanuela Frattini Propeller® Electrical Plexus Communication and Data Faceplates

description	accomodates	W	d	h	color
P7-VGA-C6-C6 data faceplate, one 15 pin VGA 60" patch cord, two RJ-45 data jacks	one 15 pin VGA coupler, two RJ-45 Cat. 6 jacks*	3.2"	1.9"	.4"	black
o	one 15 pin VGA coupler, two RJ-45 Cat. 6 jacks*	3.2"	1.9"	.4"	grey

P7-VGA-C3-C6 data faceplate, one 15 pin VGA, one RJ-11 communication jack, one RJ-45 data jack	one 15 pin VGA coupler, one RJ-11 Cat. 3 jack, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black
	one 15 pin VGA coupler, one RJ-11 Cat. 3 jack, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey

A/V and data options:

15 pin VGA (suffix VGA)

Mini Stereo jack (suffix MS) *

HDMI coupler (suffix HDMI)

3 pin XLR female (suffix 3X) *

Cord minders (suffix CM)

Blank plate (suffix X)

104

3 pin mini XLR female (suffix 3M) *

Mini Stereo coupler (suffix MSI)

P7-VGA-MS-C3-C6 data faceplate,
one 15 pin VGA 60" patch cord,
one Mini-Stereo jack, one RJ-11
communication jack, one RJ-45 data jack

one 15pin	3.2"	1.9"	.4"	black
VGA,				
one Mini-Stereo jack,				
one RJ-11				
Cat. 3 jack,				
one RJ-45				
Cat. 6 jack*				
one 15pin	3.2"	1.9"	.4"	grey
VGA,				
one Mini-Stereo jack,				
one RJ-11				
Cat. 3 jack,				
one RJ-45				
Cat. 6 jack*				

P7-VGA-C3-C6	\$44
P7GR-VGA-C3-C6	\$46
P7-VGA-MS-C3-C6	\$470
F7-VGA-W3-C3-C0	9417
P7GR-VGA-MS-C3-C6	\$48

Order Code

Example: **P7-C3-C6-C6** P7 Black data faceplate C3 RJ11 Cat. 3 jack C6 RJ45 Cat. 6 jack C6 RJ45 Cat. 6 jack

Specify: Faceplate with desired communication or data jacks.

- 1. Faceplate
- 2. Communication/data jack 3. Communication/data jack
- 4. Communication/data jack

On-site wiring to be installed by communications/data contractor.

Finishes

Faceplate finishes: Black (suffix P7) Grey (suffix P7GR)

Communication data options: RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) * Fiber optic (suffix LC)

Data cables are not supplied.

RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.

Features

Communication, data jacks: **RJ-11 Telephone Connection:**

RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3) Configured for Amp cables.(suffix C3I)

RJ-45 Data Connection:

RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)

A/V and data jacks: DB Connection:

P7-VGA-C6-C6

P7GR-VGA-C6-C6

15 pin High density VGA female/female coupler. (suffix VGA) **DVI Connection:**

DVI in-line female/female coupler. (suffix DVI)

RCA Connection:

White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)

Stereo Connection:

Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

USB Connection: USB A/A inline in XLR body. (suffix

USB)

Video Connection: S-Video (SVHS) female/female coupler.

(suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring

(suffix 3X). 3 pin mini XLR jack,

requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler

(suffix HDMI).

* requires on-site wiring.

A/V Cables are not included.

Construction

ABS fire retardant faceplate with integral

color. Fits shallow Plexus box openings.

\$531.

\$548.

Emanuela Frattini Propeller® Electrical Plexus Communication and Data Faceplates

P7-VGA-MSI-C3-C6 data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo coupler, one RJ-11 communication jack, one RJ-45 data jack

description

accomodates	W	d	h	color	
one 15 pin VGA, one Mini-Stereo in-line coupler, one RJ-11 Cat. 3 jack, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	black	
one 15 pin VGA, one Mini-Stereo in-line coupler, one RJ-11 Cat. 3 jack, one RJ-45 Cat. 6 jack*	3.2"	1.9"	.4"	grey	

P7-VGA-MS-C6 data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo jack, one RJ-45 data jack



one 15 pin	3.2''	1.9"	.4"	black	
VGA,					
one Mini-Stereo jack					
one RJ-45					
Cat. 6 jack*					
one 15 pin	3.2"	1.9"	.4"	grey	
VGA,					
one Mini-Stereo jack					
one RJ-45					
Cat. 6 jack*					

P7-VGA-MSI-C6 data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo coupler, one RJ-45 data jack



one 15 pin	3.2"	1.9"	.4"	black	
VGA,					
one Mini-Stereo					
in-line coupler,					
one RJ-45					
Cat. 6 jack*					
one 15 pin	3.2"	1.9"	.4"	grey	
VGA,				0 ,	
one Mini-Stereo					
in-line coupler,					
one RJ-45					
Cat. 6 jack*					

Order Code

Example:	P7-C3-C6-C6	
P7	Black data faceplate	-
C3	RJ11 Cat. 3 jack	-
C6	RJ45 Cat. 6 jack	-
C6	RJ45 Cat. 6 jack	-

Specify: Faceplate with desired communication or data jacks.

- 1. Faceplate
- 2. Communication/data jack 3. Communication/data jack
- 4. Communication/data jack
- On-site wiring to be installed by communications/data contractor.

Finishes

Faceplate finishes: Black (suffix P7) Grey (suffix P7GR)

Communication data options: RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) * Fiber optic (suffix LC)

Data cables are not supplied.

RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.

A/V and data options: 15 pin VGA (suffix VGA) Mini Stereo jack (suffix MS) * Mini Stereo coupler (suffix MSI) HDMI coupler (suffix HDMI) 3 pin XLR female (suffix 3X) * 3 pin mini XLR female (suffix 3M) * Cord minders (suffix CM)

Blank plate (suffix X)

106

Communication, data jacks:

RJ-11 Telephone Connection: RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3) Configured for Amp cables.(suffix C3I)

RJ-45 Data Connection: RJ-45 Category 5e in-line coupler

female/female. Configured for Amp cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)

Features

A/V and data jacks: DB Connection: 15 pin High density VGA female/female

coupler. (suffix VGA) **DVI Connection:** DVI in-line female/female coupler.

(suffix DVI) **RCA Connection:**

White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)

Stereo Connection:

P7-VGA-MSI-C3-C6

P7GR-VGA-MSI-C3-C6

Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

USB Connection:

USB A/A inline in XLR body. (suffix USB)

Video Connection: S-Video (SVHS) female/female coupler.

(suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring

(suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).

HDMI Connection:

HDMI in-line female/female coupler (suffix HDMI).

* requires on-site wiring.

P7-VGA-MS-C6 \$392.

P7GR-VGA-MS-C6 \$411.

P7-VGA-MSI-C6 \$457.

P7GR-VGA-MSI-C6 \$474.

107

Construction

ABS fire retardant faceplate with integral

color. Fits shallow Plexus box openings.

A/V Cables are not included.

\$524.

\$540.

\$587.

\$619.

\$424.

\$441.

Emanuela Frattini Propeller® Electrical Plexus Communication and Data Faceplates

description accomodates color black P7-VGA-MS-C6-C6 data faceplate, 3.2''1.9" one 15 pin one 15 pin VGA w/60" patch cord, VGA coupler, one Mini-Stereo jack, one Mini-Stereo jack, two RJ-45 data jacks two RJ-45 Cat. 6 jacks* o‱o ## one 15 pin VGA coupler, 1.9" one Mini-Stereo jack, two RJ-45 Cat. 6 jacks*

P7-VGA-MSI-C6-C6 data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo coupler, two RJ-45 data jack	one 15 pin VGA coupler, one Mini-Stereo in-line coupler, two RJ-45 Cat. 6 jacks*	3.2"	1.9"	.4"	black
	one 15 pin VGA coupler, one Mini-Stereo in-line coupler, two RJ-45 Cat. 6 jacks*	3.2"	1.9"	.4"	grey

A/V and data options:

15 pin VGA (suffix VGA)

Mini Stereo jack (suffix MS) *

HDMI coupler (suffix HDMI)

3 pin XLR female (suffix 3X) *

Cord minders (suffix CM)

Blank plate (suffix X)

108

3 pin mini XLR female (suffix 3M) *

Mini Stereo coupler (suffix MSI)

P7-C3-C6-USB data faceplate, one RJ-11 communication jack, one RJ-45 data jack, one USB A/A w/72" patch cord



one RJ-11 Cat. 3 jack, one RJ-45 Cat. 6 jack,* one USB A/A w/72" patch cord	3.2"	1.9"	.4"	black
one RJ-11 Cat. 3 jack, one RJ-45 Cat. 6 jack,* one USB A/A w/72" patch cord	3.2"	1.9"	.4"	grey

Order Code

Example:	P7-C3-C6-C6
P7	Black data faceplate
C3	RJ11 Cat. 3 jack
C6	RJ45 Cat. 6 jack
C6	RI45 Cat. 6 jack

Specify: Faceplate with desired communication or data jacks.

- 1. Faceplate
- 2. Communication/data jack 3. Communication/data jack
- 4. Communication/data jack

On-site wiring to be installed by communications/data contractor.

Finishes

Faceplate finishes: Black (suffix P7) Grey (suffix P7GR)

Fiber optic (suffix LC)

Communication data options: RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) *

Data cables are not supplied.

RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.

Features

Communication, data jacks: **RJ-11 Telephone Connection:**

RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3) Configured for Amp cables.(suffix C3I)

RJ-45 Data Connection:

RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)

DB Connection:

A/V and data jacks:

P7-VGA-MS-C6-C6

P7GR-VGA-MS-C6-C6

P7-VGA-MSI-C6-C6

P7GR-VGA-MSI-C6-C6

P7-C3-C6-USB

P7GR-C3-C6-USB

15 pin High density VGA female/female coupler. (suffix VGA) **DVI Connection:**

DVI in-line female/female coupler. (suffix DVI)

RCA Connection:

White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)

Stereo Connection:

Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

USB Connection: USB A/A inline in XLR body. (suffix

HSB)

Video Connection:

S-Video (SVHS) female/female coupler. (suffix SV)

XLR Connection:

3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).

HDMI Connection:

HDMI in-line female/female coupler (suffix HDMI).

* requires on-site wiring. A/V Cables are not included.

Construction

109

Emanuela Frattini Propeller® Electrical Plexus Communication and Data Faceplates

description	accomodates	W	d	h	color
P7-VGA-MS data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo jack	one 15 pin VGA coupler, one Mini-Stereo jack*	3.2"	1.9"	.4"	black
o;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	one 15 pin VGA coupler, one Mini-Stereo jack*	3.2"	1.9"	.4"	grey
P7-VGA-MSI data faceplate, one 15 pin VGA w/60" patch cord,	one 15 pin VGA coupler,	3.2"	1.9"	.4"	black
one Mini-Stereo coupler	one Mini-Stereo in-line coupler				
omo	one 15 pin VGA coupler, one Mini-Stereo in-line coupler	3.2"	1.9"	.4"	grey
P7-3X-3X data faceplate,	two 3 pin	3.2"	1.9"	.4"	black
two 3 pin XLR jacks	XLR jacks* two 3 pin	3.2"	1.9"	.4"	grey
	XLR jacks*				
P7-3M-3M data faceplate, two 3 pin mini-XLR jacks	two 3 pin mini-XLR jacks*	3.2"	1.9"	.4"	black
	two 3 pin mini-XLR jacks*	3.2"	1.9"	.4"	grey

F	1100 p.1100
P7-VGA-MS	\$264
P7GR-VGA-MS	\$281
P7-VGA-MSI	\$326.
P7GR-VGA-MSI	\$343.
P7-3X-3X	\$547.
P7GR-3X-3X	\$565.
P7-3M-3M	\$431.
P7GR-3M-3M	\$449.

\sim	rder	0-	46
U	ruer	CO	ue

Example:	P7-C3-C6-C6
P7	Black data faceplate
C3	RJ11 Cat. 3 jack
C6	RJ45 Cat. 6 jack
C6	RJ45 Cat. 6 jack

Specify: Faceplate with desired communication or data jacks.

- 1. Faceplate
- 2. Communication/data jack 3. Communication/data jack
- 4. Communication/data jack
- On-site wiring to be installed by communications/data contractor.

Finishes

Faceplate finishes: Black (suffix P7) Grey (suffix P7GR)

Communication data options: RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) * Fiber optic (suffix LC)

Data cables are not supplied.

RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.

A/V and data options: 15 pin VGA (suffix VGA) Mini Stereo jack (suffix MS) *

Mini Stereo coupler (suffix MSI) HDMI coupler (suffix HDMI) 3 pin XLR female (suffix 3X) * 3 pin mini XLR female (suffix 3M) * Cord minders (suffix CM) Blank plate (suffix X)

Features

RJ-11 Telephone Connection: RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3) Configured for Amp cables.(suffix C3I)

RJ-45 Data Connection: RJ-45 Category 5e in-line coupler

Communication, data jacks:

female/female. Configured for Amp cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)

A/V and data jacks: DB Connection:

pattern no.

15 pin High density VGA female/female coupler. (suffix VGA) **DVI Connection:**

DVI in-line female/female coupler. (suffix DVI) **RCA Connection:**

White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)

Stereo Connection:

Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

USB Connection:

USB A/A inline in XLR body. (suffix USB)

Video Connection:

S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection:

3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).

HDMI Connection:

HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring.

A/V Cables are not included.

Construction

Emanuela Frattini Propeller® Electrical Plexus Communication and Data Faceplates

description	accomodates	w	d	h	color
P7-3M-3M-3M data faceplate, three 3 pin mini-XLR jacks	three 3 pin mini-XLR jacks*	3.2"	1.9"	.4"	black
	three 3 pin mini-XLR jacks*	3.2"	1.9"	.4"	grey
P7-VGA-USB data faceplate, one 15 pin HD VGA coupler, one USB A/A w/72" patch cord	one 15 pin HD VGA coupler, one USB A/A w/72" patch cord	3.2"	1.9"	.4"	black
o=====================================	one 15 pin HD VGA coupler, one USB A/A w/72" patch cord	3.2"	1.9"	.4"	grey
P7-USB-USB data faceplate, two USB A/A w/72" patch cord	two USB A/A w/72" Patch cords	3.2"	1.9"	.4"	black
	two USB A/A w/72" Patch cords	3.2"	1.9"	.4"	grey
P7-VGA-MS-RCA data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo jack, one RCA (white, red and yellow) coupler	one 15 pin VGA, one Mini-Stereo jack,* one set RCA	3.2"	1.9"	.4"	black
omo o o o o o	couplers- one left audio (white),				
	one right audio (red), composite video				
	(yellow)	"			
	one 15 pin VGA, one Mini-Stereo jack,* one set RCA couplers- one left audio	3.2"	1.9″	.4"	grey
	(white), one right audio (red), composite video				

P7-3M-3M-3M	\$640.
P7GR-3M-3M-3M	\$659.
P7-VGA-USB	\$341.
P7GR-VGA-USB	\$358.
P7-USB-USB	\$219.
P7GR-USB-USB	\$236.
P7-VGA-MS-RCA	\$426.
P7GR-VGA-MS-RCA	\$443.

Order Code

Example:	P7-C3-C6-C6
P7	Black data faceplate
C3	RJ11 Cat. 3 jack
C6	RJ45 Cat. 6 jack
C6	R I45 Cat. 6 jack

Specify: Faceplate with desired communication or data jacks.

- 1. Faceplate
- 2. Communication/data jack
- 3. Communication/data jack
- 4. Communication/data jack

On-site wiring to be installed by communications/data contractor.

Finishes

Faceplate finishes: Black (suffix P7) Grey (suffix P7GR)

Communication data options: RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) * Fiber optic (suffix LC)

Data cables are not supplied.

* requires on-site wiring RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.

Features

Communication, data jacks:

RJ-11 Telephone Connection:

RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3) Configured for Amp cables.(suffix C3I)

RJ-45 Data Connection:

RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)

A/V and data jacks: **DB Connection**:

pattern no.

15 pin High density VGA female/female coupler. (suffix VGA) **DVI Connection:**

DVI in-line female/female coupler. (suffix DVI)

RCA Connection:
White (left audio), Red (right audio) and
Yellow (composite video) female/female

coupler. (suffix RCA) Stereo Connection:

Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

USB Connection:

USB A/A inline in XLR body. (suffix USB)

Video Connection:

S-Video (SVHS) female/female coupler. (suffix SV)

XLR Connection:

3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).

HDMI Connection:

HDMI in-line female/female coupler (suffix HDMI).

* requires on-site wiring.

A/V Cables are not included.

Construction

ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.

(yellow)

A/V and data options:

15 pin VGA (suffix VGA)

Mini Stereo jack (suffix MS) *

HDMI coupler (suffix HDMI)

3 pin XLR female (suffix 3X) *

Cord minders (suffix CM)

Blank plate (suffix X)

3 pin mini XLR female (suffix 3M) *

Mini Stereo coupler (suffix MSI)

\$492.

\$509.

Emanuela Frattini Propeller® Electrical Plexus Communication and Data Faceplates

description	accomodates	W	d	h	color
P7-VGA-MSI-RCA data faceplate, one 15 pin HD VGA coupler, one Mini-Stereo coupler, one set RCA (white, red and yellow) couplers	one 15 pin HD VGA coupler, one Mini-Stereo coupler, one set RCA couplers- one left audio (white), one right audio (red), compostite video (yellow)	3.2"	1.9"	.4"	black
	one 15 pin HD VGA coupler, one Mini-Stereo coupler, one set RCA couplers- one left audio (white), one right audio (red), compostite video (yellow)	3.2"	1.9"	.4"	grey

3.2"

P7-VGA-RCA \$405.

P7-VGA-RCA data faceplate, one 15 pin HD one 15 pin HD VGA coupler, VGA coupler, one set RCA (white, red and yellow) couplers one set RCA couplers- one left audio o‱o ⊚ (white). one right audio (red), composite video (yellow) one 15 pin HD VGA coupler, one set RCA

1.9" couplers- one left audio (white). one right audio (red), composite video (yellow)

1.9"

I TON-YOA-NOA	Ψ 4 20.

0.40.00	0.40. 0040				
Example:	P7-C3-C6-C6				
P7	Black data faceplate				
C3	RJ11 Cat. 3 jack				
C6	RJ45 Cat. 6 jack				
C6	RJ45 Cat. 6 jack				

Specify: Faceplate with desired communication or data jacks.

1. Faceplate

Order Code

- 2. Communication/data jack 3. Communication/data jack
- 4. Communication/data jack
- On-site wiring to be installed by communications/data contractor.

Faceplate finishes: Black (suffix P7) Grey (suffix P7GR)

Fiber optic (suffix LC)

Finishes

Communication data options: RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) *

Data cables are not supplied.

RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.

A/V and data options: 15 pin VGA (suffix VGA) Mini Stereo jack (suffix MS) * Mini Stereo coupler (suffix MSI) HDMI coupler (suffix HDMI) 3 pin XLR female (suffix 3X) * 3 pin mini XLR female (suffix 3M) * Cord minders (suffix CM)

Blank plate (suffix X)

Features Communication, data jacks:

RJ-11 Telephone Connection: RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3) Configured for Amp cables.(suffix C3I)

black

RJ-45 Data Connection: RJ-45 Category 5e in-line coupler female/female. Configured for Amp

cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)

A/V and data jacks: DB Connection:

15 pin High density VGA female/female coupler. (suffix VGA) **DVI Connection:**

DVI in-line female/female coupler. (suffix DVI)

P7GR-VGA-RCA

P7-VGA-MSI-RCA

P7GR-VGA-MSI-RCA

RCA Connection: White (left audio), Red (right audio) and

coupler. (suffix RCA) Stereo Connection:

Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

USB Connection: USB A/A inline in XLR body. (suffix USB)

Video Connection: S-Video (SVHS) female/female coupler.

(suffix SV) XLR Connection: 3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, Yellow (composite video) female/female requires site wiring (suffix 3M). HDMI Connection: HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring. A/V Cables are not included.

ABS fire retardant faceplate with integral

color. Fits shallow Plexus box openings.

Construction

114

Emanuela Frattini Propeller® Electrical Plexus Communication and Data Faceplates

description	accomodates	W	d	h	color
P7-DVI-VGA data faceplate, one DVI coupler, one 15 pin HD VGA coupler	one DVI in-line coupler, one 15 pin HD VGA coupler	3.2"	1.9"	.4"	black
	one DVI in-line coupler, one 15 pin HD VGA coupler	3.2"	1.9"	.4"	grey
P7-DVI data faceplate, one DVI coupler	one CVI in-line coupler	3.2"	1.9"	.4"	black
Damas G	one CVI in-line coupler	3.2"	1.9"	.4"	grey
P7-DVI-MS-MS data faceplate,	one DVI coupler,	3.2"	1.9"	.4"	black
one DVI in-line coupler, two mini stereo jacks	two Mini-Stereo jacks one DVI coupler, two Mini-Stereo jacks	3.2"	1.9"	.4"	grey
P7-DVI-MSI-MSI data faceplate, one DVI coupler, two mini stereo in-line couplers	one DVI coupler, two Mini-Stereo couplers	3.2"	1.9"	.4"	black
0 0	one DVI coupler, two Mini-Stereo couplers	3.2"	1.9"	.4"	grey

list pric
\$668
\$686
\$442
\$460
\$491.
\$508
\$620
\$637.
•

\sim	rder	\cdot \cap	do

Example:	P7-C3-C6-C6
P7	Black data faceplate
C3	RJ11 Cat. 3 jack
C6	RJ45 Cat. 6 jack
C6	RJ45 Cat. 6 iack

Specify: Faceplate with desired communication or data jacks.

- 1. Faceplate
- 2. Communication/data jack 3. Communication/data jack
- 4. Communication/data jack

On-site wiring to be installed by communications/data contractor.

Finishes

Faceplate finishes: Black (suffix P7) Grey (suffix P7GR)

Communication data options: RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) * Fiber optic (suffix LC)

Data cables are not supplied.

RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.

Features A/V and data options: Communication, data jacks: 15 pin VGA (suffix VGA)

Mini Stereo jack (suffix MS) *

HDMI coupler (suffix HDMI)

Cord minders (suffix CM)

Blank plate (suffix X)

3 pin XLR female (suffix 3X) *

3 pin mini XLR female (suffix 3M) *

Mini Stereo coupler (suffix MSI)

RJ-11 Telephone Connection: RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3) Configured for Amp cables.(suffix C3I)

RJ-45 Data Connection:

RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)

A/V and data jacks: DB Connection:

15 pin High density VGA female/female coupler. (suffix VGA) **DVI Connection:**

DVI in-line female/female coupler. (suffix DVI) RCA Connection:

White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)

Stereo Connection:

Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

USB Connection:

USB A/A inline in XLR body. (suffix USB)

Video Connection:

S-Video (SVHS) female/female coupler. (suffix SV)

XLR Connection:

3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).

HDMI Connection:

HDMI in-line female/female coupler (suffix HDMI).

A/V Cables are not included.

* requires on-site wiring.

Construction

Emanuela Frattini Propeller® Electrical Plexus Communication and Data Faceplates

description	accomodates	W	d	h	color
P7-HDMI data faceplate, one HDMI w/36" patch cord	one HDMI coupler, female/female w/36" patch cord	3.2"	1.9"	.4"	black
000	one HDMI coupler, female/female w/36" patch cord	3.2"	1.9"	.4"	grey
P7-HDMI-VGA-MS data faceplate, one HDMI w/36" patch cord, one VGA w/60" patch cord,	one HDMI coupler, one VGA, one Mini-Stereo jack	3.2"	1.9"	.4"	black

pattern no.	list price
P7-HDMI	\$297.
P7GR-HDMI	\$316.
P7-HDMI-VGA-MS	\$547.
P7GR-HDMI-VGA-MS	\$565.

Order	Code
Oluci	Couc

Example:	P7-C3-C6-C6
P7	Black data faceplate
C3	RJ11 Cat. 3 jack
C6	RJ45 Cat. 6 jack
C6	RJ45 Cat. 6 jack

Specify: Faceplate with desired communication or data jacks.

- 1. Faceplate
- 2. Communication/data jack 3. Communication/data jack
- 4. Communication/data jack

On-site wiring to be installed by communications/data contractor.

Finishes

Example:	P7-C3-C6-C6	
P7	Black data faceplate	
C3	RJ11 Cat. 3 jack	
C6	RJ45 Cat. 6 jack	
C6	RI45 Cat 6 jack	

Faceplate finishes: Black (suffix P7) 15 pin VGA (suffix VGA) Grey (suffix P7GR) Mini Stereo jack (suffix MS) * Mini Stereo coupler (suffix MSI) Communication data options: HDMI coupler (suffix HDMI) RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler 3 pin XLR female (suffix 3X) * 3 pin mini XLR female (suffix 3M) * Cord minders (suffix CM) (suffix C5E)

A/V and data options:

Blank plate (suffix X)

Data cables are not supplied.

Fiber optic (suffix LC)

RJ-45 Category 6 jack (suffix C6) *

RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.

Features

Communication, data jacks: **RJ-11 Telephone Connection:**

RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3) Configured for Amp cables.(suffix C3I)

RJ-45 Data Connection:

RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)

A/V and data jacks: DB Connection:

15 pin High density VGA female/female coupler. (suffix VGA) **DVI Connection:**

DVI in-line female/female coupler. (suffix DVI)

RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)

Stereo Connection:

Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

USB Connection:

USB A/A inline in XLR body. (suffix USB)

Video Connection:

S-Video (SVHS) female/female coupler. (suffix SV)

XLR Connection:

3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).

HDMI Connection:

HDMI in-line female/female coupler (suffix HDMI).

* requires on-site wiring.

Construction

119

ABS fire retardant faceplate with integral color. Fits shallow Plexus box openings.

A/V Cables are not included.

\$610.

\$627.

\$442.

\$460.

Emanuela Frattini Propeller® Electrical Plexus Communication and Data Faceplates

P7-HDMI-VGA-MSI data faceplate, one HDMI w/36" patch cord, one VGA w/60" patch cord, one mini stereo in-line coupler



description

accomodates	W	d	h	color
one HDMI coupler, one VGA, one Mini-Stereo in-line coupler, female/female	3.2"	1.9"	.4"	black
one HDMI coupler, one VGA, one Mini-Stereo in-line coupler, female/female	3.2"	1.9"	.4"	grey

P7-VGA-MS-USB data faceplate. one 15 pin VGA w/60" patch cord, one Mini-Stereo jack, one USB A/A w/72" patch cord



black one 15 pin VGA, one Mini-Stereo jack*, one USB A/B in-line coupler 3.2" 1.9" one 15 pin VGA, one Mini-Stereo jack*, one USB A/B in-line coupler

P7-VGA-MSI-USB data faceplate, one 15 pin VGA w/60" patch cord, one Mini-Stereo coupler, one USB A/A w72" patch cord



one 15 pin VGA , one Mini-Stereo	3.2"	1.9"	.4"	black	
coupler,					
one USB A/B					
in-line coupler					
one 15 pin VGA ,	3.2"	1.9"	.4"	grey	
one Mini-Stereo					
coupler,					
one USB A/B					
in-line coupler					

Order Code

Example:	P7-C3-C6-C6	
P7	Black data faceplate	-
C3	RJ11 Cat. 3 jack	-
C6	RJ45 Cat. 6 jack	-
C6	RJ45 Cat. 6 jack	-

Specify: Faceplate with desired communication or data jacks.

- 1. Faceplate
- 2. Communication/data jack
- 3. Communication/data jack
- 4. Communication/data jack

On-site wiring to be installed by communications/data contractor.

Finishes

Faceplate finishes: Black (suffix P7) Grey (suffix P7GR)

Fiber optic (suffix LC)

Communication data options: RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) *

Data cables are not supplied.

RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.

A/V and data options: 15 pin VGA (suffix VGA) Mini Stereo jack (suffix MS) *

Mini Stereo coupler (suffix MSI) HDMI coupler (suffix HDMI) 3 pin XLR female (suffix 3X) * 3 pin mini XLR female (suffix 3M) * Cord minders (suffix CM) Blank plate (suffix X)

RJ-11 Telephone Connection:

cables. (suffix C3) Configured for Amp cables.(suffix C3I)

RJ-45 Data Connection: RJ-45 Category 5e in-line coupler female/female. Configured for Amp

cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)

Features

Communication, data jacks:

RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons

DVI in-line female/female coupler. (suffix DVI) **RCA Connection:**

White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)

15 pin High density VGA female/female

Stereo Connection:

A/V and data jacks:

coupler. (suffix VGA)

DB Connection:

DVI Connection:

P7-VGA-MSI-USB

P7GR-VGA-MSI-USB

pattern no.

P7-HDMI-VGA-MSI

P7GR-HDMI-VGA-MSI

Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

USB Connection: USB A/A inline in XLR body. (suffix

HSB)

Video Connection:

S-Video (SVHS) female/female coupler. (suffix SV)

XLR Connection:

3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).

HDMI Connection:

HDMI in-line female/female coupler (suffix HDMI). * requires on-site wiring.

A/V Cables are not included.

P7-VGA-MS-USB \$380. P7GR-VGA-MS-USB \$397.

Construction

Emanuela Frattini Propeller® Electrical Plexus Communication and Data Faceplates

description	accomodates	w	d	h	color
P7-RCA data faceplate, one set RCA (white, red and yellow) couplers	one set RCA couplers- one left audio (white), one right audio (red), composite video (yellow)	3.2"	1.9"	.4"	black
	one set RCA couplers- one left audio (white), one right audio (red), composite video (yellow)	3.2"	1.9"	.4"	grey
P7-SV data faceplate, one S-Video coupler	one S-Video (SVHS), in-line coupler	3.2"	1.9"	.4"	black
	one S-Video (SVHS), in-line coupler	3.2"	1.9"	.4"	grey
P7-DVI-SV data faceplate,	one DVI	3.2"	1.9"	.4"	black
one DVI coupler, one S-Video coupler	in-line coupler, one S-Video (SVHS) in-line coupler				
	one DVI in-line coupler, one S-Video (SVHS) in-line coupler	3.2"	1.9"	.4"	grey

\$178
\$19
\$290
\$314
\$723
\$741

Onder	0-4-

Example:	P7-C3-C6-C6
P7	Black data faceplate
C3	RJ11 Cat. 3 jack
C6	RJ45 Cat. 6 jack
C6	R I45 Cat. 6 jack

Specify: Faceplate with desired communication or data jacks.

- 1. Faceplate
- 2. Communication/data jack 3. Communication/data jack
- 4. Communication/data jack
- On-site wiring to be installed by communications/data contractor.

Finishes

Faceplate finishes: Black (suffix P7) Grey (suffix P7GR)

Communication data options: RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) * Fiber optic (suffix LC)

Data cables are not supplied.

RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.

A/V and data options: 15 pin VGA (suffix VGA) Mini Stereo jack (suffix MS) * Mini Stereo coupler (suffix MSI)

Cord minders (suffix CM)

Blank plate (suffix X)

RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to HDMI coupler (suffix HDMI) back of jack. Configured for Siemons 3 pin XLR female (suffix 3X) * cables. (suffix C3) 3 pin mini XLR female (suffix 3M) * Configured for Amp cables.(suffix C3I) RJ-45 Data Connection:

Features

RJ-45 Category 5e in-line coupler female/female. Configured for Amp

Communication, data jacks:

RJ-11 Telephone Connection:

cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)

A/V and data jacks: DB Connection:

pattern no.

15 pin High density VGA female/female coupler. (suffix VGA) **DVI Connection:**

DVI in-line female/female coupler. (suffix DVI)

RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)

Stereo Connection:

Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

USB Connection:

USB A/A inline in XLR body. (suffix USB)

Video Connection:

S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection:

3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).

HDMI Connection:

HDMI in-line female/female coupler (suffix HDMI).

* requires on-site wiring. A/V Cables are not included.

Construction

Emanuela Frattini Propeller® Electrical Plexus Communication and Data Faceplates

description	accomodates	W	d	h	color
P7-X data faceplate, blank, no cut-outs	blank, no cut-outs	3.2"	1.9"	.4"	black
	blank, no cut-outs	3.2"	1.9"	.4"	grey
P7-CM data faceplate,	three cord minders	3.2"	1.9"	.4"	black

pattern no.	nst price
P7-X	\$10
P7GR-X	\$29
P7-CM	\$69
	dh.

Order	Code

Example:	P7-C3-C6-C6
P7	Black data faceplate
C3	RJ11 Cat. 3 jack
C6	RJ45 Cat. 6 jack
C6	RJ45 Cat. 6 jack

Specify: Faceplate with desired communication or data jacks.

- 1. Faceplate
- 2. Communication/data jack
- 3. Communication/data jack 4. Communication/data jack

On-site wiring to be installed by communications/data contractor.

Finishes

Faceplate finishes: Black (suffix P7) Grey (suffix P7GR)

Communication data options: RJ-11 Category 3 jack (suffix C3) * RJ-45 Category 5e inline coupler (suffix C5E) RJ-45 Category 6 jack (suffix C6) * Fiber optic (suffix LC)

Data cables are not supplied.

RJ-11 (Cat. 3) and RJ-45 (Cat. 6) jacks require wires to be crimped to backs.

A/V and data options: 15 pin VGA (suffix VGA)

Mini Stereo jack (suffix MS) * Mini Stereo coupler (suffix MSI) HDMI coupler (suffix HDMI) 3 pin XLR female (suffix 3X) * 3 pin mini XLR female (suffix 3M) * Cord minders (suffix CM)

Blank plate (suffix X)

124

Features

Communication, data jacks: **RJ-11 Telephone Connection:**

RJ-11 Category 3 data jack, requires site wiring and wires must be crimped to back of jack. Configured for Siemons cables. (suffix C3) Configured for Amp cables.(suffix C3I)

RJ-45 Data Connection:

RJ-45 Category 5e in-line coupler female/female. Configured for Amp cables. (suffix C5E) RJ-45 Category 6 data jack, requires site wiring and cables must be crimped to back of jack. Configured for Siemons cables. (suffix C6)

A/V and data jacks: DB Connection:

15 pin High density VGA female/female coupler. (suffix VGA) **DVI Connection:**

DVI in-line female/female coupler. (suffix DVI)

RCA Connection: White (left audio), Red (right audio) and Yellow (composite video) female/female coupler. (suffix RCA)

Stereo Connection:

Mini Stereo (3.5mm) jack, requires site wiring (suffix MS). Mini Stereo (3.5mm) female/female coupler (suffix MSI).

USB Connection:

USB A/A inline in XLR body. (suffix USB)

Video Connection:

S-Video (SVHS) female/female coupler. (suffix SV) XLR Connection:

3 pin XLR jack, requires site wiring (suffix 3X). 3 pin mini XLR jack, requires site wiring (suffix 3M).

HDMI Connection:

HDMI in-line female/female coupler (suffix HDMI).

A/V Cables are not included.

* requires on-site wiring.

Construction

125

Alpha-Numeric Index

pattern no.	page	pattern no.	page	pattern no.	page	pattern no.	page
		P2-R24	14	P3-CD30	52	P3-DBASEM-W	74
P2-C02	18	P2-R25	14	P3-CD32	52	P3-DBASES	74
P2-C04	18	P2-R26	14	P3-CD34	52	P3-DBASES-W	74
P2-C06	18	P2-R32	14	P3-CD36	52	P3-DD48	50
P2-C10	18	P2-R34	14	P3-CD38	52	P3-DD46	50
P2-C12	18	P2-R36	14	P3-CD38	52	P3-DD54 P3-DD60	50
P2-C13	18						
P2-C14	18	P2-RLEG2KIT	72	P3-CD50	52	P3-DL48	30
P2-C15	18	P2-RLEG4KIT	72	P3-CD52	52	P3-DL54	30
P2-C16	18	P2-S92	16	P3-CD54	52	P3-DL60	30
P2-C17	18	P2-S94	16	P3-CD56	52	P3-ED30	54
P2-C-2	72	P2-S96	16	P3-CD58	52	P3-ED32	54
P2-C21	18	P2-TCLEG2	72	P3-CD60	52	P3-ED34	54
P2-C22	18	P2-TCLEG218	72	P3-CL10	36	P3-ED36	54
P2-C23	18	P2-TLEG2	72	P3-CL12	36	P3-ED38	54
P2-C24	18	P2-TLEG4	72	P3-CL14	36	P3-ED40	54
P2-C25	18	P2-TTLEG2	72	P3-CL16	36	P3-ED50	54
P2-C26	18	P2-TTLEG30	72	P3-CL18	36	P3-ED52	54
P2-C27	18	P2-X30	26	P3-CL20	36	P3-ED54	54
P2-C28	18	P2-X36	26	P3-CL22	36	P3-ED56	54
P2-C29	18	P2-X42	26	P3-CL30	36	P3-ED58	54
P2-C32	18	P2-X48	26	P3-CL32	36	P3-ED60	54
P2-C34	18	P2-Y42	26	P3-CL34	36	P3-EL10	40
P2-C36	18	P2-Y48	26	P3-CL36	36	P3-EL12	40
P2-CASTER4	72	P3-BD62	50	P3-CL38	36	P3-EL14	40
P2-DOLLY24	22	P3-BD64	50	P3-CL40	36	P3-EL16	40
		P3-BD82	50	P3-CL42	36	P3-EL18	40
P2-DOLLY26	22	P3-BD84	50	P3-CL50	36	P3-EL20	40
P2-DOLLY34	22	P3-BD86	50	P3-CL52	36	P3-EL30	40
P2-DOLLY36	22	P3-BL42	32	P3-CL54	36	P3-EL32	40
P2-DOLLY-H	22	P3-BL44	32	P3-CL56	36		40
P2-F14	22					P3-EL34	
P2-F16	22	P3-BL46	32	P3-CL58	36	P3-EL36	40
P2-F24	22	P3-BL48	32	P3-CL60	36	P3-EL38	40
P2-F25	22	P3-BL50	32	P3-CL62	36	P3-EL40	40
P2-F26	22	P3-BL52	32	P3-CLEG-C	72	P3-EL50	40
P2-F34	22	P3-BL54	32	P3-CLEG-F	72	P3-EL52	40
P2-F36	22	P3-BL56	32	P3-CLEG-PE	96	P3-EL54	40
P2-GLIDE4	72	P3-BL62	32	P3-CLEG-PR	94	P3-EL56	40
P2-H12	24	P3-BL64	32	P3-CP10	62	P3-EL58	40
P2-H14	24	P3-BL66	32	P3-CP12	62	P3-EL60	40
P2-H16	24	P3-BL68	32	P3-CP14	62	P3-EP10	64
P2-H22	24	P3-BL70	32	P3-CP16	62	P3-EP12	64
P2-H24	24	P3-BL72	32	P3-CP18	62	P3-EP14	64
P2-H26	24	P3-BL74	32	P3-CP20	62	P3-EP16	64
P2-H32	24	P3-BL76	32	P3-CP22	62	P3-EP18	64
P2-H34	24	P3-BL82	32	P3-CP30	62	P3-EP20	64
P2-H36	24	P3-BL84	32	P3-CP32	62	P3-EP30	64
P2-M10	16	P3-BL86	32	P3-CP34	62	P3-EP32	64
P2-M20	16	P3-BL88	32	P3-CP36	62	P3-EP34	64
P2-M30	16	P3-BL90	32	P3-CP38	62	P3-EP36	64
P2-N30	14	P3-BL92	32	P3-CP40	62	P3-EP38	64
P2-N41	14	P3-BL94	32	P3-CP42	62	P3-EP40	64
		P3-BL96	32	P3-CP50	62	P3-EP50	64
P2-N52	14	P3-BP50	60	P3-CP52	62	P3-EP52	66
P2-R02	14	P3-BP52	60	P3-CP54	62	P3-EP54	66
P2-R04	14	P3-BP54	60	P3-CP56	62	P3-EP56	66
P2-R06	14						
P2-R10	14	P3-BP56	60	P3-CP58	62	P3-EP58	66
P2-R12	14	P3-BP70	60	P3-CP60	62	P3-EP60	66
P2-R14	14	P3-BP72	60	P3-CP62	62	P3-FD26	52
P2-R16	14	P3-BP74	60	P3-DBASEL	74	P3-FD30	52
P2-R21	14	P3-BP76	60	P3-DBASEL-W	74	P3-FD32	52
		P3-BP96	60	P3-DBASEM	74	P3-FD34	52

pattern no.	page	pattern no.	page	pattern no.	page	pattern no.	page
P3-FD36	52	P3-NL56	30	P3-RP96	60	P3-TL40	44
P3-FD38	52	P3-NL64	30	P3-RR68	56	P3-TL50	44
P3-FD46	52	P3-NL66	30	P3-RR72	56	P3-TL52	44
P3-FD50	52	P3-NL68	30	P3-RR88	56	P3-TL54	44
P3-FD52	52	P3-NL70	30	P3-RR92	56	P3-TL56	44
P3-FD54	52	P3-NL72	30	P3-RS62	56	P3-TL58	44
P3-FD56	52	P3-NL74	30	P3-RS64	56	P3-TL60	44
P3-FD58	52	P3-NL76	30	P3-RS80	56	P3-TLEGU-PE	96
P3-FL06	38	P3-NL88	30	P3-RS82	56	P3-TLEGU-PE30	96
P3-FL10	38	P3-NL90	30	P3-SBASEL	74	P3-TLEGU-PR	94
P3-FL12	38	P3-NL92	30	P3-SBASEL-W	74	P3-TLEGU-PR30	94
P3-FL14	38	P3-NL94	30	P3-SBASEM	74	P3-TP10	68
P3-FL16	38	P3-NL96	30	P3-SBASEM-W	74	P3-TP12	68
P3-FL18	38	P3-NP50	60	P3-SBASES	74	P3-TP14	68
P3-FL26	38	P3-NP52	60	P3-SBASES-W	74	P3-TP16	68
P3-FL30	38	P3-NP54	60	P3-SL10	42	P3-TP18	68
P3-FL32	38	P3-NP56	60	P3-SL12	42	P3-TP20	68
P3-FL34	38	P3-NP70	60	P3-SL14	42	P3-TP30	68
P3-FL36	38	P3-NP72	60	P3-SL16	42	P3-TP32	68
P3-FL38	38	P3-NP74	60	P3-SL30	42	P3-TP34	68
P3-FL46	38	P3-NP76	60	P3-SL32	42	P3-TP36	68
P3-FL50	38	P3-NP96	60	P3-SL34	42	P3-TP38	68
P3-FL52	38	P3-PBASE	76	P3-SL36	42	P3-TP40	68
P3-FL54	38	P3-PBASE-W	76	P3-SL42	34	P3-TP50	68
P3-FL56	38	P3-RBASEL	76	P3-SL48	34	P3-TP52	68
P3-FL58	38	P3-RBASEL-W	76	P3-SL50	42	P3-TP54	68
P3-FP06	62	P3-RBASEM	76	P3-SL52	42	P3-TP56	68
			76				
P3-FP10	62	P3-RBASEM-W		P3-SL53	42	P3-TP58	68
P3-FP12	62	P3-RBASES	76	P3-SL54	34	P3-TP60	68
P3-FP14	62	P3-RBASES-W	76	P3-SL56	42	P3-TS30	58
P3-FP16	62	P3-RBASEXL	76	P3-SL60	34	P3-TS32	58
P3-FP18	64	P3-RBASEXL-W	76	P3-SP10	68	P3-TS34	58
P3-FP26	64	P3-RL40	34	P3-SP12	68	P3-TS36	58
P3-FP30	64	P3-RL42	34	P3-SP14	68	P3-TS38	58
P3-FP32	64	P3-RL44	34	P3-SP16	68	P3-TS40	58
P3-FP34	64	P3-RL46	34	P3-SP30	68	P3-TS50	58
P3-FP36	64	P3-RL48	34	P3-SP32	68	P3-TS52	58
P3-FP38	64	P3-RL50	34	P3-SP34	68	P3-TS54	58
P3-FP46	64	P3-RL52	34	P3-SP36	68	P3-TS56	58
P3-FP50	64	P3-RL54	34	P3-SP50	68	P3-TS58	58
P3-FP52	64	P3-RL56	34	P3-SP52	68	P3-TS60	58
P3-FP54	64	P3-RL62	34	P3-SP54	68	P3-VL10	46
P3-FP56	64	P3-RL64	34	P3-SP56	68	P3-VL12	46
P3-FP58	64	P3-RL66	34	P3-SS30	58	P3-VL14	46
P3-J42	26	P3-RL68	34	P3-SS32	58	P3-VL16	46
P3-J48	26	P3-RL70	34	P3-SS34	58	P3-VL18	46
P3-KNOB8	72	P3-RL72	34	P3-SS36	58	P3-VL20	46
P3-L30	26	P3-RL74	34	P3-SS48	56	P3-VL30	46
P3-L36	26	P3-RL76	34	P3-SS50	58	P3-VL32	46
P3-L42	26	P3-RL80	34	P3-SS52	58	P3-VL34	46
P3-L48	26	P3-RL82	34	P3-SS53	58	P3-VL36	46
P3-MD48	50	P3-RL86	34	P3-SS54	56	P3-VL38	46
P3-MD54	50	P3-RL88	34	P3-SS56	58	P3-VL40	46
P3-MD60	50	P3-RL90	34	P3-SS60	56	P3-VL50	46
P3-ML42	30	P3-RL92	34	P3-TL10	44	P3-VL52	46
P3-ML48	30	P3-RL94	34	P3-TL12	44	P3-VL54	46
P3-ML54	30	P3-RL96	34	P3-TL14	44	P3-VL56	46
P3-ML60	30	P3-RP50	60	P3-TL16	44	P3-VL58	46
P3-ND64	50	P3-RP52	60	P3-TL18	44	P3-VL60	46
P3-NL44	30	P3-RP54	60	P3-TL20	44	P3-VP10	70
P3-NL46	30	P3-RP56	60	P3-TL30	44	P3-VP12	70
P3-NL48	30	P3-RP70	60	P3-TL32	44	P3-VP14	70
P3-NL50	30	P3-RP72	60	P3-TL34	44	P3-VP16	70
P3-NL52	30	P3-RP74	60	P3-TL36	44	P3-VP18	70
P3-NL54	30	P3-RP76	60	P3-TL38	44	P3-VP20	70
		-					

pattern no.	page
P3-VP30	70
P3-VP32 P3-VP34	70
P3-VP36	70
P3-VP38	70
P3-VP40	70
P3-VP50	70
P3-VP52	70
P3-VP54	70
P3-VP56	70
P3-VP58 P3-VP60	70
P3-VP60 P3-VS30	70 58
P3-VS32	58
P3-VS34	58
P3-VS36	58
P3-VS38	58
P3-VS40	58
P3-VS50	58
P3-VS52	58
P3-VS54	58
P3-VS56	58
P3-VS58	58
P3-VS60 P4-AMP1145A	58
P4-AMP1145B	90
P4-GR	86
P4-MRI	86
P4-PDC-12	90
P4-PDC-21	90
P4-PDC-22	90
P4-PDC-24	90
P4-PP	86
P4-RW-C2	72
P4-RWDA P4-RWDB	90
P4-RWDOX	90
P4-RWDOY	90
P4-RWDX	90
P4-RWDY	90
P4-RWIN4-CL	94
P4-RWIN4-CLE	96
P4-RWIN4-CR	94
P4-RWIN4-CRE	96
P4-RWIN4-REL	96
P4-RWIN4-RER	96
P4-RWIN4-RL	94
P4-RWIN4-RR P4-RWIN4-T	94
P4-RWIN4-TE	96
P4-RWJ10	92
P4-RWJ17	92
P4-RWJ27	92
P4-RWJ37	92
P4-RWJ47	92
P4-RWJ57	92
P4-RWJ67	92
P4-RWM30	92
P4-RWM96	92
P4-RWMFJ10	92
P4-RWMFJ17	92
P4-RWMFJ27	92 92
P4-RWMFJ37 P4-RWR48	92
P4-RWR60	90
	90

pattern no.	page
P4-RWR66	90
P4-RWR72	90
P4-RWT	90
P4S-BOXM-E	82
P4S-BOXM-PP-11	80
P4S-BOXM-PP-4511	80
P4S-BOXM-PP-5	80
P4S-BOXM-PRA	84
P4S-BOXM-PRB	84
P4S-BOXS-PP-2 P4S-BOXS-PP-X	80
P4S-BOXM-E	80
P4SD-BOXM-PP-11	80
P4SD-BOXM-PP-4511	80
P4SD-BOXM-PP-5	80
P4SD-BOXM-PRA	84
P4SD-BOXM-PRB	84
P4-WM4	74, 76
P4-WMT-18	86
P4-WMT-32	86
P4-WMT-44	86
P4-WMT-56	86
P4-WMT-96	86
P6-C02	20
P6-C04	20
P6-C06	20
P6-C12	20
P6-C14	20
P6-C16	20
P6-C22	20
P6-C24	20
P6-C26	20
P6-C32	20
P6-C34	20
P6-C36	20
P7-3M-3M	110
P7-3M-3M P7-3X-3X	112
P7-G3	98
P7-C3-C3-C6-C6	100
P7-C3-C6	98
P7-C3-C6-C6	98
P7-C3-C6-USB	108
P7-C3I-C3I	102
P7-C5-C5	100
P7-C5-C5-C5	100
P7-C6	98
P7-C6-C6	98
P7-C6-C6-C6	100
P7-C6-C6-C6	100
P7-CM	124
P7-DVI	116
P7-DVI-MSI-MSI	116
P7-DVI-MS-MS	116
P7-DVI-SV	122
P7-DVI-VGA	116
P7GR-3M-3M	110
P7GR-3M-3M-3M	112
P7GR-3X-3X	110
P7GR-C3	98
P7GR-C3-C3-C6-C6	100
P7GR-C3-C6	98
P7GR-C3-C6-C6	98
P7GR-C3-C6-USB	108
P7GR-C3I-C3I	102

pattern no.	page
P7GR-C5-C5	100
P7GR-C5-C5-C5	100
P7GR-C6 P7GR-C6-C6	98
P7GR-C6-C6	98
P7GR-C6-C6-C6	100
P7GR-DVI	116
P7GR-DVI-MSI-MSI	116
P7GR-DVI-MS-MS	116
P7GR-DVI-SV	122
P7GR-DVI-VGA	116
P7GR-HDMI	118
P7GR-HDMI-VGA-MS	118
P7GR-HDMI-VGA-MSI	120
P7GR-LC-LC	102
P7GR-LC-LC-C6-C6	102
P7GR-RCA	122
P7GR-SV	122
P7GR-USB-USB	112
P7GR-VGA-C3-C6	104
P7GR-VGA-C6	102
P7GR-VGA-C6-C6	104
P7GR-VGA-MS	110
P7GR-VGA-MS-C3-C6	104
P7GR-VGA-MS-C6	106
P7GR-VGA-MS-C6-C6	108
P7GR-VGA-MSI	110
P7GR-VGA-MSI-C3-C6	106
P7GR-VGA-MSI-C6	106
P7GR-VGA-MSI-C6-C6 P7GR-VGA-MSI-RCA	108
P7GR-VGA-MSI-USB	120
P7GR-VGA-MS-RCA	1120
P7GR-VGA-MS-USB	120
P7GR-VGA-RCA	114
P7GR-VGA-USB	112
P7GR-X	124
P7-HDMI	118
P7-HDMI-VGA-MS	118
P7-HDMI-VGA-MSI	120
P7-LC-LC	102
P7-LC-LC-C6-C6	102
P7-RCA	122
P7-SV	122
P7-USB-USB	112
P7-VGA-C3-C6	104
P7-VGA-C6	102
P7-VGA-C6-C6	104
P7-VGA-MS	110
P7-VGA-MS-C3-C6	104
P7-VGA-MS-C6	106
P7-VGA-MS-C6-C6	108
P7-VGA-MSI C2 C6	110
P7-VGA-MSI-C3-C6 P7-VGA-MSI-C6	106
P7-VGA-MSI-C6 P7-VGA-MSI-C6-C6	108
P7-VGA-MSI-CO-CO	114
P7-VGA-MSI-USB	120
P7-VGA-MS-RCA	112
P7-VGA-MS-USB	120
P7-VGA-RCA	114
P7-VGA-USB	112
P7-X	124

This Selling Policy supersedes all previous selling policies and is inclusive of Knoll, KnollStudio and Muuto. Prices, discounts and product offerings are subject to change without notice.

Terms & Conditions of Sales

Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supersede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.

Ordering Information Order Confirmation **Pricing Policies**

All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order. A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.

List prices are subject to change without notice.

List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.

All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.

Terms of Payment

Payment for one hundred percent (100%) of the net order amount (including any applicable shipping and handling fee) is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment. If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.

Changes and Cancellation

Standard purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.

QuickShip orders may not be changed or canceled without Knoll's authorization. In the event of Muuto order changes, 25% payment of original net order amount is required for changes incurring the week the order was entered. 100% payment of original net order amount is required for changes incurring the week the order is scheduled to ship. If Muuto is ordered on QuickShip, the QuikShip policy supersedes.

Freight Prepaid

For standard orders, freight is prepaid and included in the price of all Knoll Office and KnollStudio Products, except KnollTextiles and Muuto, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.

Freight for all Muuto orders must be specified at time of order placement and added to the PO.

Delivery/Freight Charges

Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.

For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.

Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.

Nonstandard methods of shipment and/or additional services are available upon request. Orders for QuickShip product shipping direct parcel or White Glove are subject to additional shipping and handling charges and must be paid by Purchaser. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery.

Partial shipments may be made and invoiced by Seller.

All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation

October 1, 2022 129

Selling Policy

Seller's Security Interest Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filling of documentation, which may be necessary to perfect and assure the security interest of Seller.

Returns The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.

Held Orders/Storage

If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.

Customer's Own Material

A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.

Delay/Force Majeure

Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.

Compliance with Law

PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES. REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.

Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.

The foregoing indemnity does not apply to the following:

- Products supplied according to a design other than that of Seller, and which is required by the Purchaser.
- · Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.
- · Any settlements of a suit or proceeding made without Seller's written consent.

Limitations of Liability

SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.

Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.

Warranty please visit warranty website link Warranty | Knoll for up-to-date information.

130 October 1, 2022

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc. 1235 Water Street P.O. Box 157

East Greenville, PA 18041 Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEEDTM certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."